

## **CHAPTER 7 REFERENCES**

The following references are subdivided by their corresponding chapters where they are cited. Chapter 3 references are further subdivided by section for ease in locating a citation.

**Chapter 1 References: Purpose and Need for Proposed Action**

- DoN. 2003. Introduction of F/A-18E/F Super Hornets to the East Coast of the US. Final Environmental Impact Statement.
- DoN. 2006a. Range Capabilities Document.
- DoN. 2006b. Virginia Capes Range Complex Management Plan (Final Draft).
- DoN. 2006c. Programmatic Overseas Environmental Assessment (OEA) for Sinking Exercises (SINKEX) in the Western Atlantic Ocean.
- DoN. 2006d. Biological Assessment on Overseas Environmental Assessment: Programmatic OEA for Sinking Exercises (SINKEX) in the Western Atlantic Ocean March, 2006.
- DoN. 2006e. Permanent Placement of Navy Expeditionary Combat Command (NECC) Headquarters, and Temporary Standup of Riverine Group Headquarters and Two Riverine Squadrons at Naval Amphibious Base, Little Creek Norfolk, Virginia. Categorical Exclusion.
- DoN. 2009a. Final Environmental Assessment MCB Camp Lejeune Range Operations Onslow and Jones Counties, North Carolina. January.
- DoN. 2009b. Final Environmental Assessment MCAS Cherry Point Range Operations Craven, Carteret, and Pamlico Counties, North Carolina. January.
- DoN. 2009c. Record of Decision for Atlantic Fleet Active Sonar Training. January.
- DoN. 2009d. Final Environmental Impact Statement/Overseas Environmental Impact Statement for VACAPES Range Complex. [www.vacapesrangecomplexeis.com](http://www.vacapesrangecomplexeis.com).
- DoN. 2009e. Final Environmental Impact Statement/Overseas Environmental Impact Statement for Jacksonville Range Complex. [www.jacksonvillerrangecomplexeis.com](http://www.jacksonvillerrangecomplexeis.com).
- DoN. 2009f. Notice of Intent to Prepare an Environmental Impact Statement for Basing the U.S. Marine Corps Joint Strike Fighter F-35B on the East Coast. Federal Register 74(010):2514-2515. January.
- NMFS (National Marine Fisheries Service). 2002. Biological Opinion on Ongoing Ordnance delivery at MCAS Cherry Point Bombing Targets BT-9 and BT-11 in Pamlico Sound, North Carolina..
- NMFS. 2006. Biological Opinion for the Endangered Species Act Section 7 Consultation with the U.S. Navy on Sinking Exercises (SINKEX) in the Western Atlantic Ocean.
- USFWS (US Fish and Wildlife Service). 2002. Biological Opinion on the Effects of Current Use and Modification of Training Areas, Dune Stabilization, and Continued Recreational Use of Onslow Beach, MCB Camp Lejeune, NC.

**Chapter 2 References: Description of Proposed Action and Alternatives**

- DoN (Department of the Navy). 2002. Final Environmental Assessment for the Homebasing of the MH-60R/S on the East Coast of the United States.
- DoN. 2001. Airborne Mine Neutralization System (AMNS) Inert Target Tests Final EA/OEA. June 2001.
- DoN. 2002a. Final Environmental Assessment for the Homebasing of the MH-60R/S on the East Coast of the United States.
- DoN. 2002b. Airborne Mine Neutralization System (AMNS) Inert Target Tests Supplemental EA/OEA. August 2002.

**Chapter 3: Affected Environment****Section 3.1: Bathymetry and Sediments****Section 3.2: Hazardous Materials and Hazardous Waste**

- 
- DoN, 2003a. Final Environmental Assessment and Overseas Environmental Assessment on AN/AQS-20A SONAR, Mine Detecting Set, Inert Mission Test. Airborne Mine Defense Program Office.
- DoN. 2003b. Airborne Laser Mine Detection System (ALMDS) Mine Detecting Set, Inert Mission Tests, Final EA/OEA. March 2003.
- DoN, 2005. Final Environmental Assessment and Overseas Environmental Assessment for Organic Airborne and Surface Influence Sweep Mission Tests, Inert Mission Tests. Airborne Mine Defense Program Office.
- DoN. 2006a. Cherry Pt/Camp Lejeune Range Complex Management Plan (Final Draft).
- DoN. 2006b. Cherry Point/Camp Lejeune Range Complex Management Plan – Operations Data Book. March 2006.

**Chapter 3 References: Affected Environment****Section 3.1 References: Bathymetry and Sediments**

- Amato, R.V. 1994. Sand and Gravel Maps of the Atlantic Continental Shelf with Explanatory Text, U.S. Minerals Management Service OCS Monograph MMS 93-0037. Scale 1:1,000,000. page 35.
- DoN. 2002. Biological Assessment for Explosive Ordnance Disposal (EOD) Mine Warfare Exercises in the East Coast Operating Areas. Naval Facilities Engineering Command. Norfolk, Virginia. July 2002.
- Environmental Sciences Group (ESG), 2005. *Canadian Forces Maritime Experimental and Test Ranges Environmental Assessment Update*. Royal Military College of Canada.
- Hollister, C.D. 1973. Atlantic continental shelf and slope of the United States - texture of surface sediments from New Jersey to southern Florida: USGS Prof. Pap. 23 p.
- Johnson, D.R. 1987. Nearshore Surface Currents in the Chesapeake Bight During Summer. Cont. Shelf. & 367 378.
- Kennett, J. P. 1982. Marine Geology. Prentice-Hall, Inc., Englewood Cliffs, NJ.
- National Marine Fisheries Service. 2002. Biological Opinion on the Effects of *Current Use and Modification of Training Areas, Dune Stabilization, and Continued Recreational Use of Onslow Beach, Marine Corps Base, Camp Lejeune*.
- Newton, J.G., Pilkey, O.H., Blanton, J.O. 1971. An Oceanographic Atlas of the North Carolina Continental Margin. N.C. Board of Science and Technology.
- Pilkey, O.H. and Field, M.E. 1972. Onshore Transportation of Continental Shelf Sediment. *In Swift*.
- U.S. Fish and Wildlife Service (USFWS). 2002. Biological Opinion based on the 2001 Biological Assessment *Current Use and Modification of Training Areas, Dune Stabilization, and Continued Recreational Use of Onslow Beach, Camp Lejeune*. May.

**Section 3.2 References: Hazardous Materials and Hazardous Waste**

- Arfsten, D.P., C.L. Wilson, & B.J. Spargo. 2002. Radio frequency chaff: The effects of its use in training on the environment. *Ecotox. Environ. Safety* 53:1-11.
- Clarkson, T.W. 1995. Environmental contaminants in the food chain. *American Journal of Clinical Nutrition*, 61:682S-686S.
- DoN (Department of the Navy). Undated. NAVSUP P-722, Consolidated Hazardous Materials Reutilization and Inventory Management Program (CHRIMP) Manual. <http://www.naspensacola.navy.mil/logistics/chrimp.pdf>. Accessed July 2007.

---

**Section 3.2: Hazardous Materials and Hazardous Waste**

---

- DoN. 1993. Report on Continuing Action. Standard Range Sonobuoy Quality Assurance Program. San Clemente Island, California. Program Executive Office, Antisubmarine Warfare, Assault and Special Mission Programs. September.
- DoN. 1996a. Program Executive Office Undersea Warfare, Program Manager for Undersea Weapons. Draft Environmental Assessment of the Use of Selected Navy Test Sites for Development Tests and Fleet Training Exercises of the MK 46 and MK 50 Torpedoes. CONFIDENTIAL. (from DoN, 2005c)
- DoN. 1996b. Final Environmental Impact Statement, Disposal of U.S. Navy Shipboard Solid Waste. Naval Facilities Engineering Command, Lester, PA. August. \ DoN. 2001. Churchill Shock Trials: Final Environmental Impact Statement, Shock Trial of the USS Winston S. Churchill (DDG-81). Washington, D.C. Naval Sea Systems Command. 597p.
- DoN. 2002. Final Environmental Assessment for the Homebasing of the MH-60R/S on the East Coast of the United States.
- DoN. 2005a. Hazardous Materials Minimization, Hazardous Waste Reutilization and Disposal Guide, Navy Region, Mid-Atlantic, December.  
[http://www.cnrma.navy.mil/environmental/hazardous\\_waste.htm](http://www.cnrma.navy.mil/environmental/hazardous_waste.htm). Accessed July 2007.
- DoN. 2005b. Overseas Environmental Assessment for Air-To-Ground Bombing Exercises (BOMBEX) in Southeastern OPAREAs. January 2005
- DoN. 2005c. Draft Overseas Environmental Impact Statement/Environmental Impact Statement. Undersea Warfare Training Range. October 2005. Available online at [http://projects.earthtech.com/USWTR/USWTR\\_index.htm](http://projects.earthtech.com/USWTR/USWTR_index.htm). Accessed July 2007.
- DoN. 2005d. Draft Environmental Assessment Operations at the Bloodsworth Island Range, Maryland. February.
- DoN. 2005e. Final Range Condition Assessment (RCA), Decision Point 1 Recommendations Report for the Rodman and Pinecastle Ranges. Prepared by EnSafe Inc. Memphis, TN. March.
- DoN. 2006a. Cherry Point/Camp Lejeune Range Complexes Management Plan. Prepared for United States Fleet Forces Command. Final Draft Submittal. April.
- DoN. 2006b. Archival Search Report For Certain Northeast Range Complex Training/Testing Ranges. Prepared for NAVFAC Atlantic. August 18, 2006.
- DoN. 2006c. Hawaii Range Complex Management Plan (RCMP). Prepared for United States Fleet Forces Command. Final Draft Submittal.
- DoN. 2008. Hawaii Range Complex Final Environmental Impact Statement/Overseas Environmental Impact Statement. March.
- Environmental Sciences Group. 2005. CFMETR Environmental Assessment Update 2005. Royal Military College. Kingston, Ontario. July.
- GlobalSecurity.org. 2007. Military Small Arms and Light Weapons, Machine Guns.  
<http://www.globalsecurity.org/military/systems/ground/small-arms.htm> Accessed July 2007.
- Horn, Wayne G. 2003. UNDERSEAWARFARE, The Official Magazine of the U.S. Submarine Force, Fall 2003, website article, *SURVIVEX 2003, Exercise Tests Disabled Submarine Survival*, [http://www.navy.mil/navydata/cno/n87/usw/issue\\_20/survivex.htm](http://www.navy.mil/navydata/cno/n87/usw/issue_20/survivex.htm) accessed August 2007.
- Hullar, T.L., S.L. Fales, H.F. Hemond, P. Koutrakis, W.H. Schlesinger, R.R. Sobonya, J.M. Teal, & J.G. Watson. 1999. Environmental Effects of RF Chaff: A Select Panel Report to the Undersecretary of Defense for Environmental Security, NRL/PU/6110--99-389, Naval Research Laboratory.

- National Marine Fisheries Service. 2006. Biological Opinion for Sinking Exercise (SINKEX) in the Western North Atlantic Ocean. September 22.
- The Ordnance Shop. 2007. Mk 58 MOD 1 Marine Location, Marker. <http://www.ordnance.org/mk58.htm>. Accessed July 2007.
- Spargo, Dr. Barry. 2007. Personal communication between Dr. Barry Spargo, Naval Research Laboratory, and Mark Collins, Parsons, June 1, 2007.
- SPAWAR Systems Center. 2006. Ex-oriskany Artificial Reef Project Ecological Risk Assessment. Final Report. Prepared for: Program Executive Office Ships (PMS 333). Prepared by: Marine Environmental Support Office, San Diego. January 2006.
- URS Greiner Woodward Clyde. 2000. Preliminary evaluation of ecological risks related to naval activities at the Atlantic Fleet Weapons Training Facility on Vieques, Puerto Ric Prepared for U.S. Navy Litigation Office, Washington, D.C.
- USAF (U.S. Air Force). 1997. Environmental Effects of Self-Protection Chaff and Flares. Final Report. U.S. Air Force Air Combat Command, Langley Air Force Base, VA.
- USAF 2002. Eglin Gulf Test and Training Range Final Programmatic Environmental Assessment. Prepared for Range Environmental Planning Office, Eglin Air Force Base FL. November.

**Section 3.3 References: Water Resources**

- Aerospace Corporation, 1998. Impact of the Titan IVB Launch Failure on the Environment. As cited in May 2008 Hawaii Range Complex FEIS/OEIS.
- Churchill, J.H., E.R. Levine, D.N. Connors, and P.C. Cornillon. 1993. Mixing of shelf, slope and Gulf Stream water over the continental slope of the Middle Atlantic Bight. *Deep-Sea Research* 40(5):1,063-1,085.
- Dean, K.E., R.M. Palachek, J.L. Noel, R. Warbritton, J. Aufderheide, and J. Wireman. 2004. Development of Freshwater Water-Quality Criteria for Perchlorate. *Environmental Toxicology and Chemistry* 23(6):1441-1451.
- DND (Department of National Defense). 2007. Environmental Assessment – Use of Air Defense Countermeasure Flares at 5 Wing Goose Bay Military Training Area.
- DoN (U.S. Department of the Navy). 1992. Environmental Assessment of Small Scale Navy Underwater Explosive Testing in the Florida Straits.
- DoN. 2001. Churchill Shock Trials: Final Environmental Impact Statement, Shock Trial of the USS WINSTON S. CHURCHILL (DDG-81).
- DoN. 2002a. Marine Resources Assessment for the Cherry Point Operating Area. Final Report. June 2002.
- DoN. 2002b. Final Environmental Assessment for the Homebasing of the MH-60R/S on the East Coast of the United States.
- DoN. 2005. Overseas Environmental Assessment for Air-To-Ground Bombing Exercises (BOMBEX) in Southeastern OPAREAs.
- DoN. 2006. Large Scale Exercise Environmental Assessment. February 2006DoN. 2006b. Archival Search Report For Certain Northeast Range Complex Training/Testing Ranges. Prepared for NAVFAC Atlantic.
- Environmental Sciences Group. 2005. CFMETR Environmental Assessment Update 2005. Royal Military College. Kingston, Ontario. July 2005.

- Farrell, Richard E., and Siciliano, Steven D. 2007. Environmental Effects of Radiofrequency Chaff (RF) Released During Military Training Exercises: A Review of the Literature.
- Hullar, T.L., S.L. Fales, H.F. Hemond, P.Koutrakis, W.H. Schlesinger, R.R. Sobonya, J.M. Teal, & J.G. Watson. 1999. Environmental Effects of RF Chaff: A Select Panel Report to the Undersecretary of Defense for Environmental Security, NRL/PU/6110--99-389, Naval Research Laboratory.
- IMDCC (Interagency Marine Debris Coordination Committee). 2008. Interagency Report on Marine Debris Sources, Impacts, Strategies & Recommendations. Accessed 5 January 2009 at [http://ocean.ceq.gov/about/docs/SIMOR\\_IMDCC\\_Report.pdf](http://ocean.ceq.gov/about/docs/SIMOR_IMDCC_Report.pdf). Mann, K.H., and J.R.N. Lazier. 1991. Dynamics of marine ecosystems: Biological-physical interactions in the oceans. Boston, Massachusetts: Blackwell Scientific.
- NAVFAC (Naval Facilities Engineering Command) Northwest. 2000. Final Biological Assessment – U.S. Navy Explosive Ordnance Operations – Puget Sound, Washington. December 28, 2000.
- Neuse River Education Team. 2008. <http://www.neuse.ncsu.edu/geninfo.htm>. Website accessed November 19, 2008.
- NC DENR/DWQ (North Carolina Department of Environment and Natural Resources/Division of Water Quality). June 2000. White Oak River Basinwide Assessment Report.
- NC DENR/DWQ. January 2002. Chowan River Basinwide Water Quality Plan.
- NC DENR/DWQ. 2007a. Pasquotank River Basinwide Water Quality Plan.
- NC DENR/DWQ. 2007b. White Oak River Basinwide Water Quality Plan.
- NC DENR/DWQ 2007c. North Carolina TMDLs. [http://h2o.enr.state.nc.us/tmdl/TMDL\\_list.htm](http://h2o.enr.state.nc.us/tmdl/TMDL_list.htm). Website accessed November 28, 2007.
- NC DENR/DWQ North Carolina Department of Environment and Natural Resources/Division of Water Quality. 2007f. North Carolina Water Quality Assessment and Impaired Waters List (2006 Integrated 305(b) and 303(d) Report). Final Report. Approved May 17, 2007.
- Ocean Conservancy. 2007. International Coastal Cleanup Report. Accessed 5 January 2009 at [http://www.oceanconservancy.org/site/DocServer/ICC\\_AR07.pdf?docID=3741](http://www.oceanconservancy.org/site/DocServer/ICC_AR07.pdf?docID=3741)
- Schmeits, M.J., and H.A. Dijkstra. 2000. Physics of the 9-month variability in the Gulf Stream region: Combining data and dynamical systems analyses. *Journal of Physical Oceanography* 30(8):1967- 1987.
- Schmitz, W.J., T.M. Joyce, W.R. Wright, and N.G. Hogg. 1987. Physical oceanography. In *The marine environment of the U.S. Atlantic continental slope and rise*, eds. J.D. Milliman and W.R. Wright, 27-55. Boston/Woods Hole, Massachusetts: Jones and Bartlett Publishers, Inc.
- USAF (U.S. Air Force). 1997. Environmental Effects of Self-Protection Chaff and Flares. Final Report. U.S. Air Force Air Combat Command, Langley Air Force Base, VA.
- USCOP (U.S. Commission on Ocean Policy). 2004. *An Ocean Blueprint for the 21<sup>st</sup> Century*. Final Report. Washington, DC, 2004. ISBN#0-9759462-0-X.
- USEPA (U.S. Environmental Protection Agency). 2002. National Water Quality Inventory – 2000 Report.
- USEPA. 2007a. National Estuary Program Coastal Condition Report Chapter 4: Southeast National Estuary Program Coastal Condition, Albemarle-Pamlico National Estuary Program.

---

USEPA. 2007b. No Discharge Zones for Vessel Sewage/States with Shared No Discharge Zones Designations for a Specific Waterbody. [http://www.epa.gov/owow/oceans/regulatory/vessel\\_sewage/vsdnozone.html#cg](http://www.epa.gov/owow/oceans/regulatory/vessel_sewage/vsdnozone.html#cg). Website accessed December 4, 2007.

URS Greiner Woodward Clyde. 2000. Preliminary evaluation of ecological risks related to naval activities at the Atlantic Fleet Weapons Training Facility on Vieques, Puerto Rico. Prepared for U.S. Navy Litigation Office, Washington, D.C

### Section 3.4 References: Air Quality

Department of the Army. 1994. Life Cycle Environmental Assessment for Hellfire Modular Missile Systems. Department of the Army, U.S. Army Missile Command.

DoN. 2001. Final Environmental Impact Statement for the Shock Trial of the Winston S. Churchill (DDG 81). February 2001.

DoN. 2002a. Final Environmental Impact Statement/Overseas Environmental Impact Statement for the Point Mugu Sea Range. Naval Air Warfare Center Weapons Division. March 2002.

DoN. 2002b. Environmental Impact Statement: Renewal of Authorization to Use Pinecastle Range, Ocala National Forest, Florida. Record of Decision signed March 29, 2002.

NASA. 2003a. Final Environmental Assessment for AQM-37 Operations at the National Aeronautics and Space Administration, Goddard Space Flight Center, Wallops Flight Facility, Wallops Island, Virginia. June 20, 2003. NASA. 2003b. Wallops Flight Facility Range User's Handbook. Version G. Goddard Space Flight Center. December 1, 2003.

NASA. 2005. Final Site-Wide Environmental Assessment Wallops Flight Facility, Virginia. January 2005.

NAVSEA (Naval Sea Systems Command). 1996. Pyrotechnic, Screening, Marking, and Countermeasure Devices, NAVSEA SW050-AB-MMA-010, chapter 1. October 1, 1996.

USAF. 1997. Final Report: Environmental Effects of Self-Protection Chaff and Flares. Air Combat Command. August 1997.

USAF. 2001. Final Environmental Impact Statement for the Initial F-22 Operational Wing Beddown. November 2001.

USEPA. 1992. Procedures for Emissions Inventory Preparation: Volume IV Mobile Sources. December 1992.

### Section 3.5 References: Airborne Noise

Department of the Army 1994. Life Cycle Environmental Assessment for Hellfire Modular Missile Systems. Department of the Army, U.S. Army Missile Command.

DoN. 1983. Final Environmental Impact Statement for Alternative Location of a Landing Craft Air Cushion (LCAC) Operational Base on the East Coast of the United States. Volumes I and II. September 1983.

DoN. 2002a. Final Environmental Impact Statement/Overseas Environmental Impact Statement for the Point Mugu Sea Range. Naval Air Warfare Center Weapons Division. March 2002.

DoN. 2002b. OPNAV Instruction 11010.36B Air Installation Compatible Use Zone (AICUZ) Program. 19 December 2002.

DoN. 2003. Final Environmental Impact Statement: Introduction of the F/A-18E/F Super Hornets to the East Coast of the United States. July 2003.

- DoN. 2008. OPNAV Instruction 3550.1A. Range Air Installation Compatible Use Zone (RAICUZ) Program. 28 January 2008.
- Federal Interagency Committee on Noise, August 21, 1992.
- FICAN (Federal Interagency Committee on Noise). Federal Agency Review of Selected Airport Noise Analysis Issues. 21 August 1992.
- Harris, Cyril M., editor-in-chief. 1979. Handbook of Noise Control. 2nd Edition. McGraw-Hill Book Company. August 1979.
- Investigative Science and Engineering, Inc. 1997. Noise Measurements of Various Aircraft and Ordnance at San Clemente Island. 1997.
- Kinsler, L.E., A.R. Frey, A.B. Coppens, and J.V. Sanders. 1982. Fundamentals of Acoustics. 3rd ed. John Wiley and Sons, Inc.
- NASA (National Aeronautical and Space Administration)., 2008. Dryden Flight Research Center Website, "Fact Sheets: Sonic Booms". Website accessed on May 13, 2008. URL: <http://www.nasa.gov/centers/dryden/news/FactSheets/FS-016-DFRC.html>. Website last updated on 1 March 2008.
- NAVAIR (Naval Air Systems Command). 2005. Final Overseas Environmental Assessment of Testing the Hellfire Missile System's Integration with the H-60 Helicopter. May 2005.
- Richardson, W. J., C. R. Greene, C. I. Malme, and D.H. Thomson. 1995. Marine Mammals and Noise. Academic Press, San Diego, CA. 576 pp.
- Solberg, CDR M. K. 2008. Email correspondence from CDR Solberg of United States Fleet Forces Command to Jeffery Butts (Parsons) regarding aircraft carrier flight deck noise levels. 10 March 2008.
- Urlick, R.J. 1972. Noise signature of an aircraft in level flight over a hydrophone in the sea. Journal of the Acoustical Society of America 52, 993-999.
- USAF. 2002. Flyover Noise Calculator, Version 1.0.2, beta, USAF/AFRL/HECB, Wright-Patterson AFB, OH, May 2002.
- Willie, P.C. and Geyer, D. 1984. Measurements on the origin of the wind-dependent ambient noise variability in shallow water. J. Acoust. Soc Am. 75, 173-185.

**Section 3.6 References: Marine Communities**

- Auster, P. J. and R. W. Langton 1998. The Effect of Fishing on Fish Habitat. National Undersea Research Center. Univ. of Connecticut. Groton, CT. 51 p.
- Barnette, M. C. 2001. A Review of the Fishing Gear Utilized Within the Southeast Region and their Potential Impacts on Essential Fish Habitat. National Marine Fisheries Service. Southeast Regional Office. St. Petersburg, Fl. 68p.
- Bohnsack, J.A., D.L. Johnson, and R.F. Ambrose. 1991. Ecology of Artificial Reef Habitats and Fishes. *In* W. Seaman, Jr. and L.M. Sprague, editors. Artificial Habitats for Marine and Freshwater Fisheries. Academic Press, San Diego, California. p 61-107.
- Bureau of Land Management (BLM). 1976. Final Environmental Impact Statement: Proposed 1978 Outer Continental Shelf Oil and Gas Lease Sale, South Atlantic, Outer Continental Shelf Sale Number 43, Visual Number 4N: Undersea Features and Natural Vegetation. U.S. Department of the Interior, Bureau of Land Management, Cape Hatteras Planning Unit, New Orleans Outer Continental Shelf Office, New Orleans, Louisiana.

- Cahoon, L.B., D.G. Linquist, and I.E. Clavijo. 1990. 'Live Bottoms' in the Continental Shelf Ecosystem: A Misconception? In W.C. Jaap, editor. Proceedings of the American Academy of Underwater Sciences, Tenth Annual Scientific Diving Symposium. Costa Mesa, California. p 39-47.
- Cerame-Vivas, M.J., and I.E. Gray. 1966. The distributional pattern of benthic invertebrates of the continental shelf off North Carolina. *Ecology*. 47(2):260-270.
- Coston-Clements, L., L.R. Settle, D.E. Hoss, and F.A. Cross. 1991. Utilization of the Sargassum Habitat by Marine Invertebrates and Vertebrates—A Review. National Oceanic and Atmospheric Administration Technical Memo NMFS-SEFSC-296, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southeast Fisheries Science Center, Beaufort Laboratory, Beaufort, North Carolina. 32 p.
- DoN (Department of the Navy). 2003. Marine Resources Assessment for the Cherry Point and Southern Virginia Capes Inshore and Estuarine Areas. Naval Facilities Engineering Command, Norfolk, Virginia. Contract #N62470-95-D-1160, CTO 0030. Prepared by Geo-Marine, Inc., Plano, Texas.
- DoN. 2008. Marine Resources Assessment Update for the Cherry Point Operating Area. Final Report. Department of the Navy, Commander in Chief, U.S. Atlantic Fleet, Norfolk, Virginia. Contract #N62470-02-D-9997, Task Order 0056. Prepared by Geo-Marine, Inc., Plano, Texas.
- DoN. 2009. Final Environmental Assessment MCB Camp Lejeune Range Operations Onslow and Jones Counties, North Carolina. January.
- Emery, K.O., and E. Uchupi. 1972. Western north Atlantic ocean: Topography, rocks, structure, water, life, and sediments. Members 17, American Association of Petroleum Geology.
- Eppley, R. W. 1972. Temperature and Phytoplankton Growth in the Sea. *Fishery Bulletin* 70:1,063-1,085.
- FFWCC (Florida Fish and Wildlife Conservation Commission) Fish and Wildlife Research Institute. 2005. South Atlantic Habitat and Ecosystem IMS. Accessed 14 February 2006 [http://ocean.floridamarine.org/efh\\_coral/ims/viewer.htm](http://ocean.floridamarine.org/efh_coral/ims/viewer.htm).
- Garland, E.D., and C.A. Zimmer. 2002. Hourly variations in planktonic larval concentrations on the inner self: emerging patterns and processes. *Journal of Marine Research* 60:311-325.
- George, R.Y. 2002. Ben Franklin temperate reef and deep sea 'Agassiz Coral Hills' in the Blake Plateau off North Carolina. *Hydrobiologia* 471: 71-81.
- Golder, W. 2004. Important Bird Areas of North Carolina. Audubon North Carolina, Chapel Hill, North Carolina. 150 p.
- Goldman, J.C., J.J. McCarthy, and D.G. Peavey. 1979. Growth Rate Influence on the Chemical Composition of Phytoplankton in Oceanic Waters. *Nature* 279:210-215.
- Hamilton, Jr., A. N. 2000. Gear Impacts on Essential Fish Habitat in the Southeastern Region. National Marine Fisheries Service. Southeast Fisheries Science Center.
- Hecker, B. 1994. Unusual megafaunal assemblages on the continental slope off Cape Hatteras. *Deep Sea Research II* 2(4-6): 809-834.
- Huntsman, G.R., and I.G. Macintyre. 1971. Tropical coral patches in Onslow Bay. *Underwater Naturalist* 7(2):32-34.
- Johnson, K. A. 2002. A Review of National and International Literature on the Effects of Fishing on Benthic Habitat. NOAA Tech. Memo. NMFS-F/SPO-57.

- Jones, A.C., S.A. Berkeley, J.A. Bohnsack, S.A. Bortone, D.K. Camp, G.H. Darcy, J.C. Davis, K.D. Haddad, M.Y. Hedgepeth, E.W. Irby, Jr., W.C. Jaap, F.S. Kennedy, W.G. Lyons, E.L. Nakamura, T.H. Perkins, J.K. Reed, K.A. Steidinger, J.T. Tilmant, and R.O. Williams. 1985. Ocean habitat and fishery resources of Florida. Pages 437-543 in W. Seaman, Jr., ed. Florida aquatic habitat and fishery resources. Gainesville, Florida: Florida Chapter, American Fisheries Society.
- Kaplan E.H. 1982. Coral Reefs. Boston: Houghton Mifflin Company.
- Kirby-Smith, W.W. 1989. The Community of Small Macroinvertebrates Associated with Rock Outcrops on the Continental Shelf of North Carolina. *In* R.Y. George and A.W. Hulbert, editors. North Carolina Coastal Symposium. NOAA-NURP Report 89-2. National Oceanic and Atmospheric Administration, National Undersea Research Program, Rockville, Maryland. p 279-305.
- Liddell, W.D., W.E. Avery, and S.L. Olhorst. 1997. Patterns of benthic community structure, 10-250 m, The Bahamas. *Proceedings 8<sup>th</sup> International Coral reef Symposium* 1:437-442.
- Lohrenz, S.E., C.L. Carroll, A.D. Weidemann, and M. Tuel. 2003. Variations in phytoplankton pigments, size structure and community composition related to wind forcing and water mass properties on the North Carolina inner shelf. *Continental Shelf Research* 23:1,447-1,464.
- Mallin, M.A., L.B. Cahoon, and M.J. Durako. 2005. Contrasting food-web support bases for adjoining river-influenced and non-river influenced continental shelf ecosystems. *Estuarine, Coastal and Shelf Science* 62:55-62.
- Menzies, R.J., O.H. Pilkey, B.W. Blackwelder, D. Dexter, P. Huling, and L. McCloskey. 1966. A submerged reef off North Carolina. *Internationale Revue Hydrobiologia* 51(3):393-431.
- Miller, W.W. 1995. Growth of a temperate coral: Effects of temperature, light, depth, and heterotrophy. *Marine Ecology Progress Series* 122:217-225.
- Minerals Management Service (MMS). 2002. Gulf of Mexico OCS Oil and Gas Lease Sale 181, Eastern Planning Area, Final Environmental Impact Statement. Volume 1 & 2. OCS EIS/EA MMS 2002-051. New Orleans: Minerals Management Service.
- Morgan, L.E. and R. Chuenpagdee 2003. Shifting gears, addressing the collateral impacts of fishing methods in U.S. waters. *Marine Conservation Biology Institute*. 40 pp.
- National Research Council (NRC). 2002. Effects of Trawling and Dredging on Seafloor Habitats. National Academy Press. 126 p.
- Newton, J.G., O.H. Pilkey, and J.O. Blanton. 1971. An oceanographic atlas of the Carolina continental margin. Raleigh: North Carolina Department of Conservation and Development.
- NOAA (National Oceanic and Atmospheric Association). 2004. Monitor National Marine Sanctuary. Accessed 01 March 2006 <http://monitor.noaa.gov/>.
- NCCF (North Carolina Coastal Fishing). 2006. Fish finder: North Carolina Division of marine fisheries guide to what's Catching. Accessed 17 April 2006. <http://www.nccoastalfishing.com/index.htm?reefs.htm~main>.
- NCDMF (North Carolina Division of Marine Fisheries). 2005a. North Carolina artificial reefs. Accessed 07 March 2006. <http://www.ncfisheries.net/reefs/index.html>.
- NCDMF (North Carolina Department of Marine Fisheries). 2005b. North Carolina artificial guide. Received March 2005 from James Francesconi. Morehead City, North Carolina: North Carolina Department of Marine Fisheries.

- Oschlies, A., and V. Garcon. 1998. Eddy-induced enhancement of primary production in a model of the North Atlantic Ocean. *Nature* 394:266-269.
- Parker, R.O. Jr., Colby, D.O., and Willis, T.D. 1983. Estimated amount of reef habitat on a portion of the U.S. South Atlantic and Gulf of Mexico continental shelf. *Bulletin of Marine Science* 33(4):935-940.
- Parsons, T.R., M. Takahashi, and B. Hargrave. 1984. *Biological Oceanographic Processes*. Pergamon Press, Oxford. 330 p.
- Polovina, J.J. 1991. Fisheries Applications and Biological Impacts of Artificial Habitats. In W. Seaman, Jr. and L. M. Sprague, editors. *Artificial habitats for marine and freshwater fisheries*. Academic Press, Inc., San Diego, California. p 153-176.
- Posey, M.H., and W.G. Ambrose, Jr. 1994. Effects of proximity to an offshore hardbottom reef on infaunal abundances. *Marine Biology* 118: 745-753.
- Powell, A.B., D.G. Lindquist, and J.A. Hare. 2000. Larval and pelagic juvenile fishes collected with three types of gear in Gulf Stream and shelf waters in Onslow Bay, North Carolina, and comments on ichthyoplankton distribution and hydrography. *Fishery Bulletin* 98:427-438.
- Quattrini, A.M., D.G. Lindquist, F.M. Bingham, T.E. Lankford, and J.J. Govoni. 2005. Distribution of larval fishes among water masses in Onslow Bay, North Carolina: Implications for cross-shelf exchange. *Fisheries Oceanography* (14) 6:413-431.
- Reed, J.K. 1980. Distribution and structure of deep-water *Oculina varicosa* coral reefs off central eastern Florida. *Bulletin of Marine Science* 30(3):667-677.
- Rogers, C.S. 1990. Responses of coral reefs and reef organisms to sedimentation. *Marine Ecology Progress Series* 62: 185-202.
- Ross, S.W. 2004. General description of distribution, habitat, and associated fauna of deep water coral reefs on the North Carolina continental slope. Charleston, South Carolina: South Atlantic Fishery Management Council.
- Rowe, G.T. 1971. Observations on bottom currents and epibenthic populations in Hatteras submarine canyon. *Deep Sea Research* 18:569-581.
- Seaman, Jr., W., Editor. 2000. *Artificial Reef Evaluation with Application to Natural Marine Habitats*. CRC Press, Boca Raton, Florida. 246 p.
- SEAMAP (Southeast Area Monitoring and Assessment Program). 2001. South Atlantic Bight bottom mapping CD-ROM, Version 1.2 Washington, D.C.: Atlantic States Marine Fisheries Commission, SEAMAP-South Atlantic Bottom Mapping Workgroup.
- Schalles, J.F. 2006. Optical remote sensing techniques to estimate phytoplankton chlorophyll *a* concentrations in coastal waters with varying suspended matter and CDOM concentrations. Pages 27-97 in L.L. Richardson and E.F. Le Drew, eds. *Remote sensing of aquatic coastal ecosystem processes: Science and management*. Netherlands: Springer.
- Shanks, A.L., J. Largier, and J. Brubaker. 2003. Observations of the distribution of meroplankton during an upwelling event. *Journal of Plankton Research* (6) 25:645-667.
- South Atlantic Fishery Management Council (SAFMC). 1998. Final Habitat Plan for the South Atlantic Region: Essential Fish Habitat Requirements for Fishery Management Plans of the South Atlantic Fishery Management Council - The Shrimp Fishery Management Plan, The Red Drum Fishery Management Plan, The Snapper Grouper Fishery Management Plan, The Coastal Migratory Pelagics Fishery Management Plan, The Golden Crab Fishery Management Plan, The Spiny Lobster Fishery Management Plan, The Coral, Coral Reefs, and Live/Hard Bottom Habitat Fishery Management Plan, The Sargassum Habitat Fishery Management Plan, and The Calico

- Scallop Fishery Management Plan. South Atlantic Fishery Management Council, Charleston, South Carolina. 457 p.
- Southwest Fisheries Science Center. 2007. What are Ichthyoplankton? National Oceanic and Atmospheric Administration, Fisheries Service, Fisheries Resources Division. <http://swfsc.noaa.gov/textblock.aspx?Division=FRD&id=6210&ParentMenuId=436>. Accessed 7/12/07.
- Spalding, M.D., C. Ravilious, and E.P. Green. 2001. World atlas of coral reefs. Berkeley, California: University of California Press.
- Street, M.W., A.S. Deaton, W.S. Chappell, and P.D. Mooreside. 2005. North Carolina coastal habitat protection plan. North Carolina Department of Environment and Natural Resources, Division of Marine Fisheries, Moorehead City, North Carolina.
- Sumich, J.L., 1988. An introduction to the biology of marine life. 4<sup>th</sup> ed. Dubuque, Iowa: Wm. C. Brown Publishers.
- UCMP (University California Berkley Museum of Paleontology). 2006. Porifera: Life history and ecology. Accessed 24 May 2006. <http://www.ucmp.berkeley.edu/porifera/poriferalh.html>.
- Veridian Corporation. 2001. The Global Maritime Wrecks Database. [CD-ROM]. Falls Church, Virginia: General Dynamics Corporation.
- Veron, J.E.N. 2000. Corals of the world. Australia Institute of Marine Science.
- VMRC (Virginia Marine Resources Commission). 2001. Virginia Marine Angler's Guide. Accessed 4 June 2001. <http://www.state.va.us/mrc/anglersg.htm>.
- Wiebe, P.H., E.H. Backus, R.H. Packus, D.A. Caron, P.M. Glibery, J.F. Grassle, K. Powers, and J.B. Waterbury. 1987. Biological Oceanography. In J.D. Milliman and W.R. Wright, editors. The Marine Environment of the U.S. Atlantic Continental Slope and Rise. Jones and Bartlett Publishers, Inc., Boston/Woods Hole, Massachusetts. 275 p.
- Wormuth, J.H., P.H. Ressler, R.B. Cady, and E.J. Harris. 2000. Zooplankton and micronekton in cyclones and anticyclones in the northeast Gulf of Mexico. *Gulf of Mexico Science*, 18(1): 23-34.
- Yentsch, C.S. and R.W. Lee. 1966. A study of photosynthetic light reactions, and a new interpretation of sun and shade phytoplankton. *Journal of Marine Research* 24:319-337.

**Section 3.7 References: Marine Mammals**

- Aguilar, A. 2002. Fin whale *Balaenoptera physalus*. Pages 435-438 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. Encyclopedia of marine mammals. San Diego, California: Academic Press.
- Anonymous. 2006. Accidental tourist: Manatee cruises Hudson River. Accessed 15 August 2006. <http://www.cnn.com/2006/US/08/07/manatee.hudson.river.ap/index.html>.
- Arfsten, D.P., C.L. Wilson, and B.J. Spargo. 2002. Radio frequency chaff: The effects of its use in training on the environment. *Ecotoxicology and Environmental Safety* 53:1-11.
- Au, W.W.L, 1993. The sonar of dolphins. New York, New York: Springer-Verlag.
- Au, W. W. L., and D. A. Pawloski. 1989. A Comparison of Signal Detection between an echolocating dolphin and an optimal receiver. *Journal of Comparative Physiology*, Vol 164, pp 451-458.
- Baird, R.W., A.D. Ligon, and S.K. Hooker. 2000. Sub-surface and night-time behavior of humpback whales off Maui, Hawaii: A preliminary report. Contract number 40ABNC050729 Prepared for

- the Hawaiian Islands Humpback Whale National Marine Sanctuary, Kihei, Hawaii by the Hawaii Wildlife Fund, Paia, Hawaii.
- Baker, C.S., L.M. Herman, B.G. Bays, and G.B. Bauer. 1983. The impact of vessel traffic on the behavior of humpback whales in southeast Alaska: 1982 season. Prepared for the National Marine Fisheries Service, Seattle, Washington.
- Barco, S. 2008. Personal communication via email between Ms. Sue Barco, Virginia Aquarium & Marine Science Center, and Ms. Amy Whitt, Geo-Marine, Inc., Plano, Texas, 2 September.
- Barco, S., W. McLellan, J. Allen, R. Asmutis, R. Mallon-Day, E. Meagher, D.A. Pabst, J. Robbins, R. Seton, W.M. Swingle, M. Weinrich, and P. Clapham. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the U.S. mid-Atlantic states. *Journal of Cetacean Research and Management* 4(2):135-141.
- Baumgartner, M.F., C.A. Mayo, and R.D. Kenney. 2007. Enormous carnivores, microscopic food, and a restaurant that's hard to find. Pages 138-171 in Kraus, S.D. and R.M. Rolland, eds. *The urban whale: North Atlantic right whales at the crossroads*. Cambridge, Massachusetts: Harvard University Press.
- Baumgartner, M.F., T.V.N. Cole, R.G. Campbell, G.J. Teegarden, and E.G. Durbin. 2003. Associations between North Atlantic right whales and their prey, *Calanus finmarchicus*, over diel and tidal time scales. *Marine Ecology Progress Series* 264:155-166.
- Beale, C.M. and P. Monaghan. 2004. Human disturbance: People as predation-free predators? *Journal of Applied Ecology* 41:335-343.
- Beardsley, R.C., A.W. Epstein, C. Chen, K.F. Wishner, M.C. Macaulay, and R.D. Kenney. 1996. Spatial variability in zooplankton abundance near feeding right whales in the Great South Channel. *Deep-Sea Research* 43(7-8):1601-1625.
- Beck, Cathy. 2006a. Personal communication via email between Ms. Cathy Beck, U.S. Geological Survey, Sirenia Project, Gainesville, Florida, and Ms. Dagmar Fertl, Geo-Marine, Inc., Plano, Texas, 6 September, 27 October.
- Beck, C. 2006b. Florida manatee travels to Cape Cod, Massachusetts. *SireNews* 46:15-16.
- Beck, M.W., T.D. Marsh, S.E. Reisewitz, and M.L. Bortman. 2004. New tools for marine conservation: The leasing and ownership of submerged lands. *Conservation Biology* 18(5):1214-1223.
- Bejder, L., Samuels, A., Whitehead, H., and Gales, N. 2006. Interpreting short-term behavioral responses to disturbance within a longitudinal perspective. *Animal Behaviour*, Vol 72, pp 1149–1158.
- Best, P.B. and C.H. Lockyer. 2002. Reproduction, growth and migrations of sei whales *Balaenoptera borealis* off the west coast of South Africa in the 1960s. *South African Journal of Marine Science* 24:111-133.
- Biggs, D.C., R.R. Leben, and J.G. Ortega-Ortiz. 2000. Ship and satellite studies of mesoscale circulation and sperm whale habitats in the northeast Gulf of Mexico during GulfCet II. *Gulf of Mexico Science* 2000(1):15-22.
- Bjørge, A. 2002. How persistent are marine mammal habitats in an ocean of variability? Pages 63-91 in Evans, P.G.H. and J.A. Raga, eds. *Marine mammals: Biology and conservation*. New York, New York: Kluwer Academic/Plenum Publishers.
- Blackwell, S. B., J. W. Lawson, and M. T. Williams. 2004. Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *Journal of the Acoustical Society of America*, Vol 115, pp 2346–2357.

- Bossart, G.D., R.A. Meisner, S.A. Rommel, S. Ghim, and A.B. Johnson. 2002. Pathological features of the Florida manatee cold stress syndrome. *Aquatic Mammals* 29(1):9-17.
- Bowen, W.D., C.A. Beck, and D.A. Austin. 2002. Pinniped ecology. Pages 911-921 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of marine mammals*. San Diego, California: Academic Press.
- Bowles, A. E., M. Smultes, B. Würsig, D. P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island Feasibility Test. *Journal of the Acoustical Society of America*, Vol 96, No 4, pp 2469–2484.
- Briggs, J.C. 1974. *Marine zoogeography*. New York, New York: McGraw-Hill Book Company.
- Calambokidis, J., E. Oleson, M. McDonald, B. Burgess, J. Francis, G. Marshall, M. Bakhtiari, and J. Hildebrand. 2003. Feeding and vocal behavior of blue whales determined through simultaneous visual-acoustic monitoring and deployment of suction-cup attached tags. Page 27 in abstract, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Calambokidis, J., G.H. Steiger, J.M. Straley, L.M. Herman, S. Cerchio, D.R. Salden, J. Urbán R, J.K. Jacobsen, O. von Ziegesar, K.C. Balcomb, C.M. Gabriele, M.E. Dahlheim, S. Uchida, G. Ellis, Y. Miyamura, P. Ladrón de Guevara P., M. Yamaguchi, F. Sato, S.A. Mizroch, L. Schlender, K. Rasmussen, J. Barlow, and T.J. Quinn II. 2001. Movements and population structure of humpback whales in the North Pacific. *Marine Mammal Science* 17(4):769-794.
- Caswell, H., M. Fujiwara, and S. Brault. 1999. Declining survival probability threatens the North Atlantic right whale. *Proceedings of the National Academy of Sciences of the United States of America* 96:3308-3313.
- CETAP (Cetacean and Turtle Assessment Program). 1982. Characterization of marine mammals and turtles in the Mid- and North Atlantic areas of the U.S. Outer Continental Shelf. Contract AA551-CT8-48 Prepared for U.S. Bureau of Land Management, Washington, D.C. by Cetacean and Turtle Assessment Program, University of Rhode Island, Graduate School of Oceanography, Kingston, Rhode Island.
- Charif, R.A., D.K. Mellinger, K.J. Dunsmore, K.M. Fristrup, and C.W. Clark, 2002. Estimated source levels of fin whale (*Balaenoptera physalus*) vocalizations: Adjustments for surface interference. *Marine Mammal Science* 18(1):81-98.
- Clapham, P., J. Barlow, M. Bessinger, T. Cole, D. Mattila, R. Pace, D. Palka, J. Robbins, and R. Seton. 2003. Abundance and demographic parameters of humpback whales from the Gulf of Maine, and stock definition relative to the Scotian Shelf. *Journal of Cetacean Research and Management* 5(1):13-22.
- Clapham, P.J. and D.K. Mattila. 1990. Humpback whale songs as indicators of migration routes. *Marine Mammal Science* 6(2):155-160.
- Clapham, P.J. and J.G. Mead. 1999. *Megaptera novaeangliae*. *Mammalian Species* 604:1-9.
- Clapham, P.J., S.B. Young, and R.L. Brownell, Jr. 1999. Baleen whales: Conservation issues and the status of the most endangered populations. *Mammal Review* 29(1):35-60.
- Clapham, P.J., L.S. Baraff, C.A. Carlson, M.A. Christian, D.K. Mattila, C.A. Mayo, M.A. Murphy, and S. Pittman. 1993. Seasonal occurrence and annual return of humpback whales, *Megaptera novaeangliae*, in the southern Gulf of Maine. *Canadian Journal of Zoology* 71:440-443.
- Clark, C.W. 1995. Annex M. Matters arising out of the discussion of blue whales: Annex M1. Application of US Navy underwater hydrophone arrays for scientific research on whales. *Reports of the International Whaling Commission* 45:210-212.

- Clark, C.W. and K.M. Fristrup, 1997. Whales '95: A combined visual and acoustic survey of blue and fin whales off southern California. Reports of the International Whaling Commission 47:583-600.
- Clark, C.W. and G.J. Gagnon. 2004. Low-frequency vocal behaviors of baleen whales in the North Atlantic: Insights from Integrated Undersea Surveillance System detections, locations, and tracking from 1992 to 1996. Journal of Underwater Acoustics (US Navy) 52(3).
- Clark, L.S., D.F. Cowan, and D.C. Pfeiffer. 2006. Morphological changes in the Atlantic bottlenose dolphin (*Tursiops truncatus*) adrenal gland associated with chronic stress. Journal of Comparative Pathology 135:208-216.
- Clarke, M.R. 1996. Cephalopods as prey. III. Cetaceans. Philosophical Transactions of the Royal Society of London, Series B 351:1053-1065.
- Connor, R. C., and Heithaus, M. R. 1996. Approach by great white shark elicits flight response in bottlenose dolphins. Marine Mammal Science, Vol 12, pp 602–606.
- Corkeron, P.J. and R.C. Connor. 1999. Why do baleen whales migrate? Marine Mammal Science 15(4):1228-1245.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2003. COSEWIC assessment and status report on the humpback whale *Megaptera novaeangliae* in Canada. Ottawa, Ontario: Committee on the Status of Endangered Wildlife in Canada.
- Costa, D.P. 1993. The secret life of marine mammals: Novel tools for studying their behavior and biology at sea. Oceanography 6(3):120-128.
- Costa, D. P., D. E. Crocker, J. Gedamke, P. M. Webb, D S. Houser, S. B. Blackwell, D. Waples, S. A. Hayes and B. J. Le Boeuf. 2003. The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. Journal of the Acoustical Society of America, Vol 113, No 2, pp 1155–1165.
- Costanzo, F.F. and J.D. Gordon. 1989. A procedure to calculate the axisymmetric bulk cavitation boundaries and closure parameters. SSPD-89-177-78. Bethesda, MD: David Taylor Research Center.
- Courbis, S.S. and G.A.J. Worthy. 2003. Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*). Aquatic Mammals 29(1):104-107.
- Croll, D.A., A. Acevedo-Gutiérrez, B.R. Tershy, and J. Urbán-Ramírez. 2001. The diving behavior of blue and fin whales: Is dive duration shorter than expected based on oxygen stores? Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology 129:797-809.
- Croll, D.A., C.W. Clark, A. Acevedo, B. Tershy, S. Flores, J. Gedamke, and J. Urban. 2002. Only male fin whales sing loud songs. Nature 417:809.
- Crum, L. A., and Y. Mao. 1996. Acoustically enhanced bubble growth at low frequencies and its implications for human diver and marine mammal safety. Journal of the Acoustical Society of America, Vol 99, pp 2898–2907.
- Crum, L. A., M.R. Bailey, G. Jingfeng, P.R. Hilmo, S.G. Kargl, and T.J. Matula. 2005. Monitoring bubble growth in supersaturated blood and tissue ex vivo and the relevance to marine mammal bioeffects. Acoustic Research Letters Online, Vol 6, pp 214–220.
- Cudaback, C.N. and J.L. Largier. 2001. The cross-shelf structure of wind- and buoyancy-driven circulation over the North Carolina inner shelf. Continental Shelf Research 21:1649-1668.

- Davis, R.W., W.E. Evans, and B. Würsig, eds. 2000. Cetaceans, sea turtles and seabirds in the northern Gulf of Mexico: Distribution, abundance and habitat associations. USGS/BRD/CR-1999-0006 and OCS Study MMS 2000-004. New Orleans, Louisiana: Minerals Management Service.
- Davis, R.W., J.G. Ortega-Ortiz, C.A. Ribic, W.E. Evans, D.C. Biggs, P.H. Ressler, R.B. Cady, R.R. Leben, K.D. Mullin, and B. Würsig. 2002. Cetacean habitat in the northern oceanic Gulf of Mexico. *Deep-Sea Research I* 49:121-142.
- Deecke, V. B., P. J. B. Slater, and J. K. B. Ford. 2002. Selective habituation shapes acoustic predator recognition in harbour seals. *Nature*, Vol 420, pp 171–173.
- Deutsch, C.J., J.P. Reid, R.K. Bonde, D.E. Easton, H.I. Kochman, and T.J. O'Shea. 2003. Seasonal movements, migratory behavior, and site fidelity of West Indian manatees along the Atlantic coast of the United States. *Wildlife Monographs* 151:1-77.
- DFO (Department of Fisheries and Oceans). 2003. Notices to mariners: General guidelines for marine mammal critical areas. Ottawa, Ontario: Department of Fisheries and Oceans.
- Dietz, R., J. Teilmann, M.-P.H. Jørgensen, and M.V. Jensen. 2002. Satellite tracking of humpback whales in West Greenland. Roskilde, Denmark: National Environmental Research Institute Technical Report 411.
- Di Iorio, L., M. Castellote, A.M. Warde, and C.W. Clark. 2005. Broadband sound production by feeding blue whales (*Balaenoptera musculus*). Page 74 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. December 12-16, 2005. San Diego, California.
- DoC (Department of Commerce) and Department of the Navy (DoN). 2001. Joint Interim Report, Bahamas Marine Mammal Stranding Activity of 15–16 March 2000. December 2001.
- Dolphin, W.F. 1987. Ventilation and dive patterns of humpback whales, *Megaptera novaeangliae*, on their Alaskan feeding grounds. *Canadian Journal of Zoology* 65:83-90.
- DoN (Department of the Navy). 2000. Noise blast test results aboard USS Cole. 8000 Ser G70/132. Report from Commander, Dahlgren Division, Naval Surface Warfare Center, Dahlgren, Virginia to Commander-in Chief, U.S. Atlantic Fleet (N3).
- DoN. 2001. Shock Trial of the WINSTON S. CHURCHILL (DDG 81): Final Environmental Impact Statement.
- DoN. 2006. Final comprehensive overseas environmental assessment for major Atlantic Fleet training exercises. Prepared for United States Fleet Forces Command, Norfolk, Virginia by Naval Facilities Engineering Command, Atlantic, Norfolk, Virginia.
- DoN. 2007. Navy OPAREA density estimates (NODE) for the Southeast OPAREAs: VACAPES, CHPT, JAX/CHASN, and Southeastern Florida & AUTEK-Andros. Final report. Contract number N62470-02-D-9997, CTO 0045. Norfolk, Virginia: Naval Facilities Engineering Command, Atlantic. Prepared by Geo-Marine, Inc., Hampton, Virginia.
- DoN. 2007. Shock trial of the MESA VERDE (LPD 19): Final Environmental Impact Statement.
- DoN. 2008. Marine resources assessment update for the Cherry Point operating area. Final report. Contract number N62470-02-D-9997, CTO 0056 Norfolk, Virginia: Atlantic Division, Naval Facilities Engineering Command. Prepared by Geo-Marine, Inc., Plano, Texas.
- Dufault, S., H. Whitehead, and M.C. Dillon. 1999. An examination of the current knowledge on the stock structure of sperm whales (*Physeter macrocephalus*). *Journal of Cetacean Research and Management* 1(1):1-10.
- Ekman, S. 1953. *Zoogeography of the seas*. London, England: Sidgwick & Jackson.

- Eller, A.I. and R.C. Cavanagh. 2000. Subsonic Aircraft Noise at and Beneath the Ocean Surface: Estimation of Risk for Effects on Marine Mammals. AFRL-HE-WP-TR-2000-0156. Prepared for U.S. Air Force Research Laboratory by Science Applications International Corp., McLean, VA.
- Engelhard, G. H., S. M. J. M. Brasseur, A. J. Hall, H. R. Burton, and P. J. H. Reijnders. 2002. Adrenocortical responsiveness in southern elephant seal mothers and pups during lactation and the effect of scientific handling. *Journal of Comparative Physiology – B*, Vol 172 pp 315–328.
- Erbe, C. 2000. Detection of whale calls in noise: Performance comparison between a beluga whale, human listeners, and a neural network. *Journal of the Acoustical Society of America*, Vol 108, pp 297–303.
- Ersts, P.J. and H.C. Rosenbaum. 2003. Habitat preference reflects social organization of humpback whales (*Megaptera novaeangliae*) on a wintering ground. *Journal of Zoology*, London 260:337-345.
- Evans, D. L., and G. R. England. 2001. Joint Interim Report Bahamas Marine Mammal Stranding Event of 15-16 March 2000, Department of Commerce, pp 1–66.
- Evans, D. L. and L. A. Miller, 2003. Proceedings of the Workshop on Active Sonar and Cetaceans. *European Cetacean Society Newsletter*, No. 42 - *Special Issue, Las Palmas, Gran Canaria*.
- Fernández, A., J. F. Edwards, F. Rodriguez, A. Espinosa de los Monteros, P. Herraiez, P. Castro, J. R. Jaber, V. Martin, and M. Arbelo. 2005. Gas and fat embolic syndrome involving a mass stranding of beaked whales (Family Ziphiidae) exposed to anthropogenic sonar signals, *Veterinary Pathology*, Vol 42, pp 446–457.
- Fertl, D., A.J. Schiro, G.T. Regan, C.A. Beck, N. Adimey, L. Price-May, A. Amos, G.A.J. Worthy, and R. Crossland. 2005. Manatee occurrence in the northern Gulf of Mexico, west of Florida. *Gulf and Caribbean Research* 17:69-94.
- Fiedler, P.C. 2002. Ocean environment. Pages 824-830 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of marine mammals*. San Diego, California: Academic Press.
- Finneran, J. J., C. E. Schlundt, D. A. Carder, J. A. Clark, J. A. Young, J. B. Gaspin, and S. H. Ridgway. 2000. Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *Journal of the Acoustical Society of America*, Vol 108, No 1, pp 417–431.
- Finneran, J. J., R. Dear, D. A. Carder, and S. H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watgun. *Journal of the Acoustical Society of America*, Vol 111, No 6, pp 2929–2940.
- Finneran, J. J., D. A. Carder, and S. H. Ridgway. 2003. Temporary threshold shift (TTS) measurements in bottlenose dolphins (*Tursiops truncatus*), belugas (*Delphinapterus leucas*), and California sea lions (*Zalophus californianus*). *Environmental Consequences of Underwater Sound (ECOUS) Symposium*, San Antonio, Texas. 12–16 May 2003.
- Finneran, J. J., D. A. Carder, C. E. Schlundt, and S. H. Ridgway. 2005. Temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones. *Journal of the Acoustical Society of America*, Vol 118, pp 2696–2705.
- Finneran, J. J., C. E. Schlundt, B. Branstetter, and R. L. Dear. 2007. Assessing temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) using multiple simultaneous auditory evoked potential. *Journal of the Acoustical Society of America*, Vol 122, pp 1249–1264.
- Fiscus, C.H. and D.W. Rice. 1974. Giant squids, *Architeuthis* sp., from stomachs of sperm whales captured off California. *California Fish and Game* 60(2):91-101.

- FMRI (Florida Marine Research Institute). 2007. FWC announces annual manatee synoptic survey numbers. Press Release. 6 February. St. Petersburg, Florida: Florida Fish and Wildlife Conservation Commission.
- Foote, A. D., R. W., Osborne, and A. Rus Hoelzel. 2004. Whale-call response to masking boat noise. *Nature*, pp 248:910.
- Forcada, J. 2002. Distribution. Pages 327-333 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of marine mammals*. San Diego, California: Academic Press.
- Frankel, A. S., and C. W. Clark. 2000. Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America*, Vol 108, No 4, pp 1930–1937.
- Frid, A. 2003. Dall's sheep responses to overflights by helicopter and fixed-wing aircraft. *Biological Conservation* 110:387-399.
- Fristrup, K.M, L.T. Hatch, and C.W. Clark. 2003. Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcast. *Journal of the Acoustical Society of America*, Vol 113, pp 3411–3424.
- Fritts, T.H., A.B. Irvine, R.D. Jennings, L.A. Collum, W. Hoffman, and M.A. McGehee. 1983. Turtles, birds, and mammals in the northern Gulf of Mexico and nearby Atlantic waters. FWS/OBS-82/65 Washington, D.C.: U.S. Fish and Wildlife Service.
- Gailey, G., B. Würsig, and T. L. McDonald. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, Northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, Vol 134, pp 75–91.
- Gambell, R. 1985. Fin whale *Balaenoptera physalus* (Linnaeus, 1758). Pages 171-192 in Ridgway, S.H. and R. Harrison, eds. *Handbook of marine mammals*. Volume 3: The sirenians and baleen whales. San Diego, California: Academic Press.
- Garrison, L.P., R.D. Baumstark, C. Keller, and L.I. Ward-Geiger. 2005. A spatial model of the North Atlantic right whale calving habitat in the southeastern United States. Page 102 in abstract, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Garrison, L.P., S.L. Swartz, A. Martinez, C. Burks, and J. Stamates. 2003. A marine mammal assessment survey of the southeast US continental shelf: February - April 2002. NOAA Technical Memorandum NMFS-SEFSC-492.
- Gaskin, D.E. 1982. *The ecology of whales and dolphins*. Portsmouth, New Hampshire: Heinemann.
- Gill, J.A., K. Norris, and W.J. Sutherland. 2001. Why behavioural responses may not reflect the population consequences of human disturbance. *Biological Conservation* 97:265-268.
- Glass, A.H., C.R. Taylor, and D. Cupka. 2005. Monitoring North Atlantic right whale (*Eubalaena glacialis*) distribution north of the Southeastern U.S. calving ground critical habitat Pages 106-107 in abstract, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Goertner JF. 1982. Prediction of underwater explosion safe ranges for sea mammals. Naval Surface Weapons Center, Silver Spring, NSWC TR 82-188, NTIS ADA139823 <http://stinet.dtic.mil/cgi-bin/GetTRDoc?AD=ADA139823&Location=2&doc=GetTRDoc.pdf>.
- Goold, J. C. 1996. Acoustic assessment of populations of common dolphin, *Delphinus delphis*, in conjunction with seismic surveying. *Journal of the Marine Biological Association, UK*, Vol 76, pp 811–820.

- Goold, J. C. 1998. Acoustic assessment of populations of common dolphin off the west Wales coast with perspectives from satellite infrared imagery. *Journal of the Marine Biological Association, UK*. Vol 78, pp 1353–1364.
- Gregr, E.J. and A.W. Trites. 2001. Predictions of critical habitat for five whale species in the waters of coastal British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 58:1265-1285.
- Griffin, R.B. 1999. Sperm whale distributions and community ecology associated with a warm-core ring off Georges Bank. *Marine Mammal Science* 15(1):33-51.
- Hain, J.H.W., M.A.M. Hyman, R.D. Kenney, and H.E. Winn. 1985. The role of cetaceans in the shelf-edge region of the northeastern United States. *Marine Fisheries Review* 47(1):13-17.
- Hain, J.H.W., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn. 1992. The fin whale, *Balaenoptera physalus*, in waters of the northeastern United States continental shelf. *Reports of the International Whaling Commission* 42:653-669.
- Hain, J.H.W., S.L. Ellis, R.D. Kenney, P.J. Clapham, B.K. Gray, M.T. Weinrich, and I.G. Babb. 1995. Apparent bottom feeding by humpback whales on Stellwagen Bank. *Marine Mammal Science* 11(4):464-479.
- Haley, M. V. and C. W. Kurnas. 1992. Aquatic Toxicity and the Fate of Iron and Aluminum-Coated Glass Fibers. ERDEC-TR-422. U.S. Army Chemical Research, Development, and Engineering Center.
- Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, U.S.A. to Nova Scotia, Canada). *Marine Mammal Science* 18(4):920-937.
- Hamilton, P.K. and C.A. Mayo. 1990. Population characteristics of right whales (*Eubalaena glacialis*) observed in Cape Cod and Massachusetts Bays, 1978-1986. *Reports of the International Whaling Commission (Special Issue 12):203-208*.
- Hartman, D.S. 1979. Ecology and behavior of the manatee (*Trichechus manatus*) in Florida. American Society of Mammalogists, Special Publication 5. Lawrence, Kansas: American Society of Mammalogists.
- Haviland-Howell, G., A.S. Frankel, C.M. Powell, A. Bocconcelli, R.L. Herman, and L.S. Sayigh. 2007. Recreational boating traffic: A chronic source of anthropogenic noise in the Wilmington, North Carolina Intracoastal Waterway. *The Journal of the Acoustical Society of America*, Vol 122, No 1, pp 160.
- Hennessy, M. B., Heybach, J. P., Vernikos, J., and Levine, S.. 1979. Plasma corticosterone concentrations sensitively reflect levels of stimulus intensity in the rat, *Physiology and Behavior*, Vol 22, pp 821–825.
- Hill, S.H. 1978. A guide to the effects of underwater shock waves on Arctic marine mammals and fish. Institute of Marine Sciences, Patricia Bay, Sidney, BC. *Pacific Marine Science Report* 78-26.
- Horwood, J. 1987. The sei whale: Population biology, ecology, & management. New York, New York: Croom Helm in association with Methuen, Inc.
- Houser, D. S., D. A. Helweg, and P. W. B. Moore. 2001a. A bandpass filter-bank model of auditory sensitivity in the humpback whale. *Aquatic Mammals*, Vol 27, pp 82–91.
- Houser, D. S., R. Howard, and S.H. Ridgway. 2001b. Can diving-induced tissue nitrogen supersaturation increase the chance of acoustically driven bubble growth in marine mammals? *Journal of Theoretical Biology* 213: 183–195.

- Houser, D. S., and Finneran, J. J. 2006. Variation in the hearing sensitivity of a dolphin population obtained through the use of evoked potential audiometry. *Journal of the Acoustical Society of America*, Vol 120, pp 4090–4099.
- Hullar, T. L., S. L. Fales, H. F. Hemond, P. Koutrakis, W. H. Schlesinger, R. R. Sobonya, J. M. Teal, and J. G. Watson. 1999. Environmental Effects of Chaff: A Select Panel Report to the Undersecretary of Defense for Environmental Security. NRL/PU/6110-99-389. Naval Research Laboratory.
- Irvine, A.B. 1983. Manatee metabolism and its influence on distribution in Florida. *Biological Conservation* 25:315-334.
- IWC (International Whaling Commission). 2001. Report of the Workshop on Status and Trends of Western North Atlantic Right Whales. *Journal of Cetacean Research and Management (Special Issue 2)*:61-87.
- Jahoda, M., C.L. Lafortuna, N. Biassoni, C. Almirante, A. Azzellino, S. Panigada, M. Zanardelli, and G. Notarbartolo di Sciara. 2003. Mediterranean fin whale's (*Balaenoptera physalus*) response to small vessels and biopsy sampling assessed through passive tracking and timing of respiration. *Marine Mammal Science* 19(1):96-110.
- Jaquet, N. and H. Whitehead. 1996. Scale-dependent correlation of sperm whale distribution with environmental features and productivity in the South Pacific. *Marine Ecology Progress Series* 135:1-9.
- Jefferson, T.A., S. Leatherwood, and M.A. Webber. 1993. FAO species identification guide. Marine mammals of the world. Rome, Italy: Food and Agriculture Organization of the United Nations.
- Jefferson Lab. 2007. The ten most abundant elements in the Earth's crust. [http://education.jlab.org/glossary/abund\\_ele.html](http://education.jlab.org/glossary/abund_ele.html). Accessed 10/29/07.
- Jepson, P. D., M. Arbelo, R. Deaville, I. A. P. Patterson, P. Castro, J. R. Baker, E. Degollada, H. M. Ross, P. Herráez, A. M. Pocknell, F. Rodríguez, F. E. Howie, A. Espinosa, R. J. Reid, J. R. Jaber, V. Martin, A. A. Cunningham, and A. Fernández. 2003. Gas-bubble lesions in stranded cetaceans. *Nature*, Vol 425, pp 575.
- Johnson, C. S. 1971. Auditory masking of one pure tone by another in the bottlenosed porpoise, J. *Acoust. Soc. Am.*, 49, pp 1317–1318.
- Kastak, D., B. L. Southall, R. J. Schusterman, and C. R. Kastak. 2005. Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America*, Vol 118, No 5, pp 3154–3163.
- Kastak, D., R. J. Schusterman, B. L. Southall, and C. J. Reichmuth. 1999. Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. *Journal of the Acoustical Society of America*, Vol 106, No 2, pp 1142–1148.
- Kastelein, R.A. , D. DeHaan, N. Vaughan, C. Staal, and N.M. Schooneman. 2001. The influence of three acoustic alarms on the behavior of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental research*, Vol 52, No 4, pp 351–371.
- Kastelein, R. A., P. Bunskoek, M. Hagedoorn, W. W. L. Au, and D. de Haan. 2002. Audiogram of a harbor porpoise (*Phocoena phocoena*) measured with narrow-band frequency-modulated signals. *Journal of the Acoustical Society of America*, Vol 112, No 1, pp 334–344.
- Kastelein, R. A., W. C. Verboom, M. Muijsers, N. V. Jennings, and S. van der Heul. 2005. The influence of acoustic emissions for underwater data transmission on the behaviour of harbor porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, Vol 59, pp 287–307.

- Kastelein, R. A., N. Jennings, W. C. Verboom, D. de Haan, and N. M. Schooneman. 2006a. Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research*, Vol 61, pp 363–378.
- Kastelein, R., van der Heul, S., Verboom, W., Triesscheijn, R. J. V., and Jennings, N. V. 2006b. “The influence of underwater data transmission sounds on the displacement behaviour of captive harbour seals (*Phoca vitulina*),” *Marine Environmental Research*, Vol61, pp 19–39.
- Katona, S.K. and J.A. Beard. 1990. Population size, migrations and feeding aggregations of the humpback whale (*Megaptera novaeangliae*) in the western North Atlantic Ocean. *Reports of the International Whaling Commission (Special Issue 12):295-305.*
- Keller, C.A., L.I. Ward-Geiger, W.B. Brooks, C.K. Slay, C.R. Taylor, and B.J. Zoodsma. 2006. North Atlantic right whale distribution in relation to sea-surface temperature in the southeastern United States calving grounds. *Marine Mammal Science* 22(2):426-445.
- Kellogg, R. 1928. What is known of the migrations of some of the whalebone whales. *Annual Report of the Smithsonian Institution* 1928:467-494.
- Kenney, R.D. and H.E. Winn. 1986. Cetacean high-use habitats of the northeast United States continental shelf. *Fishery Bulletin* 84(2):345-357.
- Kenney, R.D. and H.E. Winn. 1987. Cetacean biomass densities near submarine canyons compared to adjacent shelf/slope areas. *Continental Shelf Research* 7:107-114.
- Kenney, R.D., M.A.M. Hyman, and H.E. Winn. 1985. Calculation of standing stocks and energetic requirements of the cetaceans of the northeast United States outer continental shelf. NOAA Technical Memorandum NMFS-F/NEC-41.
- Kenney, R.D., H.E. Winn, and M.C. Macaulay. 1995. Cetaceans in the Great South Channel, 1979-1989: Right whale (*Eubalaena glacialis*). *Continental Shelf Research* 15:385-414.
- Kenney, R.D., P.M. Payne, D.W. Heinemann, and H.E. Winn. 1996. Shifts in northeast shelf cetacean distributions relative to trends in Gulf of Maine/Georges Bank finfish abundance. Pages 169-196 in Sherman, K., N.A. Jaworski, and T.J. Smayda, eds. *The Northeast Shelf Ecosystem: Assessment, sustainability, and management*. Cambridge, Massachusetts: Blackwell Science.
- Kenney, R.D., G.P. Scott, T.J. Thompson, and H.E. Winn. 1997. Estimates of prey consumption and trophic impacts of cetaceans in the USA Northeast Continental Shelf ecosystem. *Journal of Northwest Atlantic Fishery Science* 22:155-171.
- Ketten, D.R.. 1992. The marine mammal ear: Specializations for aquatic audition and echolocation. Pages 717-750 in Webster, D.B., R.R. Fay, and A.N. Popper, eds. *The evolutionary biology of hearing*. Berlin, Germany: 22 Springer-Verlag.
- Ketten, D.R. 1995. Estimates of blast injury and acoustic trauma zones for marine mammals from underwater explosions. Pp. 391-407. In: R.A. Kastelein, J.A. Thomas, and P.E. Nachtigall (eds.). *Sensory Systems of Aquatic Mammals*. Woerden, The Netherlands: De Spil Publishers.
- Ketten, D.R.. 1998. Marine mammal auditory systems: A summary of audiometric and anatomical data and its implications for underwater acoustic impacts. NOAA Technical Memorandum NOAA-NMFS-SWFSC-256:1-74.
- Ketten, D.R. 2000. Cetacean ears. Pp. 43-108. In: W.W.L. Au, A.N. Popper, and R.R.Fay (eds.). *Hearing by Whales and Dolphins*. New York: Springer-Verlag.
- Ketten, D. R., Lien, J., and Todd, S. 1993. Blast injury in humpback whale ears: Evidence and implications (A). *Journal of the Acoustical Society of America*, Vol 94, pp 1849–1850.
- Ketten, D.R., J. Arruda, S. Cramer, J.O. O'Malley, J. Reidenberg, and S. McCall. 2003. Experimental measures of blast trauma in marine mammals. p. 30. In: R. Gisner (ed.). *Environmental*

- consequences of underwater sound*, 12-16 May 2003. Office of Naval Research, Life Sciences Research Office, Bethesda, MD.
- Knowlton, A.R., J.B. Ring, and B. Russell. 2002. Right whale sightings and survey effort in the Mid Atlantic Region: Migratory corridor, time frame, and proximity to port entrances. Report submitted to the NMFS Ship Strike Working Group, Silver Spring, Maryland.
- Koski, W.R., J.W. Lawson, D.H. Thomson, and W.J. Richardson. 1998. Point Mugu Sea Range marine mammal technical report. Point Mugu and San Diego, California: Naval Air Warfare Center, Weapons Division and Southwest Division, Naval Facilities Engineering Command. 364 pp.
- Kraus, S.D., R.D. Kenney, A.R. Knowlton, and J.N. Ciano. 1993. Endangered right whales of the southwestern North Atlantic. OCS Study MMS 93-0024. Herndon, Virginia: Minerals Management Service.
- Kraus, S.D., M.W. Brown, H. Caswell, C.W. Clark, M. Fujiwara, P.K. Hamilton, R.D. Kenney, A.R. Knowlton, S. Landry, C.A. Mayo, W.A. McLellan, M.J. Moore, D.P. Nowacek, D.A. Pabst, A.J. Read, and R.M. Rolland. 2005. North Atlantic right whales in crisis. *Science* 309:561-562.
- Kryter K. D., W. D. Ward, J. D. Miller, and D. H. Eldredge. 1966. Hazardous exposure to intermittent and steady-state noise. *Journal of the Acoustical Society of America*, Vol 39, pp 451–464.
- Laerm, J., F. Wenzel, J.E. Craddock, D. Weinand, J. McGurk, M.J. Harris, G.A. Early, J.G. Mead, C.W. Potter, and N.B. Barros. 1997. New prey species for northwestern Atlantic humpback whales. *Marine Mammal Science* 13(4):705-711.
- Lafortuna, C.L., M. Jahada, A. Azzellino, F. Saibene, and A. Colombini. 2003. Locomotor behaviours and respiratory pattern of the Mediterranean fin whale (*Balaenoptera physalus*). *European Journal of Applied Physiology* 90:387-395.
- Lagerquist, B.A., K.M. Stafford, and B.R. Mate. 2000. Dive characteristics of satellite-monitored blue whales (*Balaenoptera musculus*) off the central California coast. *Marine Mammal Science* 16(2):375-391.
- Laist, D.W. 1997. Impacts of marine debris: Entanglement of marine life in marine debris including a comprehensive list of species with entanglement and ingestion records. Pages 99-139 in Coe, J.M. and D.B. Rogers, eds. *Marine Debris: Sources, Impacts, and Solutions*. New York, New York: Springer-Verlag.
- Laist, D.W. and J.E. Reynolds III. 2005. Influence of power plants and other warm-water refuges on Florida manatees. *Marine Mammal Science* 21(4):739-764.
- Landsberg, P.G. 2000. Underwater blast injuries. *Trauma and Emergency Medicine* 17(2). [www.scuba-doc.com](http://www.scuba-doc.com).
- Laney, H. and R. Cavanagh. 2000. Supersonic aircraft noise at and beneath the ocean surface: Estimation of risk for effects on marine mammals. Prepared for U.S. Air Force, Air Force Research Laboratory, AFRL/HECB, Wright-Patterson AFB, Ohio.
- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet, and M. Podesta. 2001. Collisions between ships and whales. *Marine Mammal Science* 17(1):35-75.
- Lefebvre, L.W., J.P. Reid, W.J. Kenworthy, and J.A. Powell. 2000. Characterizing Manatee habitat use and seagrass grazing in Florida and Puerto Rico: Implications for conservation and management. *Pacific Conservation Biology* 5:289-298.
- Lefebvre, L.W., M. Marmontel, J.P. Reid, G.B. Rathbun, and D.P. Domning. 2001. Status and biogeography of the West Indian manatee. Pages 425-474 in Woods, C.A. and F.E. Sergile, eds. *Biogeography of the West Indies: Patterns and perspectives*, 2d ed. Boca Raton, Florida: CRC Press.

- Lordi, B., V. Patin, P. Protais, D. Mellier, and J. Caston. 2000. Chronic stress in pregnant rats: Effects on growth rate, anxiety and memory capabilities of the offspring. *International Journal of Psychophysiology* 37:195-205.
- Lydersen, E. and S. Lofgren. 2002. Potential effects of metals in reacidified limed water bodies in Norway and Sweden. *Environmental Monitoring and Assessment* 73:155-178.
- Macaulay, M.C., K.F. Wishner, and K.L. Daly. 1995. Acoustic scattering from zooplankton and micronekton in relation to a whale feeding site near Georges Bank and Cape Cod. *Continental Shelf Research* 15(4/5):509-537.
- Madsen, P. T., M. Johnson, P. J. Miller, N. Aguilar Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America*, Vol 120, No 4, pp 2366–2379.
- Magalhães, S., R. Prieto, M.A. Silva, J. Gonçalves, M. Afonso-Dias, and R.S. Santos. 2002. Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores. *Aquatic Mammals* 28(3):267-274.
- McDonald, M.A. and C.G. Fox. 1999. Passive acoustic methods applied to fin whale population density estimation. *Journal of the Acoustical Society of America* 105(5):2643-2651.
- McDonald, M.A., J. Calambokidis, A.M. Teranishi, and J.A. Hildebrand. 2001. The acoustic calls of blue whales off California with gender data. *Journal of the Acoustical Society of America* 109(4):1728-1735.
- McEwen, B. S., and J. C. Wingfield. 2003. The concept of allostasis in biology and biomedicine. *Hormones and Behavior*, Vol 43, pp 2–15.
- Mellinger, D.K., and C.W. Clark. 2003. Blue whale (*Balaenoptera musculus*) sounds from the North Atlantic. *Journal of the Acoustical Society of America* 114:1108-1119.
- Miksis, J. L., Connor, R. C., Grund, M. D., Nowacek, D. P., Solow, A. R., and Tyack, P. L. 2001. Cardiac responses to acoustic playback experiments in the captive bottlenose dolphin (*Tursiops truncatus*), *Journal of Comparative Psychology*, Vol 115, pp 227–232.
- Miksis-Olds, J. L., Donaghay, P. L., Miller, J. H., Tyack, P. L., and Nystuen, J. A. 2007. Noise level correlates with manatee use of foraging habitats, *Journal of the Acoustical Society of America*, Vol 121, pp 3011–3020.
- Miller, J. D., C. S. Watson, and W. P. Covell. 1963. Deafening effects of noise on the cat. *Acta Otolaryngologica Supplement*, Vol 176, pp 1–91.
- Mitchell, E. and D.G. Chapman. 1977. Preliminary assessment of stocks of northwest Atlantic sei whales (*Balaenoptera borealis*). *Reports of the International Whaling Commission (Special Issue 1)*:117-120.
- MMC (Marine Mammal Commission). 2003. Annual report to Congress 2002. Bethesda, Maryland: Marine Mammal Commission.
- Moore, J.C. 1951a. The status of the manatee in the Everglades National Park, with notes on its natural history. *Journal of Mammalogy* 32(1):22-36.
- Moore, J.C. 1951b. The range of the Florida manatee. *Quarterly Journal of the Florida Academy of Sciences* 14(1):1-19.
- Moore, T.C. 1999. Estimation of the source signal characteristics and variability of blue whale calls using a towed array. Master's thesis, Naval Postgraduate School.

- Moore, P. W. B., and Schusterman, R. J. 1987. Audiometric assessment of northern fur seals, *Callorhinus ursinus*. Marine Mammal Science, Vol 3, pp 31–53.
- Moore, S.E., W.A. Watkins, M.A. Daher, J.R. Davies, and M.E. Dahlheim. 2002. Blue whale habitat associations in the Northwest Pacific: Analysis of remotely-sensed data using a Geographic Information System. Oceanography 15(3):20-25.
- Morton, A. B., and H. K. Symonds. 2002. Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. ICES Journal of Marine Science, Vol 59, pp 71–80.
- Mullin, K., W. Hoggard, C. Roden, R. Lohofener, C. Rogers, and B. Taggart. 1991. Cetaceans on the upper continental slope in the north-central Gulf of Mexico. OCS Study MMS 91-0027. New Orleans, Louisiana: Minerals Management Service.
- Mullin, K.D. and G.L. Fulling. 2003. Abundance of cetaceans in the southern U.S. North Atlantic Ocean during summer 1998. Fishery Bulletin 101:603-613.
- Murison, L.D. and D.E. Gaskin. 1989. The distribution of right whales and zooplankton in the Bay of Fundy, Canada. Canadian Journal of Zoology 67:1411-1420.
- Nachtigall, P. E., J. L. Pawloski, and W. W. L. Au. 2003. Temporary threshold shifts and recovery following noise exposure in the Atlantic bottlenosed dolphin (*Tursiops truncatus*). Journal of the Acoustical Society of America, Vol 113, No 6, pp 3425–3429.
- Nachtigall, P. E., A. Ya. Supin, J. L. Pawloski, and W. W. L. Au. 2004. Temporary threshold shifts after noise exposure in a bottlenosed dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. Marine Mammal Science, Vol 20, No 4, pp 673–687.
- Nachtigall, P. E., M. M. L. Yuen, T. A. Mooney, and K. A. Taylor. 2005. Hearing measurements from a stranded infant Risso's dolphin, *Grampus griseus*. Journal of Experimental Biology, Vol 208, pp 4181–4188.
- Nemoto, T. and A. Kawamura. 1977. Characteristics of food habits and distribution of baleen whales with special reference to the abundance of North Pacific sei and Bryde's whales. Reports of the International Whaling Commission (Special Issue 1):80-87.
- Ng, S.L. and S. Leung. 2003. Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. Marine Mammal Research, Vol 56, No 5, pp 555–567.
- NMFS (National Marine Fisheries Service). 1991. Recovery plan for the humpback whale (*Megaptera novaeangliae*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 1994. Designated critical habitat; northern right whale. Federal Register 59(106):28793-28808.
- NMFS. 1997 North Atlantic right whale protection; emergency regulations. Federal Register 62(65):16108-16112.
- NMFS (National Marine Fisheries Service). 1998a. Recovery plan for the blue whale (*Balaenoptera musculus*). Silver Spring, Maryland: National Marine Fisheries Service. .
- NMFS (National Marine Fisheries Service). 1998b. Draft recovery plan for the fin whale *Balaenoptera physalus* and sei whale *Balaenoptera borealis*. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2005. Endangered and threatened species; revision of critical habitat for the northern right whale in the Pacific Ocean. Federal Register 70(211):66332-66346.

- NMFS (National Marine Fisheries Service). 2006a. Endangered fish and wildlife; Proposed rule to implement speed restrictions to reduce the threat of ship collisions with North Atlantic right whales. Federal Register 71(122):36299-36313.
- NMFS (National Marine Fisheries Service). 2006b. Draft recovery plan for the sperm whale (*Physeter macrocephalus*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2006c. Review of the status of the right whales in the North Atlantic and North Pacific oceans. Prepared by the National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2006d. Draft recovery plan for the fin whale (*Balaenoptera physalus*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2007a. Draft U.S. Atlantic marine mammal stock assessments - 2007. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2007b. Endangered and threatened species: Initiation of a 5-year review for fin, sperm, and southern right whales. Federal Register 72(13):2649-2650
- NMFS. 2008. Taking and Importing Marine Mammals; U.S. Navy training in the Hawaii Range Complex; Proposed Rule. Federal Register. 70 (121): 35510-35577 (23 June 2008). 50 C.F.R. Part 216.
- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 1999. Cruise results, summer Atlantic Ocean marine mammal survey, NOAA Ship *Oregon II* cruise OT 99-05 (236). Unpublished cruise report. Pascagoula, Mississippi: National Marine Fisheries Service.
- NMFS-SEFSC. 2002. Cruise results, NOAA Ship *Gordon Gunter* cruise GU-02-01, 6 February-8 April 2002, Mid Atlantic Cetacean Survey ("MACS"). Unpublished cruise report. Pascagoula, Mississippi: National Marine Fisheries Service.
- NOAA (National Oceanic and Atmospheric Administration). 2002. Report of the workshop on acoustic resonance as a source of tissue trauma in cetaceans. NOAA National Marine Fisheries Service, Silver Spring, Maryland. April 2002.
- NOAA. 2006. NOAA recommends new East Coast ship traffic routes to reduce collisions with endangered whales. Press Release. 17 November. Silver Spring, Maryland: National Oceanic and Atmospheric Administration.
- Notarbartolo-di-Sciara, G., M. Zanardelli, M. Jahoda, S. Panigada, and S. Airoidi. 2003. The fin whale *Balaenoptera physalus* (L. 1758) in the Mediterranean Sea. Mammal Review 33(2):105-150.
- Nowacek, D.P., M.P. Johnson, and P.L. Tyack. 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. Proceedings of the Royal Society B: Biological Sciences 271:227-231.
- NRC (National Research Council). 1980. Mineral tolerance of domestic animals. National Research Council/National Academy of Sciences, Washington DC. 577 p.
- NRC. 2003. Ocean noise and marine mammals. Washington, D.C.: National Academies Press.
- Nybo, S. 1996. Effects of Dietary Aluminum on Chicks *Gallus gallus domesticus* with Different Dietary Intake of Calcium and Phosphorus. Archives of Environmental Contamination and Toxicology 31:177-183.
- Office of the Surgeon General. 1991. USA textbook of military medicine; Part 1, Volume 5, conventional warfare; ballistic, blast, and burn injuries. <http://stinet.stic.mil/cgi-bin/GetTRDoc?AD=ADA278723&Location=U2&doc=GetTRDoc.pdf>

- Ogden. 1997. Airborne Noise Modeling for the Point Mugu Sea Range EIS. Conducted by Ogden Environmental and Energy Services, Inc. Colorado Springs, CO.
- O’Keeffe, D.J. and G.A. Young. 1984. Handbook on the environmental effects of underwater explosions. Naval Surface Weapons Center, Dahlgren and Silver Spring, NSWC TR 83-240.
- Ortiz, R. M., and Worthy, G. A. J. 2000. Effects of capture on adrenal steroid and vasopressin concentrations in free-ranging bottlenose dolphins (*Tursiops truncatus*), Journal of Comparative Biochemical Physiology A, Vol 125, pp 317–324.
- Panigada, S., M. Zanardelli, S. Canese, and M. Jahoda. 1999. Deep diving performances of Mediterranean fin whales. Page 144 in abstract, Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 1999. Wailea, Hawaii.
- Parks, S.E. and P.L. Tyack. 2005. Sound production by North Atlantic right whales (*Eubalaena glacialis*) in surface active groups. Journal of the Acoustical Society of America 117(5):3297-3306.
- Parks, S.E., D.R. Ketten, J. Trehey O’Malley, and J. Arruda. 2004. Hearing in the North Atlantic right whale: Anatomical predictions. Journal of the Acoustical Society of America 115(5, Part 2):2442.
- Parks, S.E. and C.W. Clark. 2007. Acoustic communication: Social sounds and the potential impacts of noise. Pages 310-332 in Kraus, S.D. and R.M. Rolland, eds. The urban whale: North Atlantic right whales at the crossroads. Cambridge, Massachusetts: Harvard University Press.
- Parks, S.E., C. W. Clark, and P. L. Tyack. 2007. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication, Journal of the Acoustical Society of America, Vol 122, pp 3725–3731.
- Patenaude, N.J., W.J. Richardson, M.A. Smultea, W.R. Koski, and G.W. Miller. 2002. Aircraft sound and disturbance to bowhead and beluga whales during spring in the Alaskan Bering Sea. Marine Mammal Science 18(2):309-335.
- Payne, P.M., D.W. Heinemann, and L.A. Selzer. 1990. A distributional assessment of cetaceans in shelf/shelf-edge and adjacent slope waters of the northeastern United States based on aerial and shipboard surveys, 1978-1988. Woods Hole, Massachusetts: National Marine Fisheries Service, Northeast Fisheries Science Center.
- Payne, P.M., J.R. Nicolas, L. O’Brien, and K.D. Powers. 1986. The distribution of the humpback whale, *Megaptera novaeangliae*, on Georges Bank and in the Gulf of Maine in relation to densities of the sand eel, *Ammodytes americanus*. Fishery Bulletin 84:271-277.
- Perry, S.L., D.P. DeMaster, and G.K. Silber. 1999. The great whales: History and status of six species listed as endangered under the U.S. Endangered Species Act of 1973. Marine Fisheries Review 61(1):1-74.
- Piantadosi, C. A., and E. D. Thalmann. 2004. Whales, sonar, and decompression sickness. Nature. 15 April 2004.
- Pivorunas, A. 1979. The feeding mechanisms of baleen whales. American Scientist 67:432-440.
- Rankin, S., D. Ljungblad, C. Clark, and H. Kato, 2005. Vocalisations of Antarctic blue whales, *Balaenoptera musculus intermedia*, recorded during the 2001/2002 and 2002/2003 IWC/SOWER circumpolar cruises, Area V, Antarctica. Journal of Cetacean Research and Management 7(1):13-20.
- Rathbun, G.B. 1988. Fixed-wing airplane versus helicopter surveys of manatees (*Trichechus manatus*). Marine Mammal Science 4(1):71-75.

- Rathbun, G.B., T. Carr, N. Carr, and C.A. Woods. 1985. The distribution of manatees and sea turtles in Puerto Rico, with emphasis on Roosevelt Roads Naval Station. NTIS PB86-1518347AS. Prepared for the Atlantic Division, Naval Facilities Engineering Command by the Florida State Museum, University of Florida, Gainesville, Florida.
- Reeder, D. M., and K. M. Kramer. 2005. Stress in free-range mammals: Integrating physiology, ecology, and natural history, *Journal of Mammalogy*, Vol 86, No 2, pp 225–235.
- Reeves, R.R., R. Rolland, and P.J. Clapham. 2001. Causes of reproductive failure in North Atlantic right whales: New avenues of research: Report of a workshop held 26-28 April 2000, Falmouth, Massachusetts. Northeast Fisheries Science Center Reference Document 01-16. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Reeves, R.R., T.D. Smith, and E.A. Josephson. 2007. Near-annihilation of a species: Right whaling in the North Atlantic. Pages 39-74 in Kraus, S.D. and R.M. Rolland, eds. *The urban whale: North Atlantic right whales at the crossroads*. Cambridge, Massachusetts: Harvard University Press.
- Reeves, R.R., B.S. Stewart, P.J. Clapham, and J.A. Powell. 2002. *National Audubon Society guide to marine mammals of the world*. New York, New York: Alfred A. Knopf, Inc.
- Reich, K.J. and G.A.J. Worthy. 2006. An isotopic assessment of the feeding habits of free-ranging manatees. *Marine Ecology Progress Series* 322:303-309.
- Reidenberg, J.S. and J.T. Laitman. 2003. Appearance of odontocete respiratory tissues after exposure to blast parameters. p. 30. In: R. Gisner (ed.). *Environmental consequences of underwater sound*, 12-16 May 2003. Office of Naval Research, Life Sciences Research Office, Bethesda, MD.
- Reilly, S.B. and V.G. Thayer. 1990. Blue whale (*Balaenoptera musculus*) distribution in the eastern tropical Pacific. *Marine Mammal Science* 6(4):265-277.
- Reynolds III, J.E. and D.K. Odell, eds. 1991. *Marine mammal strandings in the United States: Proceedings of the Second Marine Mammal Stranding Workshop*, Miami, Florida, December 3-5, 1987. NOAA Technical Report NMFS 98.
- Rice, D.W. 1989. Sperm whale--*Physeter macrocephalus* (Linnaeus, 1758). Pages 177-234 in Ridgway, S.H. and R. Harrison, eds. *Handbook of marine mammals*. Volume 4: River dolphins and the larger toothed whales. San Diego, California: Academic Press.
- Rice, D.W. 1998. *Marine mammals of the world: Systematics and distribution*. Lawrence, Kansas: Society for Marine Mammalogy.
- Richardson, W.J., C.R. Greene, Jr., C.I. Malme, and D.H. Thomson. 1995. *Marine mammals and noise*. San Diego, California: Academic Press.
- Richmond, D.R., J.T. Yelverton, and E.R. Fletcher. 1973. Far-field underwater blast injuries produced by small charges. Lovelace Foundation, Albuquerque, NM. Rep. No. DNA 3081T.
- Richter, C.F., S.M. Dawson, and E. Slooten. 2003. Sperm Whale Watching off Kaikoura, New Zealand: Effects of Current Activities on Surfacing and Vocalisation Patterns. *Science for Conservation* 219, New Zealand Department of Conservation, Wellington, New Zealand.
- Richter, C., S. Dawson, and E. Slooten. 2006. Impacts of commercial whale watching on male sperm whales at Kaikoura, New Zealand. *Marine Mammal Science* 22(1):46-63.
- Ridgway, S. H., and R. Howard. 1979. Dolphin lung collapse and intramuscular circulation during free diving: evidence from nitrogen washout. *Science*, Vol 206, pp 1182–1183.
- Ridgway, S.H. and D.A. Carder. 2001. Assessing hearing and sound production in cetaceans not available for behavioral audiograms: Experiences with sperm, pygmy sperm, and gray whales. *Aquatic Mammals* 27(3):267-276.

- Romano, T. A., M. J. Keogh, M. J., C. Kelly, C., P. Feng, P., C. E. Berk, C. E., C. Schlundt, C., D. Carder, D. and J. Finneran, J. 2004. Anthropogenic sound and marine mammal health: measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Science*, Vol 61, pp 1124–1134.
- Romero, L.M. 2004. Physiological stress in ecology: Lessons from biomedical research. *Trends in Ecology and Evolution* 19(5):250-255.
- Sanders, I.M., J.C. Barrios-Santiago, and R.S. Appeldoorn. 2005. Distribution and relative abundance of humpback whales off western Puerto Rico during 1995-1997. *Caribbean Journal of Science* 41(1):101-107.
- Scheuhammer, A.M. 1987. The chronic toxicity of aluminum, cadmium, mercury, and lead in birds: A review. *Environmental Pollution* 46:263-295.
- Schilling, M.R., I. Seipt, M.T. Weinrich, S.E. Frohock, A.E. Kuhlberg, and P.J. Clapham. 1992. Behavior of individually-identified sei whales *Balaenoptera borealis* during an episodic influx into the southern Gulf of Maine in 1986. *Fishery Bulletin* 90:749-755.
- Schlosberg, A., M. Bellaiche, S. Regev, R. Gal, M. Brizzi, V. Hanji, L. Zaldel, A Nyska. 1997. *Journal of Wildlife Diseases*. 33(1): 135-138.
- Schlundt, C. E., J. J. Finneran, D. A. Carder, and S. H. Ridgway. 2000. Temporary threshold shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *Journal of the Acoustical Society of America*, Vol 107, pp 3496–3508.
- Schoenherr, J.R. 1991. Blue whales feeding on high concentrations of euphausiids around Monterey Submarine Canyon. *Canadian Journal of Zoology* 69:583-594.
- Schusterman, R. J., R. F. Balliet, R. F., and J. Nixon, J. 1972. Underwater audiogram of the California sea lion by the conditioned vocalization technique. *Journal of the Experimental Analysis of Behavior*, Vol 17, 339–350.
- Schwartz, F.J. 1995. Florida manatees, *Trichechus manatus* (Sirenia: Trichechidae), in North Carolina 1919-1994. *Brimleyana* 22:53-60.
- Scott, T.M. and S.S. Sadove. 1997. Sperm whale, *Physeter macrocephalus*, sightings in the shallow shelf waters off Long Island, New York. *Marine Mammal Science* 13(2):317-321.
- Sears, R., C.L.K. Burton, and G. Vikingson. 2005. Review of blue whale (*Balaenoptera musculus*) photoidentification distribution data in the North Atlantic, including the first long-range match between Iceland and Mauritania. Page 254 in abstract, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Sears, R., J.M. Williamson, F.W. Wenzel, M. Bérubé, D. Gendron, and P. Jones. 1990. Photographic identification of the blue whale (*Balaenoptera musculus*) in the Gulf of St. Lawrence, Canada. *Reports of the International Whaling Commission (Special Issue 12)*:335-342.
- Silber, G.K. 1986. The relationship of social vocalizations to surface behavior and aggression in the Hawaiian humpback whale (*Megaptera novaeangliae*). *Canadian Journal of Zoology* 64:2075-2080.
- Silber, G.K. and P.J. Clapham. 2001. Draft updated recovery plan for the western North Atlantic right whale, *Eubalaena glacialis*. Silver Spring, Maryland: National Marine Fisheries Service.
- Smith, T.D., R.B. Griffin, G.T. Waring, and J.G. Casey. 1996. Multispecies approaches to management of large marine predators. Pages 467-490 in Sherman, K., N.A. Jaworski, and T.J. Smayda, eds. *The Northeast Shelf Ecosystem: Assessment, sustainability, and management*. Cambridge, Massachusetts: Blackwell Science.

- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P.J. Palsbøll, J. Sigurjónsson, P.T. Stevick, and N. Øien. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science* 15(1):1-32.
- Smultea, M.A. 1994. Segregation by humpback whale (*Megaptera novaeangliae*) cows with a calf in coastal habitat near the island of Hawaii. *Canadian Journal of Zoology* 72:805-811.
- Smultea, M.A., J.R. Mobley, Jr., and D. Fertl. 2001. Sperm whale (*Physeter macrocephalus*) reactions to small fixed-wing aircrafts. Page 200 in abstract, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Southall, B. L., R. J. Schusterman, R. J., and D. Kastak, D. 2000. Masking in three pinnipeds: Underwater low frequency critical ratios. *Journal of Acoustical Society of America*, Vol 108, pp 1322–1326.
- Southall, B. L., R. J. Schusterman, R. J., and D. Kastak, D. 2003. ‘Auditory masking in three pinnipeds: aerial critical ratios and direct critical bandwidth measurements. *Journal of Acoustical Society of America*, Vol 114, pp 1660–1666.
- Southall, B. 2007. Personal communication via email between Dr. Brandon Southall, NMFS, Silver Spring, Maryland, and Ms. Dagmar Fertl, Geo-Marine, Inc., Plano, Texas, 22 April.
- Southerland, W.J., N.J. Crockford. 1993. Factors affecting the feeding distribution of red-breasted geese *Branta ruficollis* wintering in Romania. *Biological Conservation*. 63:61-65.
- Spargo, Barry. 2007. Personal communication between Dr. Barry Spargo, Naval Research Laboratory, and Mark Collins, Parsons, June 1, 2007.
- St. Aubin, D. J.. 2002. Further assessment of the potential for fishery-induced stress on dolphins in the eastern tropical Pacific. Southwest Fisheries Science Center. pp 1–12.
- St. Aubin, D. J., and Dierauf, L. A., 2001. Stress and Marine Mammals, in *Marine Mammal Medicine* (2nd edition), eds. Dierauf, L. A. and F. M. D. Gulland, 253-269. CRC Press: Boca Raton, Florida.
- St. Aubin, D. J., and J. R. Geraci. 1988. Capture and handling stress suppresses circulating levels of thyroxine (T4) and triiodothyronine (T3) in beluga whales *Delphinapterus leucas*. *Physiological Zoology*, Vol 61, pp 170–175.
- St. Aubin, D. J., and J. R. Geraci. 1989. Adaptive changes in hematologic and plasma chemical constituents in captive beluga whales, *Delphinapterus leucas*. *Canadian Journal of Fisheries and Aquatic Sciences*, Vol 46, pp 796–803.
- St. Aubin, D. J., S. H. Ridgway, R. S. Wells, and H. Rhinehart. 1996. Dolphin thyroid and adrenal hormones: Circulating levels in wild and semidomesticated *Tursiops truncatus*, and influence of sex, age, and season. *Marine Mammal Science*, Vol 12, pp 1–13.
- St. Aubin, D. J., S. DeGuise, P. R. Richard, T. G. Smith, and J. R. Gerack. 2001. Hematology and plasma chemistry as indicators of health and ecological status in beluga whales, *Delphinapterus leucas*. *Arctic*, Vol 54, pp 317–331.
- Stern, S.J. 2002. Migration and movement patterns. Pages 742-748 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of marine mammals*. San Diego, California: Academic Press.
- Stevick, P.T., B.J. McConnell, and P.S. Hammond. 2002. Patterns of movement. Pages 185-216 in Hoelzel, A.R., ed. *Marine mammal biology: An evolutionary approach*. Oxford, United Kingdom: Blackwell Science.

- Stevick, P.T., J. Allen, P.J. Clapham, N. Friday, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsbøll, J. Sigurjónsson, T.D. Smith, N. Øien, and P.S. Hammond. 2003a. North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. *Marine Ecology Progress Series* 258:263-273.
- Stevick, P.T., J. Allen, M. Bérubé, P.J. Clapham, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsbøll, J. Robbins, J. Sigurjónsson, T.D. Smith, N. Øien, and P.S. Hammond. 2003b. Segregation of migration by feeding ground origin in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology, London* 259:231-237.
- Stimpert, A.K., T.V.N. Cole, R.M. Pace, III, and P.J. Clapham. 2003. Distributions of four baleen whale species in the northwest Atlantic Ocean based on large-scale aerial survey data. Page 157 in abstract Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Stock, M. K., E. H Lanphier, D. F. Anderson, L. C. Anderson, T. M. Phernetton, and J. H. Rankin. 1980. Responses of fetal sheep to simulated no-decompression dives. *Journal of Applied Physiology*, Vol 48, No 5, pp 776–780.
- Stone, G.S., S.K. Katona, A. Mainwaring, J.M. Allen, and H.D. Corbett. 1992. Respiration and surfacing rates of fin whales (*Balaenoptera physalus*) observed from a lighthouse tower. *Reports of the International Whaling Commission* 42:739-745.
- Stone, G. S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. 2000. Reactions of Hector's dolphins to acoustic gillnet pingers. Published client report, contract 3071, funded by Conservation Services Levy. Department of Conservation, Wellington. p 29.
- Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan, and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Marine Mammal Science* 9(3):309-315.
- Systems Consultants, Inc. 1977. Effects of Aluminized Fiberglass on Representative Chesapeake Bay Marine Organisms. Report 6132-008. Prepared for Naval Research Laboratory by Systems Consultants, Washington, D.C.; University of Delaware College of Marine Studies, Lewes, DE; and University of Maryland Center for Environmental and Estuarine Studies, Chesapeake Biological Laboratory, Solomons, MD.
- Szymanski, M. D., D. E. Bain, K. Kiehl, S. Pennington, S. Wong, and K. R. Henry. 1999. Killer whale (*Orcinus orca*) hearing: Auditory brainstem response and behavioral audiograms. *Journal of the Acoustical Society of America*, Vol 106, No 2, pp 1134–1141.
- Teilmann, J., J. Tougaard, L. Miller, T. Kirketerp, K. Hansen, S. Labberté. 2006. Reaction of captive harbour porpoises (*Phocoena phocoena*) to pinger - like sounds. *Marine Mammal Science*, Vol 22, pp 240–260.
- Terhune, J. M. 1988. Detection thresholds of a harbour seal to repeated underwater high-frequency, short duration sinusoidal pulses. *Canada Journal of Zoology*, Vol 66, pp 1578–1582.
- Terhune, J.M. and W.C. Verboom. 1999. Right whales and ship noises. *Marine Mammal Science* 15(1):256-258.
- The Ordnance Shop. 2007. Mk 58 MOD 1 Marine Location, Marker. <http://www.ordnance.org/mk58.htm>. Accessed July 2007.
- Thomas, J. A., J. L. Pawloski, and W. W. L. Au. 1990a. Masked hearing abilities in a false killer whale (*Pseudorca crassidens*), in Sensory abilities of cetaceans, J. Thomas and R. Kastelein, eds. Plenum Press: New York. pp 395–404.

- Thomas, J., Moore, P., Withrow, R., and Stoermer, M. 1990b. Underwater audiogram of a Hawaiian monk seal (*Monachus schauinslandi*). Journal of the Acoustical Society of America, Vol 87, pp 417–420.
- Thomson, D.H. and W.J. Richardson. 1995. Marine mammal sounds. Pages 159-204 in Richardson, W.J., C.R. Greene, Jr., C.I. Malme, and D.H. Thomson, eds. Marine mammals and noise. San Diego: Academic Press.
- Tilbury, K.L., J.E. Stein, C.A. Krone, R.L. Brownell, S.A. Blokhin, J.L. Bolton, and D.W. Ernest. 2002. Chemical contaminants in juvenile gray whales (*Eschrichtius robustus*) from a subsistence harvest in Arctic feeding grounds. Chemosphere 47(6):555-665.
- Turnbull, S. D., and J. Terhune. 1990. White noise and pure tone masking of pure tone thresholds of a harbor seal listening in air and under water. Canadian Journal of Zoology, Vol. 68, pp 2090–2097.
- Tyack, P. L., M. Johnson, N. Aguilar Soto, A. Sturlese, and P. T. Madsen. 2006. Extreme diving of beaked whales. Journal of Experimental Biology, Vol 209, pp 4238–4253.
- USAF (U.S. Air Force). 1997. Environmental effects of self-protection chaff and flares. Prepared for Department of the Air Force, Headquarters Air Combat Command, Langley Air Force Base, Virginia.
- USCG (U.S. Coast Guard). 1999. Mandatory ship reporting systems. Federal Register 64(104):29229-29235.
- USCG (U.S. Coast Guard). 2001. Mandatory ship reporting systems--Final rule. Federal Register 66(224):58066-58070.
- USEPA (U.S. Environmental Protection Agency). 2007. Current national recommended water quality criteria. <http://www.epa.gov/waterscience/criteria/wqcriteria.html>. Accessed 10/29/07.
- USFWS (U.S. Fish and Wildlife Service). 2001. Florida manatee recovery plan, (*Trichechus manatus latirostris*), third revision. Atlanta, Georgia: U.S. Fish and Wildlife Service.
- USFWS. 2007. West Indian manatee 5-year review: Summary and evaluation. Jacksonville, Florida and Boqueron, Puerto Rico: U.S. Fish and Wildlife Service, Southeast Region.
- USFWS and NMFS. 1998. Endangered species consultation handbook, procedures for conducting consultations and conference activities under section 7 of the Endangered Species Act.
- Varanasi, U., J.E. Stein, K.L. Tilbury, J.P. Meador, C.A. Sloan, D.W. Brown, S. Chan, and J. Calambokidis. 1993. Chemical contaminants in gray whales (*Eschrichtius robustus*) stranded in Alaska, Washington, and California, USA. NOAA Technical Memorandum NMFS-NWFSC-11.
- Viada, S.T., R.M. Hammer, R. Racca, D. Hannay, M.J. Thompson, B.J. Balcom, and N.W. Phillips. 2008. Review of potential impacts to sea turtles from underwater explosive removal of offshore structures. Environmental Impact Assessment Review. 28: 267-285.
- Walker, W.A. and J.M. Coe. 1990. Survey of marine debris ingestion by odontocete cetaceans. Pages 747-774 in Shomura, R.S. and M.L. Godfrey, eds. Proceedings of the Second International Conference on Marine Debris, 2-7 April 1989, Honolulu, Hawaii. NOAA Technical Memorandum NMFS-SWFSC-154.
- Ward-Geiger, L.I., G.K. Silber, R.D. Baumstark, and T.L. Pulfer. 2005. Characterization of ship traffic in right whale critical habitat. Coastal Management 33:263-278.
- Ward, J.A. 1999. Right whale (*Balaena glacialis*) South Atlantic Bight habitat characterization and prediction using remotely sensed oceanographic data. Master's thesis, University of Rhode Island.

- Ward, W. D. 1960. Recovery from high values of temporary threshold shift. *Journal of the Acoustical Society of America*, Vol 32, pp 497–500.
- Ward, W. D. 1997. Effects of high-intensity sound, in *Encyclopedia of Acoustics*, ed. M.J. Crocker. Wiley: New York. pp 1497–1507.
- Ward, W. D., A. Glorig, and D. L. Sklar. 1958. Dependence of temporary threshold shift at 4 kc on intensity and time. *Journal of the Acoustical Society of America*, Vol 30, pp 944–954.
- Ward, W. D., A. Glorig, and D. L. Sklar. 1959. Temporary threshold shift from octave-band noise: Applications to damage-risk criteria. *Journal of the Acoustical Society of America*, Vol 31, pp 522–528.
- Ware, C., R. Arsenault, M. Plumlee, and D. Wiley. 2006. Visualizing the underwater behavior of humpback whales. *IEEE Computer Graphics and Applications* 26(4):14-18.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam, and M. Sano. 1992. Cetaceans associated with Gulf Stream features off the northeastern USA Shelf. Unpublished meeting document. ICES C.M. 1992/N:12 Copenhagen, Denmark: International Council for the Exploration of the Sea.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam, and M. Sano. 1993. Sperm whales associated with Gulf Stream features off the north-eastern USA shelf. *Fisheries Oceanography* 2(2):101-105.
- Waring, G.T., T. Hamazaki, D. Sheehan, G. Wood, and S. Baker. 2001. Characterization of beaked whale (*Ziphiidae*) and sperm whale (*Physeter macrocephalus*) summer habitat in shelf-edge and deeper waters off the northeast U.S. *Marine Mammal Science* 17(4):703-717.
- Waring, G., D. Belden, M. Vecchione, and R. Gibbons. 2003. Mid-water prey in beaked whale and sperm whale deep-water habitat south of Georges Bank. Page 172 in abstract, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Waring, G.T., R.M. Pace, J.M. Quintal, C.P. Fairfield, and K. Maze-Foley, eds. 2004. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -- 2003. NOAA Technical Memorandum NMFS-NE-182.
- Waring, G.T., E. Josephson, C.P. Fairfield, and K. Maze-Foley, eds. 2007. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -- 2006. NOAA Technical Memorandum NMFS-NE-201.
- Watkins, W.A. 1986. Whale reactions to human activities in Cape Cod waters. *Marine Mammal Science* 2(4):251-262.
- Watkins, W.A., K.E. Moore, D. Wartzok, and J.H. Johnson. 1981. Radio tracking of finback (*Balenoptera physalus*) and humpback (*Megaptera novaeangliae*) whales in Prince William Sound, Alaska. *Deep-Sea Research* 28A(6):577-588.
- Watkins, W.A., P. Tyack, K.E. Moore, and J.E. Bird. 1987. The 20-Hz signals of finback whales (*Balaenoptera physalus*). *Journal of the Acoustical Society of America* 82(6):1901-1912.
- Watwood, S.L., P.J.O. Miller, M. Johnson, P.T. Madsen, and P.L. Tyack. 2006. Deep-diving foraging behaviour of sperm whales (*Physeter macrocephalus*). *Journal of Animal Ecology* 75:814-825.
- Webster, W.D., P.D. Goley, J. Pustis, and J.F. Gouveia. 1995. Seasonality in cetacean strandings along the coast of North Carolina. *Brimleyana* 23:41-51.
- Weinrich, M.T., C.R. Belt, M.R. Schilling, and M. Marcy. 1986. Behavior of sei whales in the southern Gulf of Maine, summer 1986. *Whalewatcher (Journal of the American Cetacean Society)* 20(4):4-7.

- Weinrich, M., M. Martin, R. Griffiths, J. Bove, and M. Schilling. 1997. A shift in distribution of humpback whales, *Megaptera novaeangliae*, in response to prey in the southern Gulf of Maine. *Fishery Bulletin* 95(4):826-836.
- Wenzel, F., D.K. Mattila, and P.J. Clapham. 1988. *Balaenoptera musculus* in the Gulf of Maine. *Marine Mammal Science* 4(2):172-175.
- Whitehead, H. 2003. Sperm whales: Social evolution in the ocean. Chicago, Illinois: University of Chicago Press.
- Whitehead, H. and M.J. Moore. 1982. Distribution and movements of West Indian humpback whales in winter. *Canadian Journal of Zoology* 60:2203-2211.
- Wiley, D.N., R.A. Asmutis, T.D. Pitchford, and D.P. Gannon. 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the mid-Atlantic and southeast United States, 1985-1992. *Fishery Bulletin* 93:196-205.
- Wilson, C.L., D.P. Arfsten, R.L. Carpenter, W.K. Alexander, and K.R. Still. 2002. Effect of Navy Chaff Release on Aluminum Levels in an Area of the Chesapeake Bay. *Ecotoxicology and Environmental Safety* 52:137-142.
- Wingfield, J. C. 2003. Control of behavioural strategies for capricious environments. *Animal Behavior*, Vol 66, No 5, pp 807–816(10).
- Winn, H.E., C.A. Price, and P.W. Sorensen. 1986. The distributional biology of the right whale (*Eubalaena glacialis*) in the western North Atlantic. *Reports of the International Whaling Commission (Special Issue 10):129-138.*
- Wishner, K., E. Durbin, A. Durbin, M. Macaulay, H. Winn, and R. Kenney. 1988. Copepod patches and right whales in the Great South Channel off New England. *Bulletin of Marine Science* 43(3):825-844.
- Wolski, L. F., R. C. Anderson, A.E. Bowles, and P.K. Yochem, 2003. Measuring hearing in the harbor seal (*Phoca vitulina*): Comparison of behavioral and auditory brainstem response techniques. *Journal of the Acoustical Society of America*, Vol 113, pp 629–637.
- Wormuth, J.H., P.H. Ressler, R.B. Cady, and E.J. Harris. 2000. Zooplankton and micronekton in cyclones and anticyclones in the northeast Gulf of Mexico. *Gulf of Mexico Science* 2000(1):23-34.
- Würsig, B., S.K. Lynn, T.A. Jefferson, and K.D. Mullin. 1998. Behaviour of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft. *Aquatic Mammals* 24(1):41-50.
- Yazvenko, S. B., T. L. McDonald, S. A. Blokhin, S. R. Johnson, H. R. Melton, M. W. Newcomer, R. Nielson, and P. W. Wainwright. 2007. Feeding of western grey whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, Vol 134, pp 93–106.
- Yelverton, J.T., D.R. Richmond, E.R. Fletcher, and R.K. Jones. 1973. Safe distances from underwater explosions for mammals and birds. Lovellace Foundation, Albuquerque, DNA 3114T. <http://stinet.dtic.mil/cgi-bin/GetTRDoc?AD=AD766952&Location=U2&doc=GetTRDoc.pdf>.
- Yochem, P.K. and S. Leatherwood. 1985. Blue whale *Balaenoptera musculus* (Linnaeus, 1758). Pages 193-240 in Ridgway, S.H. and R. Harrison, eds. *Handbook of marine mammals. Volume 3: The sirenians and baleen whales.* San Diego, California: Academic Press.
- Yost, W. A., 1994. *Fundamentals of Hearing: An Introduction.* Academic Press: San Diego.
- Young, R.W. 1973. Sound Pressure in Water from a Source in Air and Vice Versa. *Journal of the Acoustic Society of America* 53:1708-1716.

- Yuen, M. M. L., P. E. Nachtigall, M. Breese, and A.Y. Supin. 2005. Behavioral and auditory evoked potential audiograms of a false killer whale (*Pseudorca crassidens*). *Journal of the Acoustical Society of America*, Vol 118, No 4, pp 2688–2695.
- Zimmer, W. M. X., and P. L. Tyack. 2007. Repetitive Shallow Dives Pose Decompression Risk in Deep-Diving Beaked Whales. *Marine Mammal Science*, Vol 23, Issue 4, pp 888–925.

### Section 3.8 References: Sea Turtles

- Balazs, G.H. 1980. Synopsis of biological data on the green turtle in the Hawaiian Islands. NOAA Technical Memorandum NMFS-SWFC-7.
- Balazs, G.H. 1985. Impact of ocean debris on marine turtles: entanglement and ingestion. Pages 387-429 in Shomura, R.S. and H.O. Yoshida, eds. *Proceedings of the Workshop on the Fate and Impact of Marine Debris*, 26-29 November 1984, Honolulu, Hawaii. NOAA Technical Memorandum NMFS-SWFSC-54.
- Barreiros, J.P. and J. Barvelos. 2001. Plastic ingestion by a leatherback turtle *Dermochelys coriacea* from the Azores (NE Atlantic). *Marine Pollution Bulletin* 42: 1196-97.
- Bartol, S.M. 1999. Morphological, electrophysiological and behavioral investigation of visual acuity of the juvenile loggerhead sea turtle (*Caretta caretta*). Ph.D. diss., College of William and Mary in Virginia.
- Bartol, S.M. and J.A. Musick. 2003. Sensory biology of sea turtles. Pages 79-102 in Lutz, P.L., J.A. Musick, and J. Wyneken, eds. *The biology of sea turtles*, Volume 2. Boca Raton, Florida: CRC Press.
- Bass, A.L. 1994. Population structure of hawksbill rookeries in the Caribbean and western Atlantic. Page 17 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. *Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-351.
- Beale, C.M. and P. Monaghan. 2004. Human disturbance: People as predation-free predators? *Journal of Applied Ecology* 41:335-343.
- Bentivegna, F., S. Hochscheid, and C. Minucci. 2003. Seasonal variability in voluntary dive duration of the Mediterranean loggerhead turtle, *Caretta caretta*. *Scientia Marina* 67(3):371-375.
- Bjorndal, K.A. 1985. Nutritional ecology of sea turtles. *Copeia* 1985(3):736-751.
- Bjorndal, K.A. 1994. Ingestion of marine debris by juvenile sea turtles in coastal Florida habitats. *Marine Pollution Bulletin* 28(3):154-158.
- Bjorndal, K. 1997. Foraging ecology and nutrition of sea turtles. Pages 199-231 in Lutz, P.L. and J.A. Musick, eds. *The biology of sea turtles*. Boca Raton, Florida: CRC Press.
- Bjorndal, K.A. 2003. Roles of loggerhead sea turtles in marine ecosystems. Pages 235-254 in Bolten, A.B. and B.E. Witherington, eds. *Loggerhead sea turtles*. Washington, D.C.: Smithsonian Institution Press.
- Bleakney, J.S. 1965. Reports of marine turtles from New England and eastern Canada. *Canadian Field-Naturalist* 79:120-128.
- Bolten, A.B. 2003. Variation in sea turtle life history patterns: Neritic vs. oceanic developmental stages. Pages 243-258 in Lutz, P.L., J.A. Musick, and J. Wyneken, eds. *The biology of sea turtles*, Volume 2. Boca Raton, Florida: CRC Press.
- Bolten, A.B. and B.E. Witherington, eds. 2003. *Loggerhead sea turtles*. Washington, D.C.: Smithsonian Institution Press.

- Bowen, B.W., F.A. Abreu-Grobois, G.H. Balazs, N. Kamezaki, C.J. Limpus, and R.J. Ferl. 1995. Trans-Pacific migrations of the loggerhead turtle (*Caretta caretta*) demonstrated with mitochondrial DNA markers. *Proceedings of the National Academy of Sciences of the United States of America* 92:3731-3734.
- Brill, R.W., G.H. Balazs, K.N. Holland, R.K.C. Chang, S. Sullivan, and J. George. 1995. Daily movements, habitat use, and submergence intervals of normal and tumor-bearing juvenile green turtles (*Chelonia mydas* L.) within a foraging area in the Hawaiian Islands. *Journal of Experimental Marine Biology and Ecology* 185:203-218.
- Brongersma, L.D. 1972. European Atlantic turtles. *Zoologische Verhandelingen* 121:1-318.
- Burke, V.J., S.J. Morreale, P. Logan, and E.A. Standora. 1992. Diet of green turtles (*Chelonia mydas*) in the waters of Long Island, N.Y. Pages 140-142 in Salmon, M. and J. Wyneken, eds. *Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-302.
- Byles, R.A. 1988. Behavior and ecology of sea turtles from Chesapeake Bay, Virginia. Ph.D. diss., College of William and Mary, Williamsburg, Virginia.
- Byles, R.A. 1989. Satellite telemetry of Kemp's ridley sea turtle, *Lepidochelys kempi*, in the Gulf of Mexico. Pages 25-26 in Eckert, S.A., K.L. Eckert, and T.H. Richardson, eds. *Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology*. NOAA Technical Memorandum NMFS-SEFC-232.
- Carr, A. 1986. Rips, FADS, and little loggerheads. *BioScience* 36(2):92-100.
- Carr, A. 1987. New perspectives on the pelagic stage of sea turtle development. *Conservation Biology* 1(2):103-121.
- Carr, A. and A.B. Meylan. 1980. Evidence of passive migration of green turtle hatchlings in *Sargassum*. *Copeia* 1980(2):366-368.
- Carr, A., L.H. Ogren, and C. McVea. 1980. Apparent hibernation by the Atlantic loggerhead turtle *Caretta caretta* off Cape Canaveral, Florida. *Biological Conservation* 19:7-14.
- CETAP (Cetacean and Turtle Assessment Program). 1982. Characterization of marine mammals and turtles in the Mid- and North Atlantic areas of the U.S. Outer Continental Shelf. Contract AA551-CT8-48 Prepared for U.S. Bureau of Land Management, Washington, D.C. by Cetacean and Turtle Assessment Program, University of Rhode Island, Graduate School of Oceanography, Kingston, Rhode Island.
- Collard, S.B. 1990. Leatherback turtles feeding near a watermass boundary in the eastern Gulf of Mexico. *Marine Turtle Newsletter* 50:12-14.
- Coles, W.C. and J.A. Musick. 2000. Satellite sea surface temperature analysis and correlation with sea turtle distribution off North Carolina. *Copeia* 2000(2):551-554.
- Coyne, M.S., M.E. Monaco, and A.M. Landry, Jr. 2000. Kemp's ridley habitat suitability index model. Page 60 in Abreu-Grobois, F.A., R. Briseño-Dueñas, R. Márquez-Millán, and L. Sarti-Martínez, eds. *Proceedings of the Eighteenth International Sea Turtle Symposium*. NOAA Technical Memorandum NMFS-SEFSC-436.
- Davenport, J. 1988. Do diving leatherbacks pursue glowing jelly? *British Herpetological Society Bulletin* 24:20-21.
- Davenport, J. and G.H. Balazs. 1991. 'Fiery bodies' -- Are pyrosomas an important component of the diet of leatherback turtles? *British Herpetological Society Bulletin* 37:33-38.
- Diez, C.E., X. Vélez-Zuazo, and R.P. Van Dam. 2003. Hawksbill turtles in seagrass beds. *Marine Turtle Newsletter* 102:8-10.

- Dodd, C.K. 1988. Synopsis of the biological data on the loggerhead sea turtle *Caretta caretta* (Linnaeus 1758). Biological Report 88(14). Washington, D.C.: U.S. Fish and Wildlife Service.
- Dodd, C.K., Jr. and R. Byles. 2003. Post-nesting movements and behavior of loggerhead sea turtles (*Caretta caretta*) departing from east-central Florida nesting beaches. *Chelonian Conservation and Biology* 4(3):530-536.
- DoN (Department of the Navy). 2000. Noise blast test results aboard USS Cole. 8000 Ser G70/132 Report from Commander, Dahlgren Division, Naval Surface Warfare Center, Dahlgren, Virginia to Commander-in Chief, U.S. Atlantic Fleet (N3).
- DoN (Department of the Navy). 2001. Final environmental impact statement: Shock trial of the *Winston H. Churchill* (DDG 81).
- DoN. 2006. Final comprehensive overseas environmental assessment for major Atlantic Fleet training exercises. Prepared for United States Fleet Forces Command, Norfolk, Virginia by Naval Facilities Engineering Command, Atlantic, Norfolk, Virginia.
- DoN. 2007. Navy OPAREA density estimates (NODE) for the Southeast OPAREAs: VACAPES, CHPT, JAX/CHASN, and Southeastern Florida & AUTEK-Andros. Final report. Contract number N62470-02-D-9997, CTO 0045. Norfolk, Virginia: Naval Facilities Engineering Command, Atlantic. Prepared by Geo-Marine, Inc., Hampton, Virginia.
- DoN. 2008. Marine resources assessment update for the Cherry Point operating area. Final report. Contract number N62470-02-D-9997, CTO 0056 Norfolk, Virginia: Atlantic Division, Naval Facilities Engineering Command. Prepared by Geo-Marine, Inc., Plano, Texas.
- Eckert, S.A. 2002. Distribution of juvenile leatherback sea turtle *Dermochelys coriacea* sightings. *Marine Ecology Progress Series* 230:289-293.
- Eckert, K.L. and C. Luginbuhl. 1988. Death of a giant. *Marine Turtle Newsletter* 43:2-3.
- Eckert, S.A., K.L. Eckert, P. Ponganis, and G.L. Kooyman. 1989. Diving and foraging behavior of leatherback sea turtles (*Dermochelys coriacea*). *Canadian Journal of Zoology* 67:2834-2840.
- Eckert, S.A., D. Bagley, S. Kubis, L. Ehrhart, C. Johnson, K. Stewart, and D. DeFreese. 2006. Internesting and postnesting movements and foraging habitats of leatherback sea turtles (*Dermochelys coriacea*) nesting in Florida. *Chelonian Conservation and Biology* 5(2):239-248.
- Ehrhart, L.M., D.A. Bagley, and W.E. Redfoot. 2003. Loggerhead turtles in the Atlantic Ocean: Geographic distribution, abundance, and population status. Pages 157-174 in Bolten, A.B. and B.E. Witherington, eds. *Loggerhead sea turtles*. Washington, D.C.: Smithsonian Institution Press.
- Eller, A.I. and R.C. Cavanagh. 2000. Subsonic Aircraft Noise at and Beneath the Ocean Surface: Estimation of Risk for Effects on Marine Mammals. AFRL-HE-WP-TR-2000-0156. Prepared for U.S. Air Force Research Laboratory by Science Applications International Corp., McLean, VA.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995a. Sea turtles in North Carolina waters. *Conservation Biology* 9:384-394.
- Epperly, S.P., J. Braun, and A.J. Chester. 1995b. Aerial surveys for sea turtles in North Carolina inshore waters. *Fishery Bulletin* 93:254-261.
- Epperly, S.P., M.L. Snover, J. Braun-McNeill, W.N. Witzell, C.A. Brown, L.A. Csuzdi, W.G. Teas, L.B. Crowder, and R.A. Myers. 2001. Stock assessment of loggerhead sea turtles of the western North Atlantic. Pages 3-66 in Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC 455.

- EVM (Expert Group on Vitamins and Minerals). 2003. Safe upper levels for vitamins and minerals. Food Standards Agency, United Kingdom.
- Frazier, J.G. 2001. General natural history of marine turtles. Pages 3-17 in Eckert, K.L. and F.A. Abreu-Grobois, eds. Proceedings: Marine Turtle Conservation in the Wider Caribbean Region: A Dialogue for Effective Regional Management. 16-18 November 1999. Santo Domingo, Dominican Republic.
- Frick, M.G., C.A. Quinn, and C.K. Slay. 1999. *Dermochelys coriacea* (leatherback sea turtle), *Lepidochelys kempi* (Kemp's ridley sea turtle), and *Caretta caretta* (loggerhead sea turtle). Pelagic feeding. Herpetological Review 30(3):165.
- Frid, A. 2003. Dall's sheep responses to overflights by helicopter and fixed-wing aircraft. Biological Conservation 110:387-399.
- Gill, J.A., K. Norris, and W.J. Sutherland. 2001. Why behavioural responses may not reflect the population consequences of human disturbance. Biological Conservation 97:265-268.
- Gitschlag, G.R. 1996. Migration and diving behavior of Kemp's ridley (Garman) sea turtles along the U.S. southeastern Atlantic coast. Journal of Experimental Marine Biology and Ecology 205:115-135.
- Godley, B.J., D.R. Thompson, S. Waldron, and R.W. Furness. 1998. The trophic status of marine turtles as determined by stable isotope analysis. Marine Ecology Progress Series 166:277-284.
- Godley, B.J., A.C. Broderick, F. Glen, and G.C. Hays. 2003. Post-nesting movements and submergence patterns of loggerhead marine turtles in the Mediterranean assessed by satellite tracking. Journal of Experimental Marine Biology and Ecology 287:119-134.
- Godley, B.J., S. Richardson, A.C. Broderick, M.S. Coyne, F. Glen, and G.C. Hays. 2002. Long-term satellite telemetry of the movements and habitat utilisation by green turtles in the Mediterranean. Ecography 25(3):352-362.
- Goertner, J.F. 1982. Prediction of underwater explosion safe ranges for sea mammals. NSWC TR 82-188 Silver Spring, Maryland: Naval Surface Weapons Center.
- Goff, G.P. and J. Lien. 1988. Atlantic leatherback turtles, *Dermochelys coriacea*, in cold water off Newfoundland and Labrador. Canadian Field-Naturalist 102(1):1-5.
- Grant, G.S. and D. Ferrell. 1993. Leatherback turtle, *Dermochelys coriacea* (Reptilia: Dermochelidae): Notes on near-shore feeding behavior and association with cobia. Brimleyana 19:77-81.
- Gregory, L.F. and J.R. Schmid. 2001. Stress responses and sexing of wild Kemp's ridley sea turtles (*Lepidochelys kempii*) in the northeastern Gulf of Mexico. General and Comparative Endocrinology 124:66-74.
- Gulko, D.A. and K.L. Eckert. 2004. Sea turtles: An ecological guide. Honolulu, Hawaii: Mutual Publishing.
- Hatase, H., Y. Matsuzawa, W. Sakamoto, N. Baba, and I. Miyawaki. 2002. Pelagic habitat use of an adult Japanese male loggerhead turtle *Caretta caretta* examined by the Argos satellite system. Fisheries Science 68:945-947.
- Hatase, H., K. Sato, M. Yamaguchi, K. Takahashi, and K. Tsukamoto. 2006. Individual variation in feeding habitat use by adult female green sea turtles (*Chelonia mydas*): Are they obligately neritic herbivores? Oecologia 149:52-64.
- Hawkes, L.A., A.C. Broderick, M.S. Coyne, M.H. Godfrey, L.-F. Lopez-Jurado, P. Lopez-Suarez, S.E. Merino, N. Varo-Cruz, and B.J. Godley. 2006. Phenotypically linked dichotomy in sea turtle foraging requires multiple conservation approaches. Current Biology 16:990-995.

- Hays, G.C., P. Luschi, F. Papi, C. Del Seppia, and R. Marsh. 1999. Changes in behaviour during the inter-nesting period and post-nesting migration for Ascension Island green turtles. *Marine Ecology Progress Series* 189:263-273.
- Hays, G.C., C.R. Adams, A.C. Broderick, B.J. Godley, D.J. Lucas, J.D. Metcalfe, and A.A. Prior. 2000. The diving behaviour of green turtles at Ascension Island. *Animal Behaviour* 59:577-586.
- Hays, G.C., J.D. Metcalfe, and A.W. Walne. 2004a. The implications of lung-regulated buoyancy control for dive depth and duration. *Ecology* 85(4):1137-1145.
- Hays, G.C., J.D.R. Houghton, C. Isaacs, R.S. King, C. Lloyd, and P. Lovell. 2004b. First records of oceanic dive profiles for leatherback turtles, *Dermochelys coriacea*, indicate behavioural plasticity associated with long-distance migration. *Animal Behaviour* 67:733-743.
- Hazel, J., I.R. Lawler, H. Marsh, and S. Robson. 2007. Vessel speed increases collision risk for the green turtle *Chelonia mydas* *Endangered Species Research* 3:105-113.
- Henwood, T.A. and L.H. Ogren. 1987. Distribution and migrations of immature Kemp's ridley turtles (*Lepidochelys kempi*) and green turtles (*Chelonia mydas*) off Florida, Georgia, and South Carolina. *Northeast Gulf Science* 9(2):153-159.
- Hirth, H.F. 1997. Synopsis of the biological data on the green turtle *Chelonia mydas* (Linnaeus 1758). *Biological Report* 97(1). Washington, D.C.: U.S. Fish and Wildlife Service
- Hochscheid, S., B.J. Godley, A.C. Broderick, and R.P. Wilson. 1999. Reptilian diving: Highly variable dive patterns in the green turtle *Chelonia mydas*. *Marine Ecology Progress Series* 185:101-112.
- Hochscheid, S., F. Bentivegna, and G.C. Hays. 2005. First records of dive durations for a hibernating sea turtle. *Biology Letters* 1:82-86.
- Holloway-Adkins, K. and J. Provancha. 2005. Abundance and foraging activity of marine turtles using nearshore rock resources along the mid reach of Brevard County, Florida. Prepared for Olsen Associates, Inc., Jacksonville, Florida by Dynamac Corporation, Cape Canaveral, Florida.
- Houghton, J.D.R., A.C. Broderick, B.J. Godley, J.D. Metcalfe, and G.C. Hays. 2002. Diving behaviour during the interesting interval for loggerhead turtles *Caretta caretta* nesting in Cyprus. *Marine Ecology Progress Series* 227:63-70.
- Houghton, J.D.R., M.J. Callow, and G.C. Hays. 2003. Habitat utilization by juvenile hawksbill turtles (*Eretmochelys imbricata*, Linnaeus, 1766) around a shallow water coral reef. *Journal of Natural History* 37:1269-1280.
- Hughes, G.R., P. Luschi, R. Mencacci, and F. Papi. 1998. The 7000-km oceanic journey of a leatherback turtle tracked by satellite. *Journal of Experimental Marine Biology and Ecology* 229:209-217.
- James, M.C. and T.B. Herman. 2001. Feeding of *Dermochelys coriacea* on medusae in the northwest Atlantic. *Chelonian Conservation and Biology* 4(1):202-205.
- James, M.C., C.A. Ottensmeyer, and R.A. Myers. 2005a. Identification of high-use habitat and threats to leatherback sea turtles in northern waters: New directions for conservation. *Ecology Letters* 8:195-201.
- James, M.C., R.A. Myers, and C.A. Ottensmeyer. 2005b. Behaviour of leatherback sea turtles, *Dermochelys coriacea*, during the migratory cycle. *Proceedings of the Royal Society B: Biological Sciences* 272:1547-1555.
- James, M.C., J. Davenport, and G.C. Hays. 2006a. Expanded thermal niche for a diving vertebrate: A leatherback turtle diving into near-freezing water. *Journal of Experimental Marine Biology and Ecology* 335:221-226.

- James, M.C., C.A. Ottensmeyer, S.A. Eckert, and R.A. Myers. 2006b. Changes in diel diving patterns accompany shifts between northern foraging and southward migration in leatherback turtles. *Canadian Journal of Zoology* 84:754-765.
- Jefferson Lab. 2007. The ten most abundant elements in the Earth's crust. [http://education.jlab.org/glossary/abund\\_ele.html](http://education.jlab.org/glossary/abund_ele.html). Accessed 10/29/07.
- Jonsen, I.D., R.A. Myers, and M.C. James. 2007. Identifying leatherback turtle foraging behaviour from satellite telemetry using a switching state-space model. *Marine Ecology Progress Series* 337:255-264.
- Keinath, J.A., J.A. Musick, and R.A. Byles. 1987. Aspects of the biology of Virginia's sea turtles: 1979-1986. *Virginia Journal of Science* 38(4):329-336.
- Keinath, J.A., J.A. Musick, and W.M. Swingle. 1991. First verified record of the hawksbill sea turtle (*Eretmochelys imbricata*) in Virginia waters. *Catesbeiana* 11(2):35-38.
- Keinath, J.A., J.A. Musick, and D.E. Barnard. 1996. Abundance and distribution of sea turtles off North Carolina. OCS Study MMS 95-0024 New Orleans, Louisiana: Minerals Management Service.
- Ketten, D.R. and S.M. Bartol. 2006. Functional measures of sea turtle hearing. ONR Award Number N00014-02-1-0510 Prepared for the Office of Naval Research, Arlington, Virginia by Woods Hole Oceanographic Institution, Woods Hole, Massachusetts.
- Landry, A.M., Jr. and D. Costa. 1999. Status of sea turtle stocks in the Gulf of Mexico with emphasis on the Kemp's ridley. Pages 248-268 in Kumpf, H., K. Steidinger, and K. Sherman, eds. *The Gulf of Mexico large marine ecosystem: Assessment, sustainability, and management*. Malden, Massachusetts: Blackwell Science.
- Laney, H. and R. Cavanagh. 2000. Supersonic aircraft noise at and beneath the ocean surface: Estimation of risk for effects on marine mammals. Prepared for U.S. Air Force, Air Force Research Laboratory, AFRL/HECB, Wright-Patterson AFB, Ohio.
- Laurent, L., P. Casale, M.N. Bradai, B.J. Godley, G. Gerosa, A.C. Broderick, W. Schroth, B. Schierwater, A.M. Levy, D. Freggi, E.M. Abd El-Mawla, D.A. Hadoud, H.E. Gomati, M. Domingo, M. Hadjichristophorou, L. Kornaraky, F. Demirayak, and C. Gautier. 1998. Molecular resolution of marine turtle stock composition in fishery bycatch: A case study in the Mediterranean. *Molecular Ecology* 7:1529-1542.
- Lazell, J.D., Jr. 1980. New England waters: Critical habitat for marine turtles. *Copeia* 1980(2):290-295.
- Lee, D.S. and W.M. Palmer. 1981. Records of leatherback turtles, *Dermochelys coriacea* (Linnaeus), and other marine turtles in North Carolina waters. *Brimleyana* 5:95-106.
- Lenhardt, M.L. 1994. Seismic and very low frequency sound induced behaviors in captive loggerhead marine turtles (*Caretta caretta*). Pages 238-241 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. *Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-351.
- Lenhardt, M. 2002. Sea turtle auditory behavior. *Journal of the Acoustical Society of America* 112(5, Part 2):2314.
- Levenson, D.H., S.A. Eckert, M.A. Crognale, J.F. Deegan II, and G.H. Jacobs. 2004. Photopic spectral sensitivity of green and loggerhead sea turtles. *Copeia* 2004(4):908-914.
- Lordi, B., V. Patin, P. Protais, D. Mellier, and J. Caston. 2000. Chronic stress in pregnant rats: Effects on growth rate, anxiety and memory capabilities of the offspring. *International Journal of Psychophysiology* 37:195-205.

- Luschi, P., J.R.E. Lutjeharms, P. Lambardi, R. Mencacci, G.R. Hughes, and G.C. Hays. 2006. A review of migratory behaviour of sea turtles off southeastern Africa. *South African Journal of Science* 102:51-58.
- Lutcavage, M.E. and P.L. Lutz. 1997. Diving physiology. Pages 277-296 in Lutz, P.L. and J.A. Musick, eds. *The biology of sea turtles*. Boca Raton, Florida: CRC Press.
- Lutcavage, M. and J.A. Musick. 1985. Aspects of the biology of sea turtles in Virginia. *Copeia* 1985(2):449-456.
- Lutcavage, M.E., P. Plotkin, B. Witherington, and P.L. Lutz. 1997. Human impacts on sea turtle survival. Pages 387-409 in Lutz, P.L. and J.A. Musick, eds. *The biology of sea turtles*. Boca Raton, Florida: CRC Press.
- Lutz, P.L. 1990. Studies on the Ingestion of plastics and latex by sea turtles. Pages 719-735 in *Proceedings of the Second International Conference on Marine Debris*. NOAA Technical Memorandum NMFS-SWFSC-154.
- Manzella, S., J. Williams, B. Schroeder, and W. Teas. 1991. Juvenile head-started Kemp's ridleys found in floating grass mats. *Marine Turtle Newsletter* 52:5-6.
- Márquez-M., R. 1990. FAO species catalogue: Sea turtles of the world. An annotated and illustrated catalogue of sea turtle species known to date. FAO Fisheries Synopsis. No. 125, Volume 11. Rome, Italy: Food and Agriculture Organization of the United Nations.
- Marquez-M., R., compiler. 1994. Synopsis of biological data on the Kemp's ridley turtle, *Lepidochelys kemp* (Garman, 1880). NOAA Technical Memorandum NMFS-SEFSC-343
- Mascarenhas, R.R., R. Santos, and D. Zeppilini. 2004. Plastic debris ingestion by sea turtle in Paraiba, Brazil. *Marine Pollution Bulletin* 49: 354-55.
- McCauley, S.J. and K.A. Bjorndal. 1999. Conservation implications of dietary dilution from debris ingestion: Sublethal effects in post-hatchling loggerhead sea turtles. *Conservation Biology* 13(4):925-929.
- McClellan, C.M., C.G. Hudson, and A.J. Read. 2007. Use of oceanic habitats by loggerhead sea turtles (*Caretta caretta*). Pages 77-78 in abstract, Twenty-seventh Annual Symposium on Sea Turtle Biology and Conservation. 22-28 February 2007. Myrtle Beach, South Carolina.
- Mendonça, M.T. and P.C.H. Pritchard. 1986. Offshore movements of post-nesting Kemp's ridley sea turtles (*Lepidochelys kemp*). *Herpetologica* 42:373-381.
- Meylan, A.B. 1988. Spongivory in hawksbill turtles: A diet of glass. *Science* 239:393-395.
- Meylan, A., B. Schroeder, and A. Mosier. 1995. Sea turtle nesting activity in the state of Florida, 1979-1992. Florida Marine Research Publications No. 52. St. Petersburg, Florida: Florida Department of Natural Resources.
- Meylan, A. and A. Redlow. 2006. *Eretmochelys imbricata* - hawksbill turtle. Pages 105-127 in Meylan, P.A., ed. *Biology and conservation of Florida turtles*. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Moein Bartol, S., J.A. Musick, and M.L. Lenhardt. 1999. Auditory evoked potentials of the loggerhead sea turtle (*Caretta caretta*). *Copeia* 1999(3):836-840.
- Moein Bartol, S. and D.R. Ketten. 2006. Turtle and tuna hearing. Pages 98-103 in Swimmer, Y. and R. Brill, eds. *Sea turtle and pelagic fish sensory biology: Developing techniques to reduce sea turtle bycatch in longline fisheries*. NOAA Technical Memorandum NMFS-PIFSC-7.

- Moein, S.E., J.A. Musick, and M.L. Lenhardt. 1994. Auditory behavior of the loggerhead sea turtle (*Caretta caretta*). Page 89 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC 351.
- Morreale, S.J. 2005. Assessing health, status, and trends in northeastern sea turtle populations. Interim report: Sept 2002 - Nov 2004. Prepared for the Northeast Regional Office, National Marine Fisheries Service, Gloucester, Massachusetts by the Department of Natural Resources, Cornell University, Ithaca, New York.
- Morreale, S.J., A.B. Meylan, S.S. Sadove, and E.A. Standora. 1992. Annual occurrence and winter mortality of marine turtles in New York waters. *Journal of Herpetology* 26:301-308.
- Morreale, S.J., E.A. Standora, J.R. Spotila, and F.V. Paladino. 1996. Migration corridor for sea turtles. *Nature* 384:319-320.
- Morreale, S.J. and E.A. Standora. 2005. Western North Atlantic waters: Crucial developmental habitat for Kemp's ridley and loggerhead sea turtles. *Chelonian Conservation and Biology* 4(4):872-882.
- Morreale, S.J., P.T. Plotkin, D.J. Shaver, and H.J. Kalb. 2007. Adult migration and habitat utilization: Ridley turtles in their element. Pages 213-229 in Plotkin, P., ed. *Biology and conservation of ridley sea turtles*. Baltimore, Maryland: Johns Hopkins University Press.
- Mortimer, J.A. 1995. Feeding ecology of sea turtles. Pages 103-109 in Bjorndal, K.A., ed. *Biology and conservation of sea turtles*, Rev. ed. Washington, D.C.: Smithsonian Institution Press.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization and migration of juvenile sea turtles. Pages 137-163 in Lutz, P.L. and J.A. Musick, eds. *The biology of sea turtles*. Boca Raton, Florida: CRC Press.
- Narazaki, T., K. Sato, and N. Miyazaki. 2006. Fine-scale diving behaviour of migrating turtles revealed by auto releasing logger system. Pages 107-108 in abstract, Twenty-sixth Annual Symposium on Sea Turtle Biology and Conservation. 3-8 April 2006. Island of Crete, Greece.
- NMFS (National Marine Fisheries Service). 1979. Determination of critical habitat for the leatherback sea turtle. *Federal Register* 44(58):17710-17712.
- NMFS. 1995. Sea turtle conservation; restrictions applicable to shrimp trawl activities; leatherback conservation zone. *Federal Register* 60(178):47713-47715.
- NMFS. 2000. Sea turtle conservation; restrictions applicable to shrimp trawl activities; Leatherback Conservation Zone--Temporary rule. *Federal Register* 65(102):33779-33780.
- NMFS. 2006. Final environmental assessment and regulatory impact review, Regulatory Flexibility Act analysis of sea turtle conservation measures for the pound net fishery in Virginia waters of the Chesapeake Bay. Gloucester, Massachusetts: National Marine Fisheries Service.
- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 2001. Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-455.
- NMFS and USFWS. 1991. Recovery plan for U.S. population of Atlantic green turtle. Washington, D.C.: National Marine Fisheries Service.
- NMFS and USFWS. 1992. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic and Gulf of Mexico. Washington, D.C.: National Marine Fisheries Service.
- NMFS and USFWS. 1993. Recovery plan for hawksbill turtles in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico. St. Petersburg, Florida: National Marine Fisheries Service.

- NMFS (National Marine Fisheries Service) and USFWS (U.S. Fish and Wildlife Service). 1998a. Recovery plan for U.S. Pacific populations of the hawksbill turtle (*Eretmochelys imbricata*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS and USFWS. 1998b. Recovery plan for U.S. Pacific populations of the loggerhead turtle (*Caretta caretta*). Silver Spring, Maryland: National Marine Fisheries Service.
- NPS (National Park Service). 2007. Cape Hatteras National Seashore: 2007 Sea turtle annual report. Manteo, North Carolina: National Parks Service.
- NRC (National Research Council). 1990. Decline of the sea turtles: Causes and prevention. Washington, D.C.: National Academy Press.
- Ogren, L. and C. McVea, Jr. 1995. Apparent hibernation by sea turtles in North American waters. Pages 127-132 in Bjorndal, K.A., ed. Biology and conservation of sea turtles, Rev ed. Washington, D.C.: Smithsonian Institution Press.
- Parker, L.G. 1995. Encounter with a juvenile hawksbill turtle offshore Sapelo Island, Georgia. Marine Turtle Newsletter 71:19-22.
- Peterson, C., G. Monahan, and F. Schwartz. 1985. Tagged green turtle returns and nests again in North Carolina. Marine Turtle Newsletter 35:5-6.
- Plotkin, P.T., ed. 1995. National Marine Fisheries Service and U.S. Fish and Wildlife Service status reviews for sea turtles listed under the Endangered Species Act of 1973. Silver Spring, Maryland: National Marine Fisheries Service.
- Polovina, J.J., E. Howell, D.M. Parker, and G.H. Balazs. 2003. Dive-depth distribution of loggerhead (*Caretta caretta*) and olive ridley (*Lepidochelys olivacea*) sea turtles in the central North Pacific: Might deep longline sets catch fewer turtles? Fishery Bulletin 101(1):189-193.
- Rabon, D.R., Jr., S.A. Johnson, R. Boettcher, M. Dodd, M. Lyons, S. Murphy, S. Ramsey, S. Roff, and K. Stewart. 2003. Confirmed leatherback turtle (*Dermodochelys coriacea*) nests from North Carolina, with a summary of leatherback nesting activities north of Florida. Marine Turtle Newsletter 101:4-8.
- Renaud, M.L. 1995. Movements and submergence patterns of Kemp's ridley turtles (*Lepidochelys kempii*). Journal of Herpetology 29:370-374.
- Renaud, M.L. and J.A. Carpenter. 1994. Movements and submergence patterns of loggerhead turtles (*Caretta caretta*) in the Gulf of Mexico determined through satellite telemetry. Bulletin of Marine Science 55:1-15.
- Renaud, M.L. and J.A. Williams. 2005. Kemp's ridley sea turtle movements and migrations. Chelonian Conservation and Biology 4(4):808-816.
- Richardson, J.I. and P. McGillivray. 1991. Post-hatchling loggerhead turtles eat insects in Sargassum community. Marine Turtle Newsletter 55:2-5.
- Ridgway, S.H., E.G. Wever, J.G. McCormick, J. Palin, and J.H. Anderson. 1969. Hearing in the giant sea turtle, *Chelonia mydas*. Proceedings of the National Academy of Sciences of the United States of America 64:884-890.
- Romero, L.M. 2004. Physiological stress in ecology: Lessons from biomedical research. Trends in Ecology and Evolution 19(5):250-255.
- Sakamoto, W., I. Uchida, Y. Naito, K. Kureha, M. Tujimura, and K. Sato. 1990. Deep diving behavior of the loggerhead turtle near the frontal zone. Nippon Suisan Gakkaishi 56(9):1435-1443.

- Sale, A., P. Luschi, R. Mencacci, P. Lambardi, G.R. Hughes, G.C. Hays, S. Benvenuti, and F. Papi. 2006. Long-term monitoring of leatherback turtle diving behaviour during oceanic movements. *Journal of Experimental Marine Biology and Ecology* 328:197-210.
- Salmon, M., T.T. Jones, and K.W. Horch. 2004. Ontogeny of diving and feeding behavior in juvenile sea turtles: Leatherback sea turtles (*Dermochelys coriacea* L) and green sea turtles (*Chelonia mydas* L) in the Florida Current. *Journal of Herpetology* 38(1):36-43.
- Sasso, C.R. and W.N. Witzell. 2006. Diving behaviour of an immature Kemp's ridley turtle (*Lepidochelys kempii*) from Gullivan Bay, Ten Thousand Islands, south-west Florida. *Journal of the Marine Biological Association of the United Kingdom* 86:919-925.
- Schmid, J.R., A.B. Bolten, K.A. Bjorndal, and W.J. Lindberg. 2002. Activity patterns of Kemp's ridley turtles, *Lepidochelys kempii*, in the coastal waters of the Cedar Keys, Florida. *Marine Biology* 140:215-228.
- Schmid, J.R. and W.J. Barichivich. 2006. *Lepidochelys kempii* - Kemp's ridley. Pages 128-141 in Meylan, P.A., ed. *Biology and conservation of Florida turtles*. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Schroeder, B.A., A.M. Foley, and D.A. Bagley. 2003. Nesting patterns, reproductive migrations, and adult foraging areas of loggerhead turtles. Pages 114-124 in Bolten, A.B. and B.E. Witherington, eds. *Loggerhead sea turtles*. Washington, D.C.: Smithsonian Institution Press.
- Schroeder, B.A. and N.B. Thompson. 1987. Distribution of the loggerhead turtle, *Caretta caretta*, and the leatherback turtle, *Dermochelys coriacea*, in the Cape Canaveral, Florida area: Results of aerial surveys. Pages 45-53 in Witzell, W.N., ed. *Proceedings of the Cape Canaveral, Florida Sea Turtle Workshop*. NOAA Technical Report NMFS 53.
- Schwartz, F.J. 1989. Biology and ecology of sea turtles frequenting North Carolina. Pages 307-331 in George, R.Y. and A.W. Hulbert, eds. *North Carolina Coastal Oceanography Symposium*. National Undersea Research Program Research Report 89-2. Silver Spring, Maryland: National Oceanic and Atmospheric Administration.
- Seminoff, J.A. and MTSG (Marine Turtle Specialist Group) Green Turtle Task Force. 2004. *Marine Turtle Specialist Group review: 2004 global status assessment, green turtle (Chelonia mydas)*. Prepared for the IUCN SCC (The World Conservation Union Species Survival Commission) Red List Authority.
- Seney, E.E. and J.A. Musick. 2005. Diet analysis of Kemp's ridley sea turtles (*Lepidochelys kempii*) in Virginia. *Chelonian Conservation and Biology* 4(4):864-871.
- Shaver, D.J. and T. Wibbels. 2007. Head-starting the Kemp's ridley sea turtle. Pages 297-323 in Plotkin, P., ed. *Biology and conservation of ridley sea turtles*. Baltimore, Maryland: Johns Hopkins University Press.
- Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundances of loggerhead and leatherback sea turtles in waters of the northeastern United States. *Herpetological Monographs* 6:43-67.
- Southerland, W.J., N.J. Crockford. 1993. Factors affecting the feeding distribution of red-breasted geese *Branta ruficollis* wintering in Romania. *Biological Conservation* 63:61-65.
- Southwood, A.L., R.D. Andrews, M.E. Lutcavage, F.V. Paladino, N.H. West, R.H. George, and D.R. Jones. 1999. Heart rates and diving behavior of leatherback sea turtles in the eastern Pacific Ocean. *Journal of Experimental Biology* 202:1115-1125.
- Spargo, Barry. 2007. Personal communication between Dr. Barry Spargo, Naval Research Laboratory, and Mark Collins, Parsons, June 1, 2007.

- Starbird, C.H., Z. Hillis-Starr, J.T. Harvey, and S.A. Eckert. 1999. Internesting movements and behavior of hawksbill turtles (*Eretmochelys imbricata*) around Buck Island Reef National Monument, St. Croix, U.S. Virgin Islands. *Chelonian Conservation and Biology* 3(2):237-243.
- Stewart, K. and C. Johnson. 2006. *Dermochelys coriacea* - Leatherback sea turtle. Pages 144-157 in Meylan, P.A., ed. *Biology and conservation of Florida turtles*. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Storch, S., R.P. Wilson, Z.-M. Hillis-Starr, and D. Adelung. 2005. Cold-blooded divers: Temperature-dependent dive performance in the wild hawksbill turtle *Eretmochelys imbricata*. *Marine Ecology Progress Series* 293:263-271.
- Takizawa, Y., F. Hirasawa, E. Noritomo, M. Aida, H. Tsunoda, and S. Uesugi. 1998. Oral ingestion of syloid to mice and rats and its chronic toxicity and carcinogenicity. *Acta Medica et Biologica* 36:27-56.
- TEWG (Turtle Expert Working Group). 2000. Assessment update for the Kemp's ridley and loggerhead sea turtle populations in the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-444.
- Threlfall, W. 1978. First record of the Atlantic leatherback turtle (*Dermochelys coriacea*) from Labrador. *Canadian Field-Naturalist* 92(3):287.
- Tomás, J., R. Guitart, R. Mateo, and J.A. Raga. 2002. Marine debris ingestion in loggerhead sea turtles, *Caretta caretta*, from the Western Mediterranean. *Marine Pollution Bulletin* 44:211-216.
- USAF (U.S. Air Force). 1997. Environmental effects of self-protection chaff and flares. Prepared for Department of the Air Force, Headquarters Air Combat Command, Langley Air Force Base, Virginia.
- USEPA (U.S. Environmental Protection Agency). 1991. R.E.D. facts – Silicon dioxide and silica gel. Accessed 4 February 2008. <http://www.epa.gov/oppsrrd1/REDS/factsheets/4081fact.pdf>.
- USFWS (U.S. Fish and Wildlife Service). 2001. Nesting loggerhead sea turtle activity report 2000 and 1980-2000 nesting summary. Prepared for U.S. Army Corps of Engineers, Department of the Army, Norfolk, Virginia by S. Williams and J. Gallegos, Back Bay National Wildlife Refuge.
- USFWS. 2005. Report on the Mexico/United States of America population restoration project for the Kemp's ridley sea turtle, *Lepidochelys kempii*, on the coasts of Tamaulipas and Veracruz, Mexico. 2005. Prepared by Gladys Porter Zoo, Secretaria de Medio Ambiente y Recursos Naturales, and Secretaria de Obras Publicas Desarrollo Urbano y Ecologia.
- USFWS and NMFS (National Marine Fisheries Service). 1992. Recovery plan for the Kemp's ridley sea turtle (*Lepidochelys kempii*). St. Petersburg, Florida: National Marine Fisheries Service.
- USFWS (U.S. Fish and Wildlife Service) and NMFS (National Marine Fisheries Service). 1998. *Endangered Species Consultation Handbook, Procedures for Conducting Consultations and Conference Activities under Section 7 of the Endangered Species Act*.
- USFWS and NMFS. 2003. Endangered and threatened wildlife and plants; 12-month finding on a petition to list the Northern and Florida Panhandle loggerhead sea turtle (*Caretta caretta*) subpopulations as endangered. *Federal Register* 68(178):53947-53955.
- Van Dam, R.P. and C.E. Diez. 1996. Diving behavior of immature hawksbills (*Eretmochelys imbricata*) in a Caribbean cliff-wall habitat. *Marine Biology* 127:171-178.
- Viada, S.T., R.M. Hammer, R. Racca, D. Hannay, M.J. Thompson, B.J. Balcom, and N.W. Phillips. 2008. Review of potential impacts to sea turtles from underwater explosive removal of offshore structures. *Environmental Impact Assessment Review* 28:267-285.

- Wallace, B.P., C.L. Williams, F.V. Paladino, S.J. Morreale, R.T. Lindstrom, and J.R. Spotila. 2005. Bioenergetics and diving activity of internesting leatherback turtles *Dermochelys coriacea* at Parque Nacional Marino Las Baulas, Costa Rica. *Journal of Experimental Biology* 208:3873-3884.
- Witherington, B.E. 1994. Flotsam, jetsam, post-hatchling loggerheads, and the advecting surface smorgasbord. Pages 166-168 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. *Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-351.
- Witherington, B. and S. Hirma. 2006. Sea turtles of the epi-pelagic sargassum drift community. Page 209 in abstract, *Twenty-sixth Annual Symposium on Sea Turtle Biology and Conservation*. 3-8 April 2006. Island of Crete, Greece.
- Witherington, B., M. Bresette, and R. Herren. 2006a. *Chelonia mydas* - green turtle. Pages 90-104 in Meylan, P.A., ed. *Biology and conservation of Florida turtles*. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Witherington, B., R. Herren, and M. Bresette. 2006b. *Caretta caretta* - loggerhead sea turtle. Pages 74-89 in Meylan, P.A., ed. *Biology and conservation of Florida turtles*. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Witzell, W.N. 1983. Synopsis of biological data on the hawksbill turtle *Eretmochelys imbricata* (Linnaeus, 1766). *FAO Fisheries Synopsis* 137. Rome, Italy: Food and Agriculture Organization of the United Nations.
- Wyneken, J., S.P. Epperly, and B. Witherington. 2005. The leatherback in U.S. east coast waters: Abundance, seasonality, anthropogenic mortality [sic] and management. Pages 13-15 in Coyne, M.S. and R.D. Clark, eds. *Proceedings of the Twenty-first Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-528.

**Section 3.9 References: Fish and Essential Fish Habitat**

- Acoustic Ecology Institute 2007. <http://www.acousticecology.org/>.
- Amoser, S. and F. Ladich. 2005. Are hearing sensitivities of freshwater fish adapted to the ambient noise in their habitats? *The Journal of Experimental Biology* 208: 3533-3542.
- ASFMC (Atlantic States Marine Fisheries Commission). 2007. Atlantic States Marine Fisheries Commission. <http://www.asmfmc.org/>.
- Atlantic Sturgeon Status Review Team. 2007. Status Review of Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*). Report to National Marine Fisheries Service, Northeast Regional Office. February 23, 2007. 174 pp.
- Burgess, G.H. and T.H. Curtis. 2003. Temporal Reductions in the Distribution and Abundance of U.S. Atlantic Sawfishes (*Pristis* spp.). Accessed 27 June 2007. <http://www.flmnh.ufl.edu/fish/sharks/sawfish/sawfish.ppt>.
- Burkhead, N.M. and R.E. Jenkins. 1991. Fishes. Pages 321-410 in Terwilliger, K., ed. *Virginia's Endangered Species Proceedings of a Symposium*. Blacksburg, Virginia: McDonald and Woodward Publishing Company.
- Cahoon, L.B., D.G. Lindquist, and I.E. Clavijo. 1990. Live bottoms. In: *The Continental Shelf Ecosystem: A Misconception?* Pages in, *The American Academy of Underwater Sciences Proceedings*: 39-47. St. Petersburg, Florida.
- Chapman, C. J., and A. D. Hawkins. 1973. A field study of hearing in cod (*Gadus morhua* L.). *J. Comp. Physiol.* 85: 147-167.

---

**Section 3.9 : Fish and Essential Fish Habitat**

---

- Collins, M.R., S.G. Rogers, T.I.J. Smith, and M.L. Moser. 2000. Primary factors affecting sturgeon populations in the southeastern United States: Fishing mortality and degradation of essential habitats. *Bulletin of Marine Science* 66(3):917-928.
- Craig Jr., J.C. 2001. Appendix D, Physical Impacts of Explosions on Marine Mammals and Turtles. In: Final Environmental Impact Statement, Shock Trial of the WINSTON CHURCHILL (DDG81). U.S. Department of the Navy. NAVSEA.
- CSA (Continental Shelf Associates, Inc.). 2004. Explosive removal of offshore structures - information synthesis report. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2003-070. 181p. + app.
- Dadswell, M.J., B.D. Taubert, T.S. Squiers, D. Marchette, and J. Buckley. 1984. Synopsis of Biological Data on Shortnose Sturgeon *Acipenser brevirostrum* Lesueur 1818. National Oceanic and Atmospheric Administration Technical Report National Marine Fisheries Service 14.
- DoN (Department of the Navy). 1998. Final Environmental Impact Statement. Shock Testing the SEAWOLF Submarine. Naval Sea Systems Command. Washington, D.C. 637 p.
- DoN. 2000a. Deck Gun Noise Blast Test Results Aboard the USS Cole. Naval Surface Warfare Center, Dahlgren, MD.
- DoN. 2000b. Final Biological Assessment, U.S. Navy Explosive Ordnance Disposal (EOD) Operations, Puget Sound, Washington. Naval Facilities Engineering Command, Engineering Field Activity, Northwest, Poulsbo, WA. Prepared by Science Applications International Corporation, Bothell, WA.
- DoN. 2001. Final Environmental Impact Statement, Shock Trial of the USS WINSTON S. CHURCHILL (DDG-81). Washington, D.C. Naval Sea Systems Command. 597p.
- DoN 2005. Essential Fish Habitat Study for the Southeast Operating Areas: Virginia Capes, Cherry Point, and Charleston/Cherry Point. Prepared for Department of the Navy, U. S. Naval Fleet Forces Command by Geo-Marine, Inc.
- DoN. 2006. SINKEX. Programmatic Overseas Environmental Assessment (OEA) for Sinking Exercises (SINKEXs) in the Western North Atlantic Ocean. November 2006.
- DoN. 2008. Marine resources assessment update for the Cherry Point operating area. Final report. Contract number N62470-02-D-9997, CTO 0056 Norfolk, Virginia: Atlantic Division, Naval Facilities Engineering Command. Prepared by Geo-Marine, Inc., Plano, Texas.
- Dzwilewski, P.T. and G. Fenton. 2003. Shock wave/sound propagation modeling results for calculating marine protected species impact zones during explosive removal of offshore structures. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2003-059. 39 p.
- Edds-Walton, P. L. and J. J. Finneran. 2006. Evaluation of Evidence for Altered Behavior and Auditory Deficits in Fishes Due to Human-generated Noise Sources. SPAWAR Systems San Diego, California. Tech. Rep. 1939. 50p.
- Fitch, J.E., and P.H. Young. 1948. Use and effect of explosives in California coastal waters. *California Fish Game* 34:53-70.
- Gilbert, C.R. 1992. Shortnose Sturgeon (*Acipenser brevirostrum*), Family Acipenseridae, Order Acipenseriformes. Pages 15-21 in Gilbert, C.R., ed. Rare and Endangered Biota of Florida. Volume 2: Fishes. Gainesville, Florida: University Press of Florida.

**Section 3.9 : Fish and Essential Fish Habitat**

---

- Gitschlag, G.R., M.J. Schirripa, and J. E. Powers. 2000. Estimation of fisheries impacts due to underwater explosives used to sever and salvage oil and gas platforms in the U.S. Gulf of Mexico: Final report. OCS Study MMS 2000-087. Prepared by NMFS. U.S. Dept. of the Interior, Minerals Mgmt. Service. New Orleans, LA. 80 p.
- GMFMC (Gulf of Mexico Fishery Management Council) 2007. Fishery Management Plans. <http://www.gulfcouncil.org/>.
- Goertner, J.F. 1982. Prediction of Underwater Explosion Safe Ranges for Sea Mammals. NSWC/WOL TR 82-188. Naval Ordnance Laboratory. Silver Spring, MD.
- Goertner, J.F., M.L. Wiley, G.A. Young, and W.W. McDonald. 1994. Effects of underwater explosions on fish without swimbladders. Naval Surface Warfare Center, Dahlgren Division, White Oak Detachment, Silver Spring, MD. NSWC TR 88-114.
- Govoni, J.J., L.R. Settle, and M.A. West. 2003. Trauma to Juvenile Pinfish and Spot Inflicted by Submarine Detonations. *J. Aquatic Anim. Health* 15:111–119.
- Grimes, C.B., C.S. Manooch, and G.R. Huntsman. 1982. Reef and rock outcropping fishes of the outer continental shelf of North Carolina and South Carolina, and ecological notes on the red porgy and vermilion snapper. *Bulletin of Marine Science* 32(1):277-289.
- Grimes, C.B., C.S. Manooch, and G.R. Huntsman. 1982. Reef and rock outcropping fishes of the outer continental shelf of North Carolina and South Carolina, and ecological notes on the red porgy and vermilion snapper. *Bulletin of Marine Science* 32(1):277-289.
- Gruchy, C.G. and B. Parker. 1980. *Acipenser brevirostrum* LeSeur, Shortnose Sturgeon. Page 38 in Atlas of North American freshwater fishes. North Carolina Biological Survey Publication No. 1980-12. Raleigh.
- Guerra, A., A.F. Gonzalez, F. Rocha, J. Gracia, and M. Vecchione. 2004. El Tiempo Antes De La Grande Explosion. *Edición Española de Scientific American*:35 - 37.
- Hanlon, R.T. and J.B. Messenger. 1996. *Cephalopod Behaviour*, Cambridge University Press, Cambridge, UK.
- Hare, J.A., and J.J. Govoni. 2005. Comparison of average larval fish vertical distribution among species exhibiting different transport pathways on the southeast United States continental shelf. *Fishery Bulletin* 103:728-736.
- Hare, J.A., J.H. Churchill, R.K. Cowen, T.J. Berger, P.C. Cornillon, P. Dragos, S.M. Glenn, J.J. Govoni, T.N. Lee. 2002. Routes and rates of larval fish transport from the southeast to the northeast United States continental shelf. *Limnology and Oceanography* 47(6):1774-1789.
- Hastings, M.C. and A.N. Popper. 2005. Effects of Sound on Fish. Report to California Department of Transportation, January 2005. 82pp. [http://www.dot.ca.gov/hq/env/bio/files/Effects\\_of\\_Sound\\_on\\_Fish23Aug05.pdf](http://www.dot.ca.gov/hq/env/bio/files/Effects_of_Sound_on_Fish23Aug05.pdf).
- Hubbs, C.L. and A.B. Rehnitz. 1952. Report on experiments designed to determine effects of underwater explosions on fish life. *Cal. Fish and Game* 38:333-366.
- Huntsman, G.R., and C.S. Manooch III. 1978. Coastal pelagic and reef fishes in the South Atlantic Bight. Pages 97-105 in H. Clepper, ed. *Marine recreational fisheries*. Washington, D.C.: Sport Fishing Institution.
- Jørgensen, R., N. O. Handegard, H. Gjørseter, and A. Slotte 2004. Possible vessel avoidance behaviour of capelin in a feeding area and on a spawning ground. *Fisheries Research* 69: 251-261.
- Keevin, T.M., and G.L. Hempen. 1997. *The Environmental Effects of Underwater Explosions with Methods to Mitigate Impacts*. U.S. Army Corps of Eng., St. Louis, MO 118p.

---

**Section 3.9 : Fish and Essential Fish Habitat**

---

- Ketten, D.R. 1998. Marine Mammal Auditory Systems: A Summary of Audiometric and Anatomical Data and its Implications for Underwater Acoustic Impacts. NOAA Tech. Memo. NMFS-SWFSC-256. 97p.
- Ladich, F. and A.N Popper. 2004. "Parallel evolution in fish hearing organs." In Evolution of the Vertebrate Auditory System, edited by G. A. Manley, A. N. Popper, and R. R. Fay (Springer-Verlag, New York), pp. 98-127.
- LeGrand, H.E., Jr., S.P. Hall, and J.T. Finnegan. 2001. Natural Heritage Program list of the rare animal species of North Carolina. Raleigh: North Carolina Natural Heritage Program, Division of Parks and Recreation, North Carolina Department of Environment and Natural Resources.
- Leggett, W.C. 1977. The ecology of fish migrations. Annual Review Ecological Systems 8:285-308.
- MAFMC (Mid Atlantic Fishery Management Council) 2007. Mid-Atlantic Fishery Management Council Fishery Management Plans & Ammendments - Executive Summaries. <http://www.mafmc.org/mid-atlantic/species/species.htm>.
- Mathews, T.D. and O. Pashuk. 1977. A description of oceanographic conditions off the southeastern United States during 1973. Technical Report 19. Marine Resources Research Institute South Carolina Wildlife and Marine Resources Department. Charleston, SC.
- McCauley, R., J. Fewtrell, A. Duncan, C. Jenner, M-N. Jenner, J. Penrose, R. Prince, A. Adhitya, J. Murdoch, and K. McCabe. 2000. Marine seismic surveys – a study of environmental implications. J. Austral. Petrol. Prod. Explor. Assoc. 40:692-708.
- Misund, O.A. 1997. Underwater acoustics in marine fisheries and fisheries research. Review of Fish Biology and Fisheries 7:1-34.
- MMS. 2002. Gulf of Mexico OCS oil and gas lease sale 181, Eastern Planning Area, Final Environmental Impact Statement. Volume 1 & 2. OCS EIS/EA MMS 2002-051. New Orleans: Minerals Management Service.
- Moyle, P.B., and J.J. Cech. 1988. Fishes: An introduction to ichthyology, second edition. Englewood Cliffs, New Jersey: Prentice Hall.
- NEFMC (New England Fishery Management Council) 2007. <http://www.nefmc.org/>.
- Nix, P. and P. Chapman. 1985. Monitoring of underwater blasting operations in False Creek, B.C. Pp. 194-210. In: C.D. Greene, F.R. Englehardt, and R.J. Paterson (eds.). Effects of explosives in the marine environment. Can. Oil & Gas Lands Admin., Environ. Prot. Branch, Ottawa, Ont. Tech. Rep. 5.
- NMFS (National Marine Fisheries Service). 1998. Final Recovery Plan for the Shortnose Sturgeon (*Acipenser brevirostrum*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 1999a. Final fishery management plan for Atlantic tuna, swordfish, and sharks. Volumes I and II. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 1999b. Amendment 1 to the Atlantic billfish fishery management plan. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS. 2002. The Final Rule for Essential Fish Habitat. Federal Register 67(12):2343-2383. <http://www.nero.noaa.gov/hcd/efhfinalrule.pdf>
- NMFS (National Marine Fisheries Service). 2003a. Final amendment #1 to the fishery management plan for Atlantic tunas, swordfish, and sharks. Silver Spring, Maryland: National Marine Fisheries Service.

---

**Section 3.9 : Fish and Essential Fish Habitat**

---

- NMFS (National Marine Fisheries Service). 2003b. Highly Migratory Species Essential Fish Habitat; GIS shapefiles. Received December 2003 from Chris Rilling. Silver Spring, Maryland: National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Sustainable Fisheries, Highly Migratory Division.
- NMFS (National Marine Fisheries Service). 2003c. Endangered and Threatened Species; Final Endangered Status for a Distinct Population Segment of Smalltooth Sawfish (*Pristis pectinata*) in the United States. Federal Register 68(62):15674-15680.
- NMFS 2004a. Preparing Essential Fish Habitat Assessments: A Guide for Federal Action Agencies. National Oceanic and Atmospheric Administration. February 2004.
- NMFS 2004b. Essential Fish Habitat Consultation Guidance (Version 1.1). April 2004. Office of Habitat Conservation. Silver Spring, MD.
- NMFS. 2006. Draft Smalltooth Sawfish Recovery Plan (*Pristis pectinata*). Prepared by the Smalltooth Sawfish Recovery Team. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS. 2007a. Species of Concern, Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*). [http://www.nmfs.noaa.gov/pr/pdfs/species/atlanticsturgeon\\_detailed.pdf](http://www.nmfs.noaa.gov/pr/pdfs/species/atlanticsturgeon_detailed.pdf)
- NMFS. 2007b. Proactive Conservation Program: Species of Concern and Candidate Species. <http://www.nmfs.noaa.gov/pr/species/concern/>. Accessed September 5, 2007.
- NMFS. 2008a. Southeast fishery bulletin, July 16, 2008. <http://www.safmc.net> Accessed October 2, 2008.
- NMFS. 2008b. Endangered and Threatened Species; "Not Warranted" Endangered Species Act Listing Determination for the Atlantic White Marlin. Federal Register, Vol. 73, No. 3, January 4, 2008.
- Norton, S. 2008. Personal Communication, Shelley Norton, National Marine Fisheries Service, Southeast Regional Office and Mark Collins, Parsons. April 10, 2008.
- NOS (National Ocean Service). 2001. Environmental Sensitivity Index Atlases: North Carolina. Seattle, Washington: National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division.
- NRC (National Research Council). 2002. Effects of trawling and dredging on seafloor habitats. National Academy Press. 126p.
- NRC. 2003. Ocean Noise and Marine Mammals. National Academies Press. Washington, D.C.
- NURC (National Undersea Research Center). 2003. NURC/UNCW highlighted science results. Certification.
- O'Keefe, D.J. and G.A. Young. 1984a. Guidelines for Predicting the Effects of Underwater Explosions on Swimbladder Fish. Report NSWC TR 82326. Naval Surface Weapons Center, Silver Spring, MD.
- O'Keefe, D.J. and G.A. Young. 1984b. Handbook on the Environmental Effects of Underwater Explosions. Report NSWC TR 83-240. Naval Surface Warfare Center. Dahlgren, VA.
- Pater, L. L. 1981. Gun Blast Far Field Peak Overpressure Contours, Technical Report NSWC TR 79-442, Naval Surface Weapons Center, Silver Springs, MD.
- Popper, A.N. 2003. Effects of anthropogenic sounds on fishes. Fisheries 28(10): 24-31.
- Popper, A.N., M.B. Halvorsen, A. Kane, D.L. Miller, M.E. Smith, J. Song, P. Stein, and L. Wysocki. 2007. The effects of high-intensity, low frequency active sonar on rainbow trout. The Journal of the Acoustical Society of America 122(1): 623-635.

---

**Section 3.9 : Fish and Essential Fish Habitat**

---

- Popper, A. N. 2008. Effects of Mid- and High-Frequency Sonars on Fish. Contract N66604-07M-6056, Naval Undersea Warfare Center Division, Newport, Rhode Island. February 21.
- Reed, J. K. 2004. General description of deep-water coral reefs of Florida, Georgia and South Carolina: A summary of current knowledge of the distribution, habitat, and associated fauna. Report to the South Atlantic Fishery Management Council, NOAA, NMFS, 71p.
- Reed, J. K., and S. W. Ross 2005. Deep Water Reefs off the Southeastern U.S. Recent Discoveries and Research. Journal of Marine Education. Vol. 21. No. 4.
- Ross, S.W. 2004. General description of distribution, habitat, and associated fauna of deep water coral reefs on the North Carolina continental slope. South Atlantic Fishery Management Council, Charleston, SC.
- Ross, S.W. and J. Bichy. 2002. Checklist of the fish documented from the Zeke's Island and Masonboro Island components of the North Carolina National Estuarine Research Reserve. National Estuarine Research Reserve Technical Series 2002:2.
- Ross, S.W., F.C. Rohde, and D.G. Lindquist. 1988. Endangered, threatened, and rare fauna of North Carolina. Part II. A re-evaluation of the marine and estuarine fishes. Occasional Papers of the North Carolina Biological Survey 1988-7. Raleigh: North Carolina State Museum of Natural Sciences.
- SAFMC 2007a. Sargassum Plan. <http://www.safmc.net/Library/Sargassum/tabid/414/Default.aspx>
- SAFMC 2007b. Regulations by species. <http://www.safmc.net/FishIDandRegs/RegulationsbySpecies/tabid/248/Default.aspx>.
- SAFMC 2007c. Moving towards ecosystem management. <http://www.safmc.net/ecosystem/Home/EcosystemHome/tabid/435/Default.aspx>.
- SAFMC 2007d. Red Drum Fishery Management Plan. <http://www.safmc.net/FishIDandRegs/FishGallery/RedDrum/tabid/312/Default.aspx>.
- SAFMC 2007e. Coastal Migratory Pelagics Fishery Management Plan. <http://www.safmc.net/Library/CoastalMigratoryPelagicsmackerel/tabid/387/Default.aspx>
- SAFMC 2007f. Fishery Management Plan for Corals and Coral Reefs (1982) with Amendments. <http://www.safmc.net/Library/Coral/tabid/409/Default.aspx>.
- SAFMC 2007g. Fishery Management Plan for the Dolphin and Wahoo Fishery of the South Atlantic (2003) with Amendments. <http://www.safmc.net/Library/Dolphin/Wahoo/tabid/410/Default.aspx>.
- SAFMC 2007h. Fishery Management Plan for the Golden Crab Fishery in the South Atlantic Region (1995) with Amendments. <http://www.safmc.net/Library/GoldenCrab/tabid/411/Default.aspx>.
- SAFMC 2007i. Shrimp Fishery Management Plan. <http://www.safmc.net/Library/Shrimp/tabid/413/Default.aspx>.
- SAFMC 2007j. Fishery Management Plan for the Snapper Grouper Complex in the South Atlantic Region (1983) with Amendments. <http://www.safmc.net/Library/Shrimp/tabid/413/Default.aspx>.
- SAFMC 2007 k. Fishery Management Plan for the Calico Scallop. <http://safmc.net/AboutUs/AdvisoryPanels/CalicoScallop/tabid/366/Default.aspx>.
- SAFMC. 2008. Lophelia communities. SAFMC Habitat Section. <http://www.safmc.net/HabitatManagement/DeepwaterCorals/Lophelia/tabid/247/Default.aspx>. Accessed October 2, 2008.

- Schmitz, W.J., T.M. Joyce, W.R. Wright, and N.G. Hogg. 1987. Physical Oceanography. In J.D. Milliman and W.R. Wright, editors. *The Marine Environment of the U.S. Atlantic Continental Slope and Rise*. Jones and Bartlett Publishers, Inc., Boston/Woods Hole, Massachusetts. p 27-55.
- Schultz, K. 2004. *Ken Schultz's Field Guide to Saltwater Fish*. Hoboken, New Jersey: John Wiley & Sons, Inc.
- Schwarz, A. L. 1985. The behaviour of fishes in their acoustic environment. *Environmental Biology of Fishes* 13(1):3-15.
- Schwartz, F.J. 1989. Zoogeography and Ecology of Fishes Inhabiting North Carolina's Marine Waters to Depths of 600 meters. In R.Y. George and A.W. Hulbert, editors. *North Carolina Coastal Oceanography Symposium*. National Undersea Research Program Research Report 89-2. National Oceanic and Atmospheric Administration, Office of Undersea Research. p 335-374.
- Settle, L.R., J.J. Govoni, M.D. Greene, and M.A. West. 2002. Investigation of impacts of underwater explosions on larval and early juvenile fishes. Part 1: The effects of underwater explosions on larval fish with implications for the Wilmington Harbor Project. Report to U.S. Army Corps of Engineers, Wilmington, NC. 64 p.
- Simpfendorfer, C.A. 2002. Smalltooth Sawfish: The USA's First Endangered Elasmobranch? *Endangered Species Update* 19(3):53-57.
- Simpfendorfer, C.A. and T.R. Wiley. 2006. *National Smalltooth Sawfish Encounter Database*. Mote Marine Laboratory Technical Report 1071. Sarasota, Florida: Mote Marine Laboratory, Center for Shark Research.
- SIO (Scripps Institution of Oceanography). 2005. *Draft Environmental Assessment of a Planned Low-Energy Marine Seismic Survey by the Scripps Institution of Oceanography on the Louisville Ridge in the Southwestern Pacific Ocean*. LGL Environ. Res. Associates. King City, Ontario, Canada. Report TA4133-1.
- Struhsaker, P. 1969. Demersal fish resources: Composition, distribution, and commercial potential of the continental shelf stocks off southeastern U.S. *Fishery Industrial Research* 4(7):261-300.
- Sumich, J.L., 1988. *An introduction to the biology of marine life*. 4th ed. Dubuque, Iowa: Wm. C. Brown Publishers.
- Swisdak, Jr., M.M. 1978. *Explosion effects and properties: Part II - Explosion effects in water*. Naval Surface Weapons Center, Silver Spring, MD. NSWC/WOL TR 76-116.
- Thompson, M.J., W.W. Schroeder, and N.W. Phillips. 1999. *Ecology of Live Bottom Habitats of the Northeastern Gulf of Mexico: A Community Profile*. USGS/BRD/CR-1999-0001 and OCS Study MMS 99-0004. New Orleans: Minerals Management Service.
- USAF (United States Air Force). 1997. *Environmental Effects of Self-protection Chaff and Flares*. U.S. Air Force, Headquarters Air Combat Command. Air Force Base, Langley, VA. NTIS PB98-110620.
- USFWS (U.S. Fish and Wildlife Service). 2002. *Shortnose sturgeon in North Carolina*. Accessed 10 October. <http://www.nc-es.fws.gov/fish/shortst.htm>.
- USFWS and NMFS (U.S. Fish and Wildlife Service and National Marine Fisheries Service). 1998. *Endangered Species Consultation Handbook, Procedures for Conducting Consultations and Conference Activities under Section 7 of the Endangered Species Act*.
- VMRC (Virginia Marine Resource Commission). 2002. *Virginia marine angler's guide*. Newport News Virginia: Marine Resources Commission.

---

**Section 3.10: Seabirds and Migratory Birds**

---

- Voss, G.L. 1965. "The Biology and Bathymetric Distribution of Deep-Sea Cephalopods," International Conference on Tropical Oceanography, Miami Beach, FL, University of Miami, Institute of Marine Sciences, pp. 551-535.
- Wiley, M.L., J.B. Gaspin, and J.F. Goertner. 1981. Effects of underwater explosions on fish with a dynamical model to predict fish kill. *Ocean Sci. and Eng.* 6(2): 223-284.
- Wright, D.G. 1982. A discussion paper on the effects of explosives on fish and marine mammals in the waters of the Northwest Territories. Canadian Technical Report of Fisheries and Aquatic Sciences 1052:1-16.
- Wright, D.G., and G.E. Hopky. 1998. Guidelines for the use of explosives in or near Canadian fisheries waters. Canadian Technical Report of Fisheries and Aquatic Sciences 210.
- Yagla, J. J. and R. L. Stiegler 2003. "Gun Blast Noise Transmission Across the Air-Sea Interface," EuroNoise, 19-21 May, Naples, Italy.
- Yelverton, J.T., D.R. Richmond, W. Hicks, K. Saunders, and E.R. Fletcher. 1975. The Relationship between Fish Size and Their Response to Underwater Blast. Report DNA 3677T. Director, Defense Nuclear Agency. Washington, DC. 39p.
- Young, G.A. 1991. Concise methods for predicting the effects of underwater explosions on marine life. Naval Surface Warfare Center Report NAVSWC MP 91-220:1-13.

**Section 3.10 References: Seabirds and Migratory Birds**

- Animal and Plant Health Inspection Service (APHIS). 2003. Tech Note – Use of Lasers in Avian Dispersal. U.S. Department of Agriculture, APHIS, Wildlife Services.  
<http://www.aphis.usda.gov/lpa/pubs/tnlasers.pdf>. Accessed 8/1/07.
- Arfsten, D.P., C.L. Wilson, and B.J. Spargo. 2002. Review – Radio frequency chaff: The effects of its use in training on the environment. *Ecotoxicology and Environmental Safety* 53:1-11.
- Australian Department of the Environment and Water Resources. 2003. Key Threatening Processes, Harmful Marine Debris.  
<http://www.environment.gov.au/biodiversity/threatened/publications/marine-debris.html#download>. Accessed 8/1/07.
- Azzarello, M.Y. and E.S. Van Vleet. Marine birds and plastic pollution. *Marine Ecology – Progress Series* 37:295-303.
- BirdLife International. 2007. Species Factsheet: *Pterodroma cahow*. <http://www.birdlife.org>. Accessed 8/7/2007.
- Black, A. 2005. Light induced seabird mortality on vessels operating in the southern ocean: Incidents and mitigation measures. *Antarctic Science* 17:67-68.
- Borberg, J.M., L.T. Balance, R.L. Pitman, and D.G. Ainley. 2005. A test for bias attributable to seabird avoidance of ships during surveys conducted in the Tropical Pacific. *Marine Ornithology* 33:173-179.
- Brinkley, E.S. and A. Humann. 2001. Shearwaters and Petrels. Pages 136 to 145 in C. Elphick, J.B. Dunning, Jr. and D.A. Sibley, eds. *The Sibley guide to bird life and behavior*. New York: Alfred A. Knopf, Inc.
- Cornell Lab of Ornithology. 2008. All About Birds, Bird Guide, Herring Gull.  
[http://www.birds.cornell.edu/AllAboutBirds/BirdGuide/Herring\\_Gull.html](http://www.birds.cornell.edu/AllAboutBirds/BirdGuide/Herring_Gull.html). Accessed April 4, 2008.
- Department of the Navy (DoN). 2007. Pelagic Bird Assessment for the U.S. Navy's Atlantic Operating Areas, Draft Report. Department of the Navy, U.S. Fleet Forces Command.

---

**Section 3.10: Seabirds and Migratory Birds**

---

- DoN. 2009. Final Environmental Assessment MCB Camp Lejeune Range Operations Onslow and Jones Counties, North Carolina. January.
- Dietrich, K. and E. Melvin. 2004. Annotated Bibliography: Seabird Interactions with Trawl Fishing Operations and Cooperative Research. Washington Sea Grant Program, University of Washington.
- Fauchald, P., K.E. Erikstad, and G.H. Systad. 2002. Seabird and Marine Oil Incidents: Is it Possible to Predict the Spatial Distribution of Pelagic Seabirds? *Journal of Applied Ecology* 39:349-360.
- Golder, W. 2004. Important Bird Areas of North Carolina. Audubon North Carolina, Chapel Hill, North Carolina. 150 p.
- Hamilton, W.J. 1958. Pelagic birds observed on a North Pacific crossing. *The Condor* 60(3):159-164.
- Haney, J.C. 1986. Seabird Segregation at Gulf Stream Frontal Eddies. *Marine Ecology Progress Series* 28:279-285.
- Harrison, P. 1983. *Seabirds, An Identification Guide*. Boston: Houghton Mifflin.
- Hullar, T. L., S. L. Fales, H. F. Hemond, P. Koutrakis, W. H. Schlesinger, R. R. Sobonya, J. M. Teal, and J. G. Watson. 1999. Environmental Effects of Chaff: A Select Panel Report to the Undersecretary of Defense for Environmental Security. NRL/PU/6110-99-389. Naval Research Laboratory.
- Hunter, W.C., W. Golder, S. Melvin, and J. Wheeler. 2006. Southeast United States Regional Waterbird Conservation Plan. North American Bird Conservation Initiative.
- Hyrenbach, K.D. 2001. Albatross response to survey vessels: Implications for studies of the distribution, abundance, and prey consumption of seabird populations. *Marine Ecology Progress Series* 212:283-295.
- Hyrenbach, K.D. 2006. Training and Problem-Solving to Address Population Information Needs for Priority Species, Pelagic Species (Procellariiformes) and Other Birds at Sea. Waterbird Monitoring Techniques Workshop, IV North American Ornithological Conference, Veracruz, Mexico, 2 and 3 October, 2006.
- Kullenberg, G. 1994. *Marine Mammals and Marine Debris. The Pilot*.
- Larkin, R.P. 1996. Effects of Military Noise on Wildlife: A Literature Review. Center for Wildlife Ecology, Illinois natural History Survey prepared for U.S. Army Construction Engineering Research Laboratory, Champaign, Illinois.
- Lee, D. S. 1987. December records of seabirds off North Carolina. *Wilson Bulletin* 99 (1):116-121.
- Melvin, E.F., and J.K. Parrish, K.S. Dietrich, and O.S. Hamel. 2001. Solutions to Seabird Bycatch in Alaska's Demersal Longline Fisheries. Washington Sea Grant Program. Project A/FP-7.
- Moser, M.L. and D.S. Lee. 1992. A fourteen-year survey of plastic ingestion by Western North Atlantic Seabirds. *Colonial Waterbirds* 15(1): 83-94.
- National Audubon Society. 2004. Audubon Important Bird Areas, Barrier Island/Lagoon System IBA. <http://iba.audubon.org/iba/viewSiteProfile.do?siteId=2430&navSite=state>. Accessed 7/13/07.
- National Park Service. 1994. Report on Effects of Aircraft Overflights on the National Park System. Report to Congress prepared pursuant to Public Law 100-91, the National Parks Overflights Act of 1987.
- NatureServe. 2007. Roseate tern. <http://www.natureserve.org/explorer/servlet/NatureServe?searchSciOrCommonName=roseate+tern> Accessed August 2007.

- 
- Navy Safety Center. 2004. 2002 – 2004 BASH Hazard Data Summaries. Navy Safety Center, Bird/Animal Hazard Strike (BASH) Division. Data downloaded from <http://www.safetycenter.navy.mil/aviation/operations/bash/default.htm>. Accessed 8/6/07.
- Nybo, S. 1996. Effects of dietary aluminum on chicks *Gallus gallus domesticus* with different dietary intake of calcium and phosphorus. Archives of Environmental Contamination and Toxicology 31:177-183.
- Pierce, K.E., R.J. Harris, L.S. Larned, M.A. Pokras. 2004. Obstruction and starvation associated with plastic ingestion in a Northern Gannet *Morus bassanus* and a Greater Shearwater *Puffinus gravis*. Marine Ornithology 32:187-189.
- Plumpton, D. 2006. Review of Studies Related to Aircraft Noise Disturbance of Waterfowl, a Technical Report in Support of the Supplemental Environmental Impact Statement for the Introduction of F/A-18 E/F (Super Hornet) Aircraft to the East Coast of the United States. Ecology and Environment, Inc., San Francisco, CA prepared for Naval Facilities Engineering Command, Norfolk, VA.
- Scheuhammer, A.M. 1987. The chronic toxicity of aluminum, cadmium, mercury, and lead in birds: A review. Environmental Pollution 46:263-295.
- Schneider, D.C. and D.C. Duffy. 1985. Scale-dependent Variability in Seabird Abundance. Marine Ecology Progress Series 25:211-218.
- Spargo, Barry. 2007. Personal communication between Dr. Barry Spargo, Naval Research Laboratory, and Mark Collins, Parsons, June 1, 2007.
- Systems Consultants, Inc. 1977. Effects of Aluminized Fiberglass on Representative Chesapeake Bay Marine Organisms. Report 6132-008. Prepared for Naval Research Laboratory by Systems Consultants, Washington, D.C.; University of Delaware College of Marine Studies, Lewes, DE; and University of Maryland Center for Environmental and Estuarine Studies, Chesapeake Biological Laboratory, Solomons, MD.
- U.S. Air Force (USAF). 1997. Environmental Effects of Self-Protection Chaff and Flares, Final Report. U.S. Air Force Combat Command, Langley Air Force Base, VA.
- USFWS (United States Fish and Wildlife Service). 2007a. Species Groups – Seabirds. Roseate tern. <http://www.fws.gov/r5snep/seabird-grp.htm> Accessed August 2007.
- USFWS. 2007b. USFWS threatened and endangered species system (TESS). Roseate tern. [http://ecos.fws.gov/tess\\_public/SpeciesReport.do?groups=B&listingType=L](http://ecos.fws.gov/tess_public/SpeciesReport.do?groups=B&listingType=L) Accessed August 2007.
- USFWS. 2007c. Roseate Terns in North Carolina. <http://www.fws.gov/nc-es/birds/rosetern.html>. Accessed 8/7/07.
- Yelverton, J.T., D.R. Richmond, E.R. Fletcher, and R.K. Jones. 1973. Safe Distances from Underwater Explosions for Mammals and Birds. Report DNA 3114T, Defense Nuclear Agency, Washington, DC.

**Section 3.11 References: Land Use**

- DoN. 2006. Cherry Point Range Complex Management Plan (Final Draft).

**Section 3.12 References: Cultural Resources**

- Association of Underwater Explorers (AUE). 2007. Virginia Shipwrecks. Accessed on the Internet 3 August 2007 at: <http://uwex.us/virginiashipwrecks.htm>.

- Association of Underwater Explorers (AUE). 2008. January 21, 1942 New York Times Article by Charles Hurd on the Sinking of the City of Atlanta. Available on line at <http://uwex.us/ncwrecks.html>. Accessed August 5, 2008.
- Department of the Navy. 1994. OPNAV Instruction 5090.1B, Environmental and Natural Resources Program Manual. Department of the Navy, Office of the Chief of Naval Operations, Washington, D.C.
- Koski-Karell, Daniel. 1995. *Historic Archeological Context on the Maritime Theme with the Sub-theme Shipwrecks, Coastal Zone (1495-1940+/-)*. Volumes 1-3. Washington, D.C.: Karell Archeological Services.
- National Oceanic and Atmospheric Administration (NOAA), Office of Coast Survey. 2007. On-line Automated Wreck and Obstruction Information System (AWOIS) accessed on the Internet 3 August 2007 at: <http://chartmaker.ncd.noaa.gov/hsd/hsd-3.html>.
- National Park Service. 2007. Abandoned Shipwreck Guidelines. Accessed 6 August 2007 on the internet at: <http://www.nps.gov/archeology/submerged/intro.htm>.
- National Park Service (NPS). 2008. National Historic Landmark USS Monitor. Available on line at <http://www.nps.gov/nhl/designations/Lists/NC01.pdf>. Accessed August 4, 2008.
- National Register Information System (NRIS). 2008. *National Register of Historic Places Listings for the USS Monitor, Dare County, North Carolina*. National Park Service, National Register of Historic Places, National Register Information System. Available on line at [www.nr.nps.gov](http://www.nr.nps.gov). Accessed August 4, 2008.
- Naval Historical Center. 2008. *USS Monitor (1861-1862): Loss of the Ship, 31 December 1862*. Prepared by the Naval Historical Center, Department of the Navy, Washington Navy Yard, Washington, D.C. Available on line at [www.history.navy.mil/photos/sh-usn/usnsh-m/monitr-1.htm](http://www.history.navy.mil/photos/sh-usn/usnsh-m/monitr-1.htm). Accessed August 4, 2008.
- NC Wreck Diving. 2008a. Ship Notes and Ship History for the Caribsea. Available on line at <http://www.nc-wreckdiving.com/WRECKS/CARIBSEA/CARIBSEA.HTML>. Accessed August 1, 2008.
- NC Wreck Diving. 2008b. Ship Notes and Ship History for the E. M. Clark. Available on line at <http://www.nc-wreckdiving.com/WRECKS/CLARK/CLARK.HTML>. Accessed August 1, 2008.
- NC Wreck Diving. 2008c. Ship Notes and Ship History for the Empire Gem. Available on line at <http://www.nc-wreckdiving.com/WRECKS/EMPIREGEM/EMPIREGEM.HTML>. Accessed August 1, 2008.
- NC Wreck Diving. 2008d. Ship Notes and Ship History for the Esso Nashville. Available on line at <http://www.nc-wreckdiving.com/WRECKS/ESSO/ESSO.HTML>. Accessed August 1, 2008.
- NC Wreck Diving. 2008e. Ship Notes and Ship History for the Lancing. Available on line at <http://www.nc-wreckdiving.com/WRECKS/LANCING/LANCING.HTML>. Accessed August 1, 2008.
- NC Wreck Diving. 2008f. Ship Notes and Ship History for the Naeco. Available on line at <http://www.nc-wreckdiving.com/WRECKS/NAECO/NAECO.HTML>. Accessed August 1, 2008.
- NC Wreck Diving. 2008g. Ship Notes and Ship History for the U-352. Available on line at <http://www.nc-wreckdiving.com/WRECKS/U352/U352.HTML>. Accessed August 1, 2008.

NC Wreck Diving. 2008h. Ship Notes and Ship History for the W.E. Hutton. Available on line at <http://www.nc-wreckdiving.com/WRECKS/HUTTON/HUTTON.HTML>. Accessed August 1, 2008.

Southeastern Archaeological Research, Inc. (SEARCH). 2009. Technical Memorandum, Submerged Cultural Resource Predictive Model for the Cherry Point Range Complex. Prepared for the U.S. Navy. Prepared by Southeastern Archaeological Research, Inc., Jacksonville, Florida.

USS Monitor Center. 2008. History. Available on line at [www.monitorcenter.org/history/introduction](http://www.monitorcenter.org/history/introduction). Accessed August 4, 2008.

Veridian Corporation. 2001. *The Global Maritime Wrecks Database*. [CD-ROM]. Falls Church, Virginia: General Dynamics Corporation.

### **Section 3.13 References: Transportation**

CNA (Center for Naval Analysis). 2001. Navy vs. Commercial Trip Traffic. Unclassified version memorandum for the Director, Environmental Protection, Safety, and Occupational Health Division (N45). 18 April.

CNA (Center for Naval Analysis). 2004. Estimating Navy and Non-Navy Vessel Traffic in Areas of Interest. Prepared by Jonathon D. Mintz and Ronald J. Filadelfo. July.

CNA (Center for Naval Analysis). 2006. Vessel Traffic and Speed Along the U.S. Coasts and Around Hawaii. Prepared by Jonathon D. Mintz and Crystal L. Parker. January.

Davison B. 2007. How many divers are there: And why you should care. *Undercurrent*. Sausalito, California. May.

DEMA (Diving Equipment and Marketing Association). 2006. Profile of the most active divers in the U.S.: Lifestyle and demographic study. Diver Acquisition Project—Phase I.

Divehatteras.com. 2008. Website: <http://divehatteras.com/wrecksites.htm> Accessed 2 April 2009.

DoN (Department of the Navy). 2006. Cherry Point/Camp Lejeune Range Complex Management Plan (Final Draft).

FAA (Federal Aviation Administration). 2006. Order 7400.2F, Procedures for Handling Airspace Matters. February 16.

NCWRC (North Carolina Wildlife Resources Commission). 2008. Boating/Waterways. Website: [http://www.ncwildlife.org/pg05\\_BoatingWaterways/pg5.htm](http://www.ncwildlife.org/pg05_BoatingWaterways/pg5.htm) Accessed 2 April 2009.

NOAA (National Oceanic and Atmospheric Administration, Office of Coastal Survey). Exclusive Economic Zone, for NOAA/National Ocean Service Nautical Charts, The Law of the Sea. Website: <http://chartmarker.ncd.noaa.gov/csdl/eez.htm>. Accessed 30 October 2007.

UN (United Nations). United National Convention on the Law of the Sea – Part V. 1982.

NMMA (National Marine Manufacturers Association). 2007. 2006 Recreational boating statistical abstract. Chicago.

USCG (U.S. Coast Guard). 2005. Boating Statistics—2005. COMDTPUB P16754.19. August.

Veridian Corporation. 2001. *The Global Maritime Wrecks Database*. [CD-ROM]. Falls Church, Virginia: General Dynamics Corporation.

### **Section 3.14 References: Demographics**

USCB (U.S. Census Bureau). 2002. American FactFinder, Selected Statistics By Economic Sector. U.S. Census Bureau website: <http://factfinder.census.gov/>. Accessed 3, 11, & 20 July 2007.

- USCB. 2003. Statistical Abstract of the United States. Source: U.S. Department of Defense, Selected Manpower Statistics, annual. Website. <http://www.census.gov/prod/2004pubs/03statab/defense.pdf> Accessed 24 October 2007.
- USCB (U.S. Census Bureau). 2006. Annual Estimates of the Population for the United States, Regions, and States and for Puerto Rico: April 1, 2000 to July 1, 2006 (NST-EST2006-01). Source Population Division, U.S. Census Bureau. Release Date December 22, 2006.
- USCB. 2007 State and County QuickFacts. Website: <http://quickfacts.census.gov/qfd/index.html> accessed 2, 3, 11, 17 July 2007.
- Section 3.15 References: Regional Economy**
- CLIA (Cruise Lines International Association). 2008a. *2008 CLIA Cruise Market Overview, Statistical Cruise Industry Data Through 2007*.
- CLIA (Cruise Lines International Association). 2008b. Executive Summary, *The Contribution of the North American Cruise Industry to the U.S. Economy in 2007*. Prepared for Cruise Lines International Association by Business Research & Economic Advisors. July.
- MAFMC (Mid-Atlantic Fishery Management Council). 2007. Website. Mid-Atlantic Fishery Management Council website, <http://www.mafmc.org>. Accessed 15 May & 28 June 2007.
- NCDMF (North Carolina Division of Marine Fisheries). 2008a. Commercial Landings Statistics. Website [www.ncfisheries.net/statistics/comstat/07land.htm](http://www.ncfisheries.net/statistics/comstat/07land.htm) accessed November 17, 2008.
- NCDMF (North Carolina Division of Marine Fisheries). 2008b. *Annual Fisheries Bulletin, 2007 Commercial & Recreational Statistics*. April.
- NMFS. 2007a. U.S. Marine Recreational Fisheries Report. 2006 Final Data. Website: <http://www.st.nmfs.gov/st1/recreational/queries/index.html>. Accessed 28 June 2007.
- NMFS. 2007b. Landings Background Information. Website: <http://www.st.nmfs.gov/st1/commercial/landings/back.html>. Accessed 23 & 25 April 2007.
- NMFS. 2007c. Landings by Distance from U.S. Shores, 2006. Website. [http://www.st.nmfs.noaa.gov/pls/webpls/mf\\_8850\\_landings.results](http://www.st.nmfs.noaa.gov/pls/webpls/mf_8850_landings.results). Accessed 6, 8, & 9 November 2007.
- NMFS. 2008a. 2007 Landings by Port Ranked by Pounds. Website : [www.st.nmfs.noaa.gov/pls/webpls/MF\\_LPORT\\_YEARP.RESULTS](http://www.st.nmfs.noaa.gov/pls/webpls/MF_LPORT_YEARP.RESULTS) Accessed November 18, 2008.
- NMFS. 2008b. Landings by Distance from U.S. Shores, 2007, State of North Carolina. Website: [www.st.nmfs.noaa.gov/pls/webpls/mf\\_8850\\_landings.results](http://www.st.nmfs.noaa.gov/pls/webpls/mf_8850_landings.results) Accessed November 18, 2008.
- NMFS, 2008c. Annual Landings by Species for North Carolina as of 18-NOV-08. Website: [www.st.nmfs.noaa.gov/pls/webpls/mf\\_lndngs\\_grp.data\\_in](http://www.st.nmfs.noaa.gov/pls/webpls/mf_lndngs_grp.data_in) Accessed November 18, 2008.
- NMFS. 2008d NMFS Landings Query Results. Website: [www.st.nmfs.noaa.gov/pls/webpls/MF\\_GEAR\\_LANDINGS.RESULTS](http://www.st.nmfs.noaa.gov/pls/webpls/MF_GEAR_LANDINGS.RESULTS) Accessed November 18, 2008.
- North Carolina Department of Commerce. 2007. Website. <http://149.168.102.12/categories/statistics.htm>. Accessed 15 May & 28 June 2007.
- North Carolina Division of Tourism, Film and Sports Development. 2005. Website. <http://www.ncruralcenter.org>. Accessed 15 May & 28 June 2007.
- Palmquist R.B., P.W. Schuhmann, and J.A. Michael. 2002. Boating Uses, Economic Significance, and Information for North Carolina's Offshore Area "The Point". Volume II: Economic Analysis of "The Point" and Adjacent Counties: Baseline Information, Valuation, and Potential Impacts.

**Section 3.16: Recreation****Section 3.17: Environmental Justice****Section 3.18: Public Health and Safety**

---

U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2002-045. 29 pp.

SAFMC (South Atlantic Fishery Management Council). 2007. South Atlantic Fishery Management Council website. <http://www.safmc.net>. Accessed 15 May & 28 June 2007.

USCB. 2002. American FactFinder, Selected Statistics By Economic Sector. U.S. Census Bureau website: <http://factfinder.census.gov/>. Accessed 3, 11, & 20 July 2007.

**Section 3.16 References: Recreation**

CLIA (Cruise Lines International Association). 2008a. *2008 CLIA Cruise Market Overview, Statistical Cruise Industry Data Through 2007*.

CLIA. 2008b. Executive Summary, *The Contribution of the North American Cruise Industry to the U.S. Economy in 2007*. Prepared for Cruise Lines International Association by Business Research & Economic Advisors. July.

CNA. 2001. Navy vs. Commercial Trip Traffic. Unclassified version memorandum for the Director, Environmental Protection, Safety, and Occupational Health Division (N45). 18 April.

Davison B. 2007. How many divers are there: And why you should care. *Undercurrent*. Sausalito, California. May.

DEMA. 2006. Profile of the most active divers in the U.S.: Lifestyle and demographic study. Diver Acquisition Project—Phase I.

DoN. 2006. Cherry Point/Camp Lejeune Range Complex Management Plan (Final Draft).

NCDMF (North Carolina Division of Marine Fisheries). 2008. *Annual Fisheries Bulletin, 2007 Commercial & Recreational Statistics*. April.

NMFS. 2007a. Fisheries of the United States 2006. Fisheries Statistics Division. July.

NMFS. 2007b. U.S. Marine Recreational Fisheries Report. 2006 Final Data. Website: <http://www.st.nmfs.gov/st1/recreational/queries/index.html>. Accessed 28 June 2007.

NMMA. 2007. 2006 Recreational boating statistical abstract. Chicago.

USCG. 2005. Boating Statistics—2005. COMDTPUB P16754.19. August.

Veridian Corporation. 2001. *The Global Maritime Wrecks Database*. [CD-ROM]. Falls Church, Virginia: General Dynamics Corporation.

**Section 3.17 References: Environmental Justice**

USCB. 2007 State and County QuickFacts. Website: <http://quickfacts.census.gov/qfd/index.html> accessed 2, 3, 11, 17 July 2007.

**Section 3.18 References: Public Health and Safety**

DoN (Department of the Navy). 1999. CINCLANTFLTINST 3120.26. *Atlantic Fleet Operating Areas and Warning Areas*.

DoN. 2001. FACSFCVACAPES Instruction 3120.1J. *Fleet Areas Surveillance and Control Facility Virginia Capes (VACAPES) Operations Manual*, January 2001.

DoN. 2006. *Virginia Capes Range Complex Management Plan (RCMP)*. Prepared for United States Fleet Forces Command. Final Draft Submittal. March 2006.

**Section 3.19: Summary of Atlantic Fleet Active Sonar Training****Chapter 5: Mitigation Measures****Section 3.19 References: Summary of Atlantic Fleet Active Sonar Training**

- DoN. 2008. Final Atlantic Fleet Active Sonar Training Environmental Impact Statement/Overseas Environmental Impact Statement. Naval Facilities Engineering Command, Atlantic. December 2008. Federal Register 73(240):75714-75715.
- DoN. 2009. Record of Decision for the Final Atlantic Fleet Active Sonar Training Environmental Impact Statement/Overseas Environmental Impact Statement. Naval Facilities Engineering Command, Atlantic. 23 January 2009. 74 Federal Register 5650.
- NMFS. 2009. Notification that a 1-year letter of authorization for the incidental take of marine mammals has been issued to the Navy. January 2009. Federal Register 74(31):7590.

**Chapter 5 References: Mitigation Measures**

- Baird, R. W., D. L. Webster, G. S. Schorr, and D. J. McSweeney, 2007. *Diel variation in beaked whale diving behavior*. Contract No. AB133F-06-CN-0053. Prepared for the National Marine Fisheries Service, Southwest Fisheries Science Center, La Jolla, California by Cascadia Research Collective, Olympia, Washington.
- Caretta, J.V., M.S. Lowry, C.E. Stinchcomb, M.S. Lynn, and R.E. Cosgrove. 2000. Distribution and abundance of marine mammals at San Clemente Island and surrounding offshore waters: Results from aerial and ground surveys in 1998 and 1999. NMFS-SWFSC Administrative Report LJ-00-02.
- DoN, 2007a. National Defense Exemption from Requirements of the Marine Mammals Protection Act for Certain DoD Military Readiness Activities that Employ Mid-Frequency Active Sonar or Improved Extended Echo Ranging Sonobuoys.
- DoN. 2007b. Navy OPAREA Density Estimate (NODE) for the Southeast OPAREAs: VACAPES, CHPT, JAX/CHASN, and Southeastern Florida & Autec-Andros. Prepared for the Department of the Navy, U.S. Fleet Forces Command, Norfolk, Virginia. Contract #N62470-02-D-9997, CTO 0030. Prepared by Geo-Marine, Inc., Hampton, Virginia.
- DoN, 2008a. Final Environmental Impact Statement/Overseas Environmental Impact Statement on Atlantic Fleet Active Sonar Training.
- DoN. 2008b. Marine Mammal Research Investments FY2004 - FY2009. Memorandum for Distribution.
- DoN. 2008c. EFV Testing at MCB Camp Lejeune Final BA – Marine Species (NMFS). May.
- DoN. 2009a. Finding of No Significant Impact MCAS Cherry Point Range Operations Craven, Carteret, and Pamlico Counties, North Carolina. February.
- DoN. 2009b. Finding of No Significant Impact United State Marine Corps Range Operations at MCB Camp Lejeune, North Carolina. February.
- Hazel, J., I. R. Lawler, H. Marsh, and S. Robson. 2007. Vessel speed increases collision risk for the green turtle *Chelonia mydas* Endangered Species Research, Vol 3, No 1, p 113.
- Jefferson, T. A., M. A. Webber, and R. L. Pitman, 2008. *Marine Mammals of the World: A Comprehensive Guide to Their Identification*. Academic Press: San Diego, California.
- Kenney, R. D. 2005. Personal communication via email between Dr. Robert Kenney, University of Rhode Island, and Mr. William Barnhill, Geo-Marine, Inc., Plano, Texas, on 24 February 2005.
- MacLeod, C.D. and A.D'Amico. 2006. A review of beaked whale behavior and ecology in relation to assessing and mitigating impacts of anthropogenic noise. *Journal of Cetacean Research and Management*. 7(3): 211-221.

- Mansfield, K. L., and J. A. Musick, 2006. Northwest Atlantic loggerheads: Addressing data gaps in sub-adult abundance estimates. in Abstracts, 26th Annual Symposium on Sea Turtle Biology and Conservation. 3-8 March 2006. Athens, Greece. pp 304-305.
- Mansfield, K., and J.A. Musick. 2003. Loggerhead Sea Turtle Diving Behavior. Prepared for the U.S. Army Corps of Engineers, Norfolk, Virginia, by the Virginia Institute of Marine Science. Gloucester Point, Virginia.
- Marsh, H., and W.K. Saalfeld. 1989. Aerial surveys of sea turtles in the Northern Great Barrier Reef Marine Park. *Australian Wildlife Research*. 16: 239-249.
- Marsh, H., and D.F. Sinclair. 1989. An experimental evaluation of dugong and sea turtle aerial survey techniques. *Australian Wildlife Research*. 16: 639-650.
- Marten, K. 2000. Ultrasonic analysis of pygmy sperm whale (*Kogia breviceps*) and Hubbs' beaked whale (*Mesoplodon carlhubbsi*) clicks. *Aquatic Mammals*. 26(1): 45-48.
- Musick, J.A., R. Byles, R. Klinger, and S. Bellmund. 1984. Mortality and Behavior of Sea Turtles in the Chesapeake Bay: Summary Report for 1979 through 1983. Contract Report #NA80FA00004. Prepared for the NMFS-NEFSC, Woods Hole, Massachusetts.
- NCDMF. (North Carolina Division of Marine Fisheries). 2007. Public Notice, Vessel Precautions in the Vicinity of Manatees. Accessed 22 Jan 09.  
<http://www.ncfisheries.net/procs/porocs2K7/manatee.html>. September 1.
- Renaud, M. L., and J. A. Carpenter, 1994. Movements and Submergence Patterns of Loggerhead Turtles (*Caretta caretta*) in the Gulf of Mexico Determined Through Satellite Telemetry. *Bulletin of Marine Science*, Vol 55, pp 1-15.
- Shoop, C. R., and R. D. Kenney. 1992. Seasonal Distributions and Abundances of Loggerhead and Leatherback Sea Turtles in Waters of the Northeastern United States. Herpetological Monographs, Vol 6, pp 43-67.
- Taylor, B.L., M. Martinez, T. Gerrodette, J. Barlow, and Y.N. Hrovat. 2007. Lessons from monitoring trends in abundance of marine mammals. *Marine Mammal Science*. 23(1): 157-175.
- Thomsen, F., F. Ugarte, and P. G. H. Evans, eds. 2005. Proceedings of the workshop on estimation of  $g(0)$  in line-transect surveys of cetaceans held at the European Cetacean Society's 18th Annual Conference, Vildmarkshotellet at Kolmården Djur Park, Kolmården, Sweden, 28th March, 2004. *European Cetacean Society Newsletter*, Special Issue 44, pp 1-46.
- Tyack, P.L., M. Johnson, N. Aguilar Soto, A. Sturlese, and P.T. Madsen. 2006. Extreme diving of beaked whales. *Journal of Experimental Biology*. 209: 4238-4253.
- USFWS (US Fish and Wildlife Service). 2008. Response to Marine Corp EFV BA. August 7.

**Chapter 6 References: Cumulative Impacts**

- Aguirre, A.A., G.H. Balazs, T.R. Spraker, and T.S. Gross. 1995. Adrenal and hematological responses to stress in juvenile green turtles (*Chelonia mydas*) with and without fibropapillomas. *Physiological Zoology* 68:831-854.
- Boulon, R.H., Jr. 1999. Reducing threats to eggs and hatchlings: In situ protection. Pages 169-174 in Eckert, K.L., K.A. Bjorndal, F.A. Abreu-Grobois, and M. Donnelly, eds. Research and management techniques for the conservation of sea turtles. Publication No. 4. Washington, D.C.: IUCN/SSC Marine Turtle Specialist Group.

- Carr, A. and D.K. Caldwell. 1956. The ecology and migrations of sea turtles. I. Results of field work in Florida, 1955. *American Museum Novitates*:1-23.
- City of North Charleston, 2008. Economic Development: Infrastructure. Retrieved from <http://www.northcharleston.org/EconDev/Infrastructure.aspx>, on 21 April, 2008.
- Colborn, T., F.S. vom Saal, and A.M. Soto. 1993. Developmental effects of endocrine-disrupting chemicals in wildlife and humans. *Environmental Health Perspectives* 101:378-384.
- Conversi, A., S. Piontkovski, and S. Hameed. 2001. Seasonal and interannual dynamics of *Calanus finmarchicus* in the Gulf of Maine (northeastern US shelf) with reference to the North Atlantic Oscillation. *Deep-Sea Research II* 48:519-530.
- Coston-Clements, L. and D.E. Hoss. 1983. Synopsis of data on the impact of habitat alteration on sea turtles around the southeastern United States. NOAA Technical Memorandum NMFS-SEFC-117.
- Crain, D.A., A.B. Bolten, and K.A. Bjorndal. 1995. Effects of beach nourishment on sea turtles: Review and research initiatives. *Restoration Ecology* 3:95-104.
- Curry, B.E. 1999. Stress in mammals: The potential influence of fishery-induced stress on dolphins in the eastern tropical Pacific Ocean. NOAA Technical Memorandum NMFS-SWFSC-260:1-121.
- Davenport, J., J. Wrench, J. McEnvoy, and V. Camacho-Ibar. 1990. Metal and PCB concentrations in the "Harlech" leatherback. *Marine Turtle Newsletter* 48:1-6.
- Department of the Navy (DoN), 1999. *Environmental Assessment/Overseas Environmental Assessment of the SH 60R Helicopter/ALFS Test Program*. Department of the Navy, PMA 299 Multi Mission Helicopter Programs Office, Patuxent River, Maryland.
- DoN. 2002. Final Environmental Assessment for the Homebasing of the MH-60R/S on the East Coast of the United States. May 2002.
- DoN. 2003. Final Environmental Impact Statement: Introduction of the F/A-18E/F Super Hornets to the East Coast of the United States. July 2003.
- DoN. 2005. *Marine Resources Assessment for the Northeast Operating Areas: Atlantic City, Narragansett Bay, and Boston*. Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginia.
- DoN. 2006a. *Programmatic Overseas Environmental Assessment (OEA) for Sinking Exercises (SINKEX) in the Western North Atlantic Ocean*. Naval Undersea Warfare Center Division, Newport, November 2006.
- DoN. 2007a. *Final Supplemental Environmental Impact Statement for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA)*. Sonar. April.
- DoN. 2007b. *Record of Decision for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) Sonar Supplemental Environmental Impact Statement*. August.
- DoN. 2008a. Final Atlantic Fleet Active Sonar Training Environmental Impact Statement/Overseas Environmental Impact Statement. Naval Facilities Engineering Command, Atlantic. April 2009.
- DoN. 2008b. Shock Trial of the MESA VERDE (LPD 19) Final EIS/OEIS. May 2008.
- DoN. 2008c. Navy Dare County Bombing Range Final Environmental Assessment. January 2008.

- DoN. 2008d. Draft Overseas Environmental Impact Statement/ Environmental Impact Statement for Undersea Warfare Training Range. April 2009.
- DoN. 2009a. Final Environmental Assessment MCB Camp Lejeune Range Operations Onslow and Jones Counties, North Carolina. January.
- DoN. 2009b. Final Environmental Assessment MCAS Cherry Point Range Operations Craven, Carteret, and Pamlico Counties, North Carolina. January.
- DoN. 2009c. Record of Decision for Atlantic Fleet Active Sonar Training. January.
- DoN. 2009d. Notice of Intent to Prepare an Environmental Impact Statement for Basing the U.S. Marine Corps Joint Strike Fighter F-35B on the East Coast. Federal Register 74(010):2514-2515. January.
- DoN. 2009e. Final Environmental Impact Statement/Overseas Environmental Impact Statement for Jacksonville Range Complex. [www.jacksonvillerrangecomplexeis.com](http://www.jacksonvillerrangecomplexeis.com).
- DoN. 2009f. Final Environmental Impact Statement/Overseas Environmental Impact Statement for VACAPES Range Complex. [www.vacapesrangecomplexeis.com](http://www.vacapesrangecomplexeis.com).
- DeSwart, R. L., P. S. Ross, J. G. Vos, and A. D. M. E. Osterhaus, 1996. Impaired immunity in harbour seals (*Phoca vitulina*) exposed to bioaccumulated environmental contaminants: Review of a long-term feeding study. *Environmental Health Perspectives*, Vol 104, Supplement 4, pp 823–828. August.
- Domingo, M., S. Kennedy, and M-F. van Bresse, 2002. “Marine Mammal Mass Mortalities” in P. G. H. Evans and J. A. Raga eds., *Marine Mammals: Biology and Conservation*. pp 425–456. Kluwer Academic/Plenum Publishers: New York.
- Drinkwater, K.F., A. Belgrano, A. Borja, A. Conversi, M. Edwards, C.H. Greene, G. Ottersen, A.J. Pershing, and H. Walker. 2003. The response of marine ecosystems to climate variability associated with the North Atlantic Oscillation. *Geophysical Monograph* 134:211-234.
- Environmental Protection Agency (EPA). 2009. Letter to the Department of the Navy indicating the EPA will initiate an evaluation of ocean acidification impacts to determine whether the current water quality criterion for pH should be modified. January.
- Energy Information Administration (EIA). Office of Oil and Gas. 2005. *Overview of U.S. legislation and Regulations Affecting Offshore natural Gas and Oil Activity*. September 2005.
- Fair, P.A. and P.R. Becker. 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery* 7:335-354.
- Field, J. C., D. F. Boesch, D. Scavia, R. Buddemeier, V. R. Burkett, D. Cayan, M. Fogarty, M. Harwell, R. Howarth, C. Mason, L. J. Pietrafesa, D. Reed, T. Roye, A. Sallenger, M. Spranger, J. G. Titus. 2003. Potential Consequences of Climate Variability and Change on Coastal Areas and Marine Resources. In: *Climate Change Impacts in the United States*. US Global Change Research Program: 461-487.  
<http://www.usgcrp.gov/usgcrp/Library/nationalassessment/foundation.htm>.
- Forcada, J., P.N. Trathan, K. Reid, and E.J. Murphy. 2005. The effects of global climate variability in pup production of Antarctic fur seals. *Ecology* 86(9):2408-2417.
- Frazier, J., R. Arauz, J. Chevalier, A. Formia, J. Fretey, M.H. Godfrey, R. Márquez-M, B. Pandav, and K. Shanker. 2007. Human-turtle interactions at sea. Pages 253-295 in Plotkin, P., ed. *Biology and conservation of ridley sea turtles*. Baltimore, Maryland: Johns Hopkins University Press.

- Geraci, J. R., Harwood, J., and Lounsbury, V. J., 1999. Marine mammal die-offs: Causes, investigations, and issues, in Conservation and management of marine mammals, edited by J. R. Twiss, and R. R. Reeves (Smithsonian Institution Press, Washington, DC), pp. 367–395.
- George, R.H. 1997. Health problems and diseases of sea turtles. Pages 363-385 in Lutz, P.L. and J.A. Musick, eds. The biology of sea turtles. Boca Raton, Florida: CRC Press.
- Gibbons, W., 2008. Do Turtle Excluder Devices Protect Sea Turtles? Ecoviews. Retrieved from <http://www.uga.edu/srelherp/ecoview/Eco18.htm>, on 23 May 2008.
- Gibson, J. and G. Smith. 1999. Reducing threats to foraging habitats. Pages 184-188 in Eckert, K.L., K.A. Bjorndal, F.A. Abreu-Grobois, and M. Donnelly, eds. Research and management techniques for the conservation of sea turtles. Publication No. 4. Washington, D.C.: IUCN/SSC Marine Turtle Specialist Group.
- GlobalSecurity.org, 2007a. SWFLANT, Kings Bay, Georgia. Retrieve from [http://www.globalsecurity.org/wmd/facility/kings\\_bay.htm](http://www.globalsecurity.org/wmd/facility/kings_bay.htm), on 15 June 2007.
- GlobalSecurity.org, 2007b. Mayport Naval Station Jacksonville, Florida. Retrieve from <http://www.globalsecurity.org/military/facility/mayport.htm>, on 15 June 2007.
- Greene, C.H., A.J. Pershing, R.D. Kenney, and J.W. Jossi. 2003. Impact of climate variability on the recovery of endangered North Atlantic right whales. *Oceanography* 16(4):98-103.
- Harwood, J. 2001. Marine mammals and their environment in the Twenty-First Century. *Journal of Mammalogy* 82(3):630-640.
- Hawkes, L.A., A.C. Broderick, M.S. Coyne, M.H. Godfrey, and B.J. Godley. 2007. Only some like it hot--Quantifying the environmental niche of the loggerhead sea turtle. *Diversity and Distributions* 13:447-457.
- Hays, G.C., A.C. Broderick, F. Glen, and B.J. Godley. 2003. Climate change and sea turtles: A 150-year reconstruction of incubation temperatures at a major marine turtle rookery. *Global Change Biology* 9:642-646.
- Henwood, T.A. and W.E. Stuntz. 1987. Analysis of sea turtle captures and mortalities during commercial shrimp trawling. *Fishery Bulletin* 85(4):813-817.
- Herbst, L.H. 1994. Fibropapillomatosis of marine turtles. *Annual Review of Fish Diseases* 4:389-425.
- Herbst, L.H. and P.A. Klein. 1995. Green turtle fibropapillomatosis: Challenges to assessing the role of environmental cofactors. *Environmental Health Perspectives* 103:27-30.
- Hohn, A.A., D.S. Rotstein, C.A. Harms, and B.L. Southall. 2006. Report on marine mammal unusual mortality event UMESE0501Sp: Multispecies mass stranding of pilot whales (*Globicephala macrorhynchus*), minke whale (*Balaenoptera acutorostrata*), and dwarf sperm whales (*Kogia sima*) in North Carolina on 15-16 January 2005. NOAA Technical Memorandum NMFS-SEFSC-537:1-222.
- Hoyt, E. and G.T. Hvenegaard. 2002. A review of whale-watching and whaling with applications for the Caribbean. *Coastal Management* 30:381-399.
- Hoyt, E., 1995. The worldwide value and extent of whale watching. Bath, United Kingdom: Whale and Dolphin Conservation Society.
- Hunter, W.C., W. Golder, S. Melvin, and J. Wheeler. 2006. Southeast United States Regional Waterbird Conservation Plan. North American Bird Conservation Initiative.

- In Ex Fish (IEF). 2006. The Role of Anthropogenic and Non-anthropogenic Forcing Factors on the Biology of Exploited Species. 16 p. <http://www.inexfish.org/publications/reports.html>.
- International Fund for Animal Welfare (IFAW), 1995. Report of the Workshop on the Scientific Aspects of Managing Whale Watching. Montecastello di Vibio, Italy: International Fund for Animal Welfare.
- International Whaling Commission (IWC), 2008. Catch Limits and Catches Taken. Retrieved from <http://www.iwcoffice.org/conservation/catches.htm>, on 10 April 2009.
- Jackson, J. B. C., M. X. Kirby, W. H. Berger, K. A. Bjorndal, L. W. Botsford, B. J. Bourque, R. H. Bradbury, R. Cooke, J. Erlandson, J. A. Estes, T. P. Hughes, S. Kidwell, C. B. Lange, H. S. Lenihan, J. M. Pandolfi, C. H. Peterson, R. S. Steneck, M. J. Tegner, and R. R. Warner 2001. Historical Overfishing and the Recent Collapse of Coastal Ecosystems. *Science*: 293 (629-638).
- James, M.C., J. Davenport, and G.C. Hays. 2006. Expanded thermal niche for a diving vertebrate: A leatherback turtle diving into near-freezing water. *Journal of Experimental Marine Biology and Ecology* 335:221-226.
- Jensen, A. S., and G. K. Silber, 2004. Large Whale Ship Strike Database. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-OPR-25.
- Johnson, A.J., S.D. Kraus, J.F. Kenney, and C.A. Mayo. 2007. The entangled lives of right whales and fishermen: Can they coexist? Pages 380-408 in Kraus, S.D. and R.M. Rolland, eds. *The urban whale: North Atlantic right whales at the crossroads*. Cambridge, Massachusetts: Harvard University Press.
- Johnson, S.A., K.A. Bjorndal, and A.B. Bolten. 1996. Effects of organized turtle watches on loggerhead (*Caretta caretta*) nesting behavior and hatchling production in Florida. *Conservation Biology* 10(2):570-577.
- Katona, S.K. and S.D. Kraus. 1999. Efforts to conserve the North Atlantic right whale. Pages 311-331 in Twiss, J.R., Jr. and R.R. Reeves, eds. *Conservation and management of marine mammals*. Washington, D.C.: Smithsonian Institution Press.
- Keiper, C.A., D.G. Ainley, S.G. Allen, and J.T. Harvey. 2005. Marine mammal occurrence and ocean climate off central California, 1986 to 1994 and 1997 to 1999. *Marine Ecology Progress Series* 289:285-306.
- Kemp, N.J. 1996. Habitat loss and degradation. Pages 263-280 in Simmonds, M.P. and J.D. Hutchinson, eds. *The conservation of whales and dolphins*. Chichester, England: John Wiley & Sons.
- Kenney, R. D., 2002. North Atlantic, North Pacific, and southern right whales (*Eubalaena glacialis*, *E. japonica*, and *E. australis*) in *Encyclopedia of Marine Mammals*, eds. W. F. Perrin, B. Würsig, and H. Thewissen, pp 806–813. Academic Press: San Diego, California.
- Kenney, R.D. 2007. Right whales and climate change: Facing the prospect of a greenhouse future. Pages 436-459 in Kraus, S.D. and R.M. Rolland, eds. *The urban whale: North Atlantic right whales at the crossroads*. Cambridge, Massachusetts: Harvard University Press.
- Knowlton, A. R., and S.D. Kraus, 2001. Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean. *Journal of Cetacean Research and Management*, Special Issue, Vol 2, pp 193–204.

- Laist, D.W. 1997. Impacts of marine debris: Entanglement of marine life in marine debris including a comprehensive list of species with entanglement and ingestion records. Pages 99-139 in Coe, J.M. and D.B. Rogers, eds. *Marine Debris: Sources, Impacts, and Solutions*. New York, New York: Springer-Verlag.
- Laist, D.W., J.M. Coe, and K.J. O'Hara. 1999. Marine debris pollution. Pages 342-366 in Twiss, J. and R.R. Reeves, eds. *Conservation and management of marine mammals*. Washington, D.C.: Smithsonian Institution Press.
- Laist, D. W., A. R. Knowlton, J. G. Mead, A. S. Collet, and M. Podesta, 2001. Collisions between ships and whales. *Marine Mammal Science*, Vol 17, No 1, pp 35–75.
- Learmonth, J.A., C.D. MacLeod, M.B. Santos, G.J. Pierce, H.Q.P. Crick, and R.A. Robinson. 2006. Potential effects of climate change on marine mammals. *Oceanography and Marine Biology: An Annual Review* 44:431-464.
- Lien, J. 2002. Entrapment and entanglement. Pages 394-395 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of Marine Mammals*. San Diego, California: Academic Press.
- Lutcavage, M.E., P. Plotkin, B. Witherington, and P.L. Lutz. 1997. Human impacts on sea turtle survival. Pages 387-409 in Lutz, P.L. and J.A. Musick, eds. *The biology of sea turtles*. Boca Raton, Florida: CRC Press.
- MacLeod, C.D., S.M. Bannon, G.J. Pierce, C. Schweder, J.A. Learmonth, J.S. Herman, and R.J. Reid. 2005. Climate change and the cetacean community of north-west Scotland. *Biological Conservation* 124:477-483.
- McMahon, C.R. and G.C. Hays. 2006. Thermal niche, large-scale movements and implications of climate change for a critically endangered marine vertebrate. *Global Change Biology* 12:1-9.
- Marine Mammal Commission (MMC). 2002. Annual report to Congress 2001. Bethesda, Maryland: Marine Mammal Commission.
- MMC. 2003. Annual report to Congress 2002. Bethesda, Maryland: Marine Mammal Commission.
- MMC. 2004. *Annual report to Congress 2003*. Bethesda, Maryland: Marine Mammal Commission.
- Martin, R.E. 1996. Storm impacts on loggerhead turtle reproductive success. *Marine Turtle Newsletter* 73:10-12.
- Milton, S.L., S. Leone-Kabler, A.A. Schulman, and P.L. Lutz. 1994. Effects of Hurricane Andrew on the sea turtle nesting beaches of South Florida. *Bulletin of Marine Science* 54:974-981.
- Milton, S.L. and P.L. Lutz. 2003. Physiological and genetic responses to environmental stress. Pages 163-198 in Lutz, P.L., J.A. Musick, and J. Wyneken, eds. *The biology of sea turtles*, Volume 2. Boca Raton, Florida: CRC Press.
- Minerals Management Service (MMS). 2007a. Atlantic OCS Fast Facts and Figures-Offshore Natural Gas and Oil Operations. Retrieved from <http://www.gomr.mms.gov/homepg/offshore/atlocs/atocsfax.html>, on 6 March 2007.
- MMS. 2007b. *Final EIS for the Outer Continental Shelf Oil and Gas Leasing Program 2007-2012*. April
- MMS. 2007c. *Proposed Final Program Outer Continental Shelf Oil and Gas Leasing Program 2007–2012*. U.S. Department of the Interior, Minerals Management Service. April. Document obtained at <http://www.mms.gov/5%2Dyear/PDFs/MMSProposedFinalProgram2007-2012.pdf> on 13 December 2007.

- MMS. 2007d. *Programmatic Environmental Impact Statement for Alternative Energy Development and Production and Alternate Use of Facilities on the Outer Continental Shelf*. October 2007.
- MMS. 2007e. *Oil, Gas, and Sulphur Operations in the Outer Continental Shelf (OCS)-Plans and Information-Protection of Marine Mammals and Threatened and Endangered Species*. Minerals Management Service (MMS), Department of the Interior. 13 April 2007. *Federal Register*, Volume 72, Number 71. Document retrieved from <http://www.gomr.mms.gov/homepg/whatsnew/newsreal/2007/070416afr.pdf>, on 21 June 2007.
- MMS. 2007f. Atlantic OCS Lease Status Information. Retrieved from <http://www.gomr.mms.gov/homepg/offshore/atlocs/atleas.html> , on 6 March 2007.
- MMS. 2007g. OCS Alternative Energy and Alternate Use Programmatic Environmental Impact Statement (EIS) Information Center: Offshore Wind Energy Fact Sheet. Document obtained at <http://ocsenergy.anl.gov/guide/wind/index.cfm>, on 10 May 2007.
- MMS. 2007h. Alternate Energy: Projects-Cape Wind Energy Project Fact Sheet. Document obtained at <http://www.mms.gov/offshore/RenewableEnergy/CapeWind.htm>, on 10 May 2007.
- Mrosovsky, N., C. Lavin, and M.H. Godfrey. 1995. Thermal effects of condominiums on a turtle nesting beach in Florida. *Biological Conservation* 74:151-156.
- National Marine Fisheries Service (NMFS), 1997. *Biological Opinion for Navy Activities Off the Southeastern United States along the Atlantic Coast*. Issued to the Department of the Navy, 15 May 1997. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, Maryland, and NMFS/Southeast Regional Office, St. Petersburg, Florida.
- NMFS. 2002. *Endangered Species Act (ESA) Section 7 Consultation on Mine Warfare Exercises (MINEX) and Explosive Ordnance Disposal (EOD) Unit Level Training at Several Locations Along the East Coast of the United States*. October 2002.
- NMFS. 2006a. Taking and Importing Marine Mammals; Taking Marine Mammals Incidental to the Explosive Removal of Offshore Structures in the Gulf of Mexico. National Marine Fisheries Service, National Oceanic and Atmospheric Administration, Department of Commerce. 7 April 2006. *Federal Register*, Vol 71, No 67. Document obtained at <http://frwebgate2.access.gpo.gov/cgi-bin/waisgate.cgi?WAISdocID=524976171714+0+0+0&WAIAction=retrieve>, on 30 May 2007.
- NMFS. 2006b. *Environmental Impact Statement to Implement the Operational Measures of the North Atlantic Right Whale Ship Strike Reduction Strategy, Draft Environmental Impact Statement*. Retrieved from <http://www.nmfs.noaa.gov/pr/pdfs/shipstrike/deis.pdf>, on 27 September 2007.
- NMFS. 2006c. *Biological Opinion for Sinking Exercises (SINKEX) in the Western North Atlantic Ocean*. September.
- NMFS. 2006d. Final Rule for the Taking and Importing Marine Mammals; Taking Marine Mammals Incidental to Conducting Precision Strike Weapons Testing and Training by Eglin Air Force Base in the Gulf of Mexico. *Federal Register*, Department of Commerce: NOAA Fisheries. 24 November 2006. *Federal Register*, Vol 71, No 226, pp 67810-67824.
- NMFS. 2007a. Recreational Fishery Statistics Catch Snapshot Query. NOAA Fisheries: Office of Science and Technology. Obtained from [www.st.nmfs.noaa.gov/st1/recreational/queries/catch/snapshot.html](http://www.st.nmfs.noaa.gov/st1/recreational/queries/catch/snapshot.html)

- NMFS. 2007b. Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations. *Federal Register*, Vol 72, No 227.
- NMFS. 2007c. Recreational Fishery Statistics Catch Snapshot Query. NOAA Fisheries: Office of Science and Technology. Obtained from [www.st.nmfs.noaa.gov/st1/recreational/queries/catch/snapshot.html](http://www.st.nmfs.noaa.gov/st1/recreational/queries/catch/snapshot.html)
- NMFS. 2007d. NMFS 2006 Annual Commercial Landings by Gear Type. Retrieved from [http://www.st.nmfs.noaa.gov/st1/commercial/landings/gear\\_landings.html](http://www.st.nmfs.noaa.gov/st1/commercial/landings/gear_landings.html) on 03 December 2007.
- NMFS. 2008a. *National Marine Fisheries Office of Protected Resources Memorandum to Chief of Naval Operations, Environmental Readiness*. January 19, 2008.
- NMFS. 2008b. *Final Environmental Impact Statement to Implement Vessel Operational Measures to Reduce Ship Strikes to North Atlantic Right Whales*. April 2009.
- NMFS. 2008c. Endangered Fish and Wildlife; Final Rule to Implement Speed Restrictions to Reduce the Threat of Ship Collisions with North Atlantic Right Whales. *Federal Register*, Vol. 73, No. 198, pp 60173–60191.
- National Oceanic and Atmospheric Administration (NOAA). 1998. December 1, 1998. Final Rule for the incidental taking of marine mammals, Naval activities; USS Seawolf submarine shock testing. *Federal Register*, Vol 63, No 230, 66069–66077.
- NOAA and Florida Fish and Wildlife Conservation Commission (FWC), 2004. *Interim report on the bottlenose dolphin (Tursiops truncatus) unusual mortality event along the panhandle of Florida March-April 2004*.
- NOAA. 2007. Florida Keys National Marine Sanctuary Shipwreck Trail. [http://floridakeys.noaa.gov/sanctuary\\_resources/shipwreck\\_trail/welcome.html](http://floridakeys.noaa.gov/sanctuary_resources/shipwreck_trail/welcome.html).
- NRC (National Research Council). 1990. *Decline of the sea turtles: Causes and prevention*. Washington, D.C.: National Academy Press.
- NRC. 2002. *Effects of Trawling and Dredging on Seafloor Habitats*. National Academy Press. 126 p.
- Northridge, S. P., and R. J. Hofman, 1999. Marine mammal interactions with fisheries, in *Conservation and Management of Marine Mammals*, J. R. Twiss, Jr. and R. R. Reeves, eds. Smithsonian Institution Press: Washington, D.C. pp 99–119.
- Norton, T.M., E.R. Jacobson, and J.P. Sunberg. 1990. Cutaneous fibropapilloma and renal myxofibroma in a green turtle, *Chelonia mydas*. *Journal of Wildlife Diseases* 26:265–270.
- Ocean Conservancy (OC). 2007. *International Coastal Cleanup: Report 2007*. The Ocean Conservancy: Washington D.C.
- O'Hara, J. 1980. Thermal influences on the swimming speed of loggerhead turtle hatchlings. *Copeia* 1980:773-780.
- Pershing, A.J., C.H. Greene, C. Hannah, D. Sameoto, E. Head, D.W. Mountain, J.W. Jossi, M.C. Benfield, P.C. Reid, and T.G. Durbin. 2001. Oceanographic responses to climate in the Northwest Atlantic. *Oceanography* 14(3):76-82.
- Read, A. J., P. Drinker, and S. Northridge, 2006. Bycatch of marine mammals in U.S. and global fisheries, *Conservation Biology*, Vol 20, pp 163–169.

- Reijnders, P. J. H., and A. Aguilar, 2002. Pollution and marine mammals, in *Encyclopedia of Marine Mammals*, W. F. Perrin, B. Würsig, and J. G. M. Thewissen, eds. Academic Press: San Diego. pp 948–957.
- Rybitski, M.J., R.C. Hale, and J.A. Musick. 1995. Distribution of organochlorine pollutants in Atlantic sea turtles. *Copeia* 1995(2):379-390.
- Shelden, K.E.W., S.E. Moore, J.M. Waite, P.R. Wade, and D.J. Rugh. 2005. Historic and current habitat use by North Pacific right whales *Eubalaena japonica* in the Bering Sea and Gulf of Alaska. *Mammal Review* 35(2):129-155.
- Simmonds, M.P. and S.J. Isaac. 2007. The impacts of climate change on marine mammals: Early signs of significant problems. *Oryx* 41(1):19-26.
- South Atlantic Fishery Management Council (SAFMC). 1998. Final Habitat Plan for the South Atlantic Region: Essential Fish Habitat Requirements for Fishery Management Plans of the South Atlantic Fishery Management Council. South Atlantic Fishery Management Council, p. 500.
- SAFMC. 2007. Threats to Essential Fish Habitat.  
[www.ocean.floridamarine.org/efh\\_coral/pdfs/Habitat\\_Plan/HabitatPlan288-356.pdf](http://www.ocean.floridamarine.org/efh_coral/pdfs/Habitat_Plan/HabitatPlan288-356.pdf).
- South Carolina State Ports Authority (SCSPA), 2008. Port of Charleston. Retrieved from [www.port-of-charleston.com](http://www.port-of-charleston.com) on 21 April 2008.
- Southall, B. L., 2005. Final Report of the 2004 NOAA symposium, *Shipping Noise and Marine Mammals: A Forum for Science, Management and Technology*. National Oceanographic and Atmospheric Administration. 40 pp.
- Spellman, A.C. 1999. Manatee entanglements in fishing gear and plastic debris. Page 176 in Abstracts, Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 1999. Wailea, Hawaii.
- Steinback, S., B. Gentner, and J. Castle, 2004. *The Economic Importance of Marine Angler Expenditures in the United States*. NOAA Professional Paper NMFS 2. pp 169.
- Trites, A. W., V. Christensen, and D. Pauly, 1997. Competition between fisheries and marine mammals for prey and primary production in the Pacific Ocean. *Journal of Northwest Atlantic Fishery Science*, Vol 22, pp 173–187.
- URS Greiner Woodward Clyde. 2000. Preliminary evaluation of ecological risks related to naval activities at the Atlantic Fleet Weapons Training Facility on Vieques, Puerto Ric Prepared for U.S. Navy Litigation Office, Washington, D.C.
- U.S. Air Force, 2004. *Naval Explosive Ordnance Training School (NEODS) Training Operations at Eglin AFB, FL, Biological Assessment*. Natural Resources Branch, Eglin AFB, Florida.
- USAF. 2005. Final Environmental Assessment for Eglin Gulf Test and Training Range (EGTTR) Precision Strike Weapons (PSW) Test (5-year pla) Eglin AFB, Florida. Air Armament Center, 46 TW/XPE Range Environmental Planning Office, Eglin Air Force Base, Florida.
- U.S. Army Corps of Engineers (USACE), 2004a. South Carolina Port Environmental Impact Statement, Appendix L. Retrieved from <http://www.porteis.com/project/documents.htm> on 21 April, 2008.
- USACE. 2006. *Final Environmental Impact Statement, Proposed Marine Container Terminal at the Charleston Naval Complex, North Charleston, South Carolina*. December.

- USACE. 2007. Record of Decision. Department of the Army Permit Application N. 2003-1T-016, South Carolina State Ports Authority's Proposed Marine Container Terminal at the Charleston Naval Complex, and Permit Application No. 2005-1N-440, South Carolina Department of Transportation's Proposed Port Access Roadway. South Carolina Port Environmental Impact Statement. April.
- US Marine Corps (USMC). 2004. Testing of the Expeditionary Fighting Vehicle (EFV) Prototypes at Marine Corps Base Camp Lejeune, Onslow County, North Carolina
- USMC. 2008. Environmental Assessment for Testing of the Expeditionary Fighting Vehicle Prototype at MCB Camp Lejeune, NC. (Pre-Final, May 2008)
- Vagg, R. and H. Hepworth. 2006. Migratory species and climate change: Impacts of a changing environment on wild animals. Bonn, Germany: United Nations Environment Programme and the Secretariat of the Convention on the Conservation of Migratory Species of Wild Animals.
- Waring G. T., E. Josephson, C. P. Fairfield-Walsh, and K. Maze-Foley. 2008. *US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2007*. U.S. Department of Commerce. National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center. NOAA Technical Memorandum NMFS-NE-205. Woods Hole. January.
- Washington Post, 2008. House Democrats to Let Ban on Drilling Expire; Senate Approves \$100 Billion Tax Break. September 24, 2008, pg A2.
- Weishampel, J.F., D.A. Bagley, and L.M. Ehrhart. 2004. Earlier nesting by loggerhead sea turtles following sea surface warming. *Global Change Biology* 10:1424-1427.
- Wiss, M. 2006. "USS Georgia: It's Official!". Kings Bay Periscope. Retrieved from [http://www.kingsbay.periscope.com/stories/080306/kin\\_georgia.shtml](http://www.kingsbay.periscope.com/stories/080306/kin_georgia.shtml). 14 August 2006
- Witham, R. 1995. Disruption of sea turtle habitat with emphasis on human influence. Pages 519-522 in Bjorndal, K.A., ed. *Biology and conservation of sea turtles*, Rev. ed. Washington, D.C.: Smithsonian Institution Press.
- Witherington, B.E. 1999. *Ecology of Neonate Loggerhead Turtles Inhabiting Pelagic Fronts near the Florida Current*. Final Project Report to NOAA/NMFS.
- Witherington, B.E. and R.E. Martin. 2003. Understanding, assessing, and resolving light-pollution problems on sea turtle nesting beaches. Florida Marine Research Institute Technical Report TR-2. 3rd ed. rev. St. Petersburg, Florida: Florida Fish and Wildlife Conservation Commission.
- Witzell, W.N. 1992. The incidental capture of sea turtles in commercial non-shrimping fisheries in southeastern U.S. waters. Contribution Number MIA-91/92-43. Miami, Florida: National Marine Fisheries Service.
- White House. 2008. Fact Sheet: Allowing Offshore Exploration to Help Address Rising Fuel Costs. July 14, 2008.